*Journal of Species Research* 4(Special issue):1-112, 2015

# Bibliographic checklist of Korean spiders (Arachnida: Araneae) ver. 2015

Jung Sun Yoo[1], Sue Yeon Lee[2], Moon Soon Im[3] and Seung Tae Kim[3,*]

[1]*Department of Exhibition and Education, National Institute of Biological Resources, Incheon 22689, Korea*
[2]*Entomology Program, Department of Agricultural Biotechnology, Seoul National University, Seoul 08826, Korea*
[3]*Life and Environment Research Institute, Konkuk University, Seoul 05029, Korea*

**Correspondent: stkim2000@hanmail.net*

The 2015 version of the bibliographic checklist of Korean spiders from the first checklist by Paik and Kim (1956) is presented, together with a complete bibliography of relevant Korean araneological literature. A total of 620 publications during 1907-2015 including original description on the Korean spiders and records of taxonomic description were critically reviewed. Records only from locations within the present borders of South Korea are listed. A total of 748 spider species of 271 genera belonging to 46 families are confirmed to exist in Korea. Twenty one species, whose distribution or existence within the Korean border are uncertain and lacked valid records, are excluded from the present list pending critical validation. Four spider species endemic to North Korean are listed separately from the present list. One genus, *Joopilia* Chae and Sohn, 2013 and 2 species, *Joopilia jooplis* Chae and Sohn, 2013 and *Dolomedes jirisanensis* Kim and Chae, 2012, which had no designated type species and no diagnosis, are cited as *nomina nuda*. New synonyms of 15 previously described spider species are proposed. Based on their zoogeographical distribution, the Korean spider fauna was found to be influenced by the northern species, including 36 Holarctic and 72 Palearctic species (14.5% of the total species). Korean endemic species include 160 species (21.5% of the total species). Korean indigenous spiders are also distributed in neighboring countries: 318 species in Russia (42.7%), 460 in China (61.7%), and 488 in Japan (65.5%).

Keywords: Arachnida, Araneae, checklist, fauna, Korea, spider

© 2015 National Institute of Biological Resources
DOI:10.12651/JSR.2015.4(S).001

## INTRODUCTION

Biodiversity encompasses variety of all life, including genes, species, communities, and ecosystems (Gaston, 1996). Understanding the biodiversity and distribution of species is an important part of many preservation and conservation programs. Fauna lists are inventories that generally have two main objectives: to aid the establishment of biodiversity on various scales and to serve as raw material or distributional information for research fields, such as taxonomy, ecology, and physiology. Fauna lists that have a key function in many fields can be composed for various ecosystems at national or regional scales.

Spiders are a ubiquitous and important predator group with high richness and abundance among invertebrates; they occur in many natural, as well as in agricultural ecosystems (Howell and Pienkowski, 1971; Nyffeler and Benz, 1987). Spiders are the largest order of arachnids and rank seventh in the total species diversity among all other groups of organisms (Sebastin and Peter, 2009), with 44,906 recorded species of 3,935 genera belonging to 114 families, as of June 2014 (Platnick, 2014). Spiders, which have a distinct ecological niche, play several important roles in ecosystems: 1) as a component of biodiversity, 2) by contributing to material circulation and energy transfer through preying on many animals in higher trophic levels in the food web, 3) as a natural enemy that feed on many agricultural and forest insect pests, 4) as indicator species detecting environmental changes, such as global warming and environmental pollution, and 5) providing physiologically active substances, such as poison and spider thread, which has used in many research fields.

To date, the list of Korean spiders has been revised 24 times from 1956 to 2015 (Paik and Kim, 1956; Paik,

1967b; 1971e; 1978e; Paik and Kim, 1985; 1994; Kim, 1991; 1994; 1995f; 1996e; 1997c; 1998c; 2000c; 2003; 2008; Im, 1996; 1997; Namkung, Kim and Lee, 2000; Kim and Jo, 2002; Kim *et al*., 2005; Namkung *et al*., 2009; Kim and Kim, 2010; NIBR, 2013; Kim *et al*., 2015), including a supplemental list of spiders by Namkung (1976) after Paik (1971e), spiders from certain environments (Namkung, 1980; Kim, 1995e; 1997e; Lee, Yoo and Kim, 2003; Kim *et al*., 2004) and a list of unrecorded species (Entomological Society of Korea, 1974). Most of the lists included only scientific names, reflecting the recent change in nomenclatural practices, with the exception of Paik and Kim (1956), who adopted a more complete method by providing synonyms with full reference to each study in the bibliography, including the page of taxonomic account and the number of figures and plates. A synopsis of revisions to the lists of Korean spiders is shown in Table 1.

Since the publication of the last comprehensive checklist of Korean spiders (Namkung *et al*., 2009), there has been many changes in the systematics and taxonomy of spiders. In addition, since 2009, many new species of spiders have been reported from Korea. The present list of Korean spiders, revised version of 2009 list (ver. 2010), was prepared after a critical review of all the previous lists from Korea, and was completed after extensive validation of all available taxonomic records related to Korean spiders from 1907 to 2015. This checklist of Korean spiders will be revised periodically after this 2015 version.

## A brief history of Korean araneology

Araneology in Korea was started by Embrik Strand (1876-1947), a German arachnologist. He described *Gnaphosa koreae* (current status = *Gnaphosa sinensis* Simon, 1880) as a new species based on a specimen collected by Warburg, a German minister from Korea, in 1907 (Paik, 1978e). Between 1907 and 1963, several Japanese araneologists and entomologists have studied Korean spiders. Most of these studies focused on faunistic surveys in order to make inventories (Kishida, 1927; 1936a; 1936b; 1936c; 1937; Mori, 1930; Kambe, 1932; 1933; Doi, 1935; 1940; Kamita, 1936; Murada, 1936; Kaneyama, 1941; Saito, 1941; Kishida and Saito, 1955; Yaginuma, 1963b). Okamoto (1945) reported the use of spiders for medicine and food in Joseon (as Korea was

**Table 1.** Synopsis of previous lists of Korean spiders.

| References | Synopsis | | | Remarks |
|---|---|---|---|---|
| | Families | Genera | Species | |
| Paik and Kim (1956) | 25 | 70 | 111 | |
| Paik (1967b) | 33 | 120 | 242 | Including 19 unconfirmed species |
| Paik (1971e) | 35 | 117 | 239 | |
| Entomological Society of Korea (1974) | 6 | 9 | 10 | List of unrecorded species |
| Namkung (1976) | 17 | 64 | 107 | Added 82 species to Paik (1971) |
| Paik (1978e) | 38 | 154 | 355 | Including 2 unconfirmed species |
| Namkung (1980) | 23 | 60 | 85 | Cave spiders (including 13 unconfirmed species) |
| Paik and Kim (1985) | 39 | 178 | 470 | Including 1 unconfirmed species |
| Kim (1991) | 41 | 191 | 529 | Including 1 unconfirmed species |
| Paik and Kim (1994) | 45 | 211 | 568 | Including 1 unconfirmed species |
| Kim (1995e) | 18 | 50 | 91 | Rice field spiders |
| Kim (1995f) | 45 | 211 | 568 | |
| Im (1996) | 45 | 214 | 594 | |
| Kim (1996e) | 45 | 211 | 567 | |
| Im (1997) | 45 | 214 | 600 | |
| Kim (1997c) | 44 | 208 | 583 | |
| Kim (1997e) | 18 | 51 | 95 | Rice field spiders |
| Kim (1998c) | 45 | 214 | 619 | |
| Kim (2000c) | 44 | 217 | 631 | |
| Namkung, Kim and Lee (2000) | 46 | 225 | 622 | |
| Kim and Cho (2002) | 45 | 234 | 629 | |
| Kim (2003) | 45 | 232 | 619 | |
| Lee, Yoo and Kim (2003) | 21 | 57 | 68 | Epigeic spiders |
| Kim *et al*. (2004) | 29 | 63 | 97 | Cave spiders |
| Kim *et al*. (2005) | 45 | 256 | 679 | |
| Kim (2008) | 46 | 256 | 679 | |
| Namkung *et al*. (2009) | 46 | 258 | 681 | |
| Kim and Kim (2010) | 46 | 265 | 726 | |
| NIBR (2013) | 45 | 268 | 719 | |
| Kim *et al*. (2015) | 48 | 281 | 795 | |





**Fig. 1.** Discovery rate of Korean spiders based on year of publication (A, number of species described annually; B, cumulative number of species).

then known). Yamaguchi (1953) established *Miagrammopes coreensis* (current status = *Miagrammopes orientalis*) as a new species and recorded its distribution in Nagasaki and Joseon. Schenkel (1963), another German arachnologist, discovered *Marpissa koreanica* (current status = *Marpissa milleri*) of the Salticidae in Suwon, Korea, in the course of his study on Chinese spiders.

Two araneologists have greatly influenced the development of Korean araneology. One of these is the late Dr. Paik Kap Yong (1914-1996), who studied araneology with Japanese scholars from 1936 onwards. He was the first Korean araneologist to report the presence of *Eresus niger* (current status = *Eresus kollari*) of the Eresidae and *Calommata signata* of the Atypidae in Daegu Pro-

vince, Korea, in 1937, and to describe *Neoantistea quelpartensis*, belonging to the Hahniidae, as a new species from Korea in 1958. In 1978, he published the "Illustrated Flora and Fauna of Korea, vol. 21. Araneae", the first pictorial encyclopedia of the Korean spiders, which included 126 species of 94 genera belonging to 29 families with splendid taxonomic accounts. The other araneologist of note is the late Mr. Namkung Joon (1920-2013), who began studying araneology in 1964 and described 161 species of 90 genera belonging to 28 families from Chungju Province, Korea. In 2001, he published "The spiders of Korea", which was the largest color pictorial encyclopedia of Korean spiders published to date and included taxonomic accounts of 546 species of 220 genera belonging to 43 families, with 7 new species and 37 previously unrecorded species. The 2nd edition of this encyclopedia published in 2003 had 5 additional species. Dr. Namkung also expanded his field of interest to encompass cave organisms, such as the Grylloblattodea, which include cave-dwelling spiders.

Both these araneologists, as well as several lesser-known araneologists discovered many new species, and provide descriptions of previously unrecorded species of the Korean spider fauna (see synonyms of each species and associated literature) with taxonomic accounts, including the results of faunistic studies in various agricultural and natural sites, such as rice, mulberry, and ginseng fields, mountains, islands, and caves (Paik, 1962; 1970b; 1976b; 1979d; 1980; 1995d; Namkung, Paik and Yoon, 1971; Namkung, Paik and Yoon, 1972; Paik and Namkung, 1979; Namkung and Yoon, 1980; Jo, 1981; Paik and Yoon, 1981; Seo and Sohn, 1984; Namkung, 1985; Kim *et al*., 1988; Namkung, Paik and Kang, 1988; Namkung, Paik and Lee, 1988; Kim, 1997b; Kim, Jeong and Lee, 2007; Kim, Ki and Park, 2008; Kim, Shin and Park 2008; faunistic literatures without taxonomic accounts not cited).

The discovery rate of Korean spiders, based on the publication dates of their taxonomic descriptions, is presented in Figure 1. Principal contributors to the discovery of new Korean spiders are indicated in the figure along with their main working period. There was a marked increase in the discovery rate in 1964, 1978, 1979, and 2001; this was driven by publications by Namkung (1964; 2001) and many exhaustive works by Paik (1978e; 1979a; 1979b; 1979c; 1979d), and Paik and Namkung (1979). A significant portion of Paik (1978e) and Namkung (2001; 2003) were concerned that taxonomic review of previously recorded species appearing in checklists. The average number of newly described species in Korea has increased by approximately 10 per year since 1957, when studies on Korean spiders began in earnest (Figure 1).

## Materials and Methods

### Scope of records included in list

Records are limited to those from locations within the present borders of the Korean Peninsula and South, and North Korea. To ensure completeness of the faunistic record of Korean spiders, the checklist was based on Korean and foreign literature that provided comprehensive and critical information on Korean spiders from 1907 to 2015. The present list was built based on all records in the previous lists, as well as on taxonomic and faunistic literature, including taxonomic accounts and illustrations. Lists from faunistic studies without reliable taxonomic information were excluded from the present list.

### Data validation

The present list originates from a literature survey of taxonomic descriptions and illustrations based on specimens from Korea. Taxonomic names mainly follow Platnick's Catalog ver. 15.0 (2014). Lists of Korean spiders from studies by Paik and Kim (1956), Paik and Kim (1985), Namkung, Kim, and Lee (2000), and Namkung *et al*. (2009) were used to assess the comprehensiveness of the present list. Species for which distribution or occurrence within the Korean border were uncertain and works which did not meet the requirements for valid records despite being published were excluded from the present list after a process of critical validation. These species are designated as "uncertain species" for the time being. North and South Korean spiders are listed separately.

### Notational systems used

The order of families also follows the taxonomic order of Platnick's Catalog ver. 15.0 (2014), which reflects the most recent taxonomic data and interrelationships of families. Platnick's catalog cites the date of publication of Namkung's "The spiders of Korea" as 2002. Though the book was distributed to the general public in 2002, the actual publication date was December 31, 2001. It is therefore cited as being published in 2001 in the present list. In the present list, the currently valid binomial name is provided along with the Korean name. Gender marks (♀♂) alongside the Korean name indicate that one or both sexes have been found and described. Global distribution is given below the binomial name. The present list uses a condensed format for synonyms, with each paper being cited in the bibliography. Synonyms are given below global distribution. The original name is given in the topmost line along with the original taxonomic accounts. Synonyms after the original description are listed alphabetically under the original name in the

same way. Repetitions of the author and scientific name are avoided, and the name of authors are chronologically arranged. Some synonyms include notations indicating misidentification or lapses in parentheses.

The changes to the Korean names of some genera and species are unavoidable, because some species were transferred to other genera, and some genera have only recently been added to the Korean spider fauna. Korean names according to taxonomic change are often confusing, owing to discordance between species and genus names. To resolve this discrepancy, the Korean names of some genera and species have been replaced with "개칭" in parentheses, with respect to the previous Korean name from the lists and taxonomic and faunistic studies if possible. In the case of new genera or species, Korean names are newly assigned and designated as "신칭" in parentheses.

## RESULTS

### Uncertain species

The following 21 species after Namkung *et al*. (2009) are listed to show that caution must be exercised when accepting these species as valid. Most of these species were recently published through a personal publication, *Korean Arachnology*, without a proper scientific review. Their identity could not be established and their validity was questionable considering their description. Many of the authors of these species could not provide adequate scientific evidence for adding a new or newly recorded species to the Korean spider fauna, because of poor description, poor illustrations or unfocused photos, species misidentification by non-specialists, misunderstanding holotype designation or non-designation of holotype, copying descriptions and illustrations of other authors without citations, and describing domestic species based on foreign specimen. In conclusion, presently, the list of uncertain species has many serious errors, and its validity is questionable for considering as new or newly recorded species to the Korean spider fauna.

***Pholcus kwangkyosanensis* Kim and Park, 2009**
*Pholcus kwangkyosanensis* Kim and Park 2009: 99, f. 1A-L.

***Pholcus parkyeonensis* Kim and Yoo, 2009**
*Pholcus parkyeonensis* Kim and Yoo 2009: 41, f. 1A-L.

***Pholcus pojeonensis* Kim and Yoo, 2008**
*Pholcus pojeonensis* Kim and Yoo 2008: 5, f. 1A-L.

***Nesticus gastropodus* Kim and Ye, 2014**
*Nesticus gastropodus* Kim and Ye 2014c: 147, f. 1-7.

***Dysdera crocata* C.L. Koch, 1838**
*Dysdera crocata* Paik 1978e: 206, f. 86.1-3, Paik and Kim 1985: 55 (list only), 1994: 111 (list only), Kim 1991: 276 (list only), 1995c: 163 (list only), 1997c: 169 (list only), 1998f: 13 (list only), Im 1996: 27, 1997: 17 (list only), 2000: 140 (list only), 2003: 230 (list only), 2008: 187 (list only), Namkung, Kim and Lee 2000: 306 (list only), Kim and Cho 2002: 384 (list only), Kim *et al*. 2005: 78 (list only), Kim and Kim 2010: 123 (list only), Kim *et al*. 2015: 58 (list only).

***Spheropistha melanosoma* Yaginuma, 1957**
*Spheropistha melanosoma* Kim and Shin 2009: 65, f. 1-3.

***Nematogmus stylitus* (Bösenberg and Strand, 1906)**
*Nematogmus stylitus* Namkung 1976: 84 (list only).

***Larinia onoi* Tanikawa, 1989**
*Larinia onoi* Shin 2007: 147 (list only in genus *Lariniaria*).

***Neoscona holmi* (Schenkel, 1953)**
*Neoscona holmi* Kim 1998a: 5, f. 1a-g, Yoo and Kim 2002: 28, f. 54.

***Hygrolycosa umidicola* Tanaka, 1978**
*Hygrolicosa umidicola* Ki, Ye and Kim 2015: 30, f. 1-5.

***Pardosa monticola* (Clerck, 1757)**
*Pardosa monticola* Paik and Kim 1985: 69 (list only), 1994: 131 (list only), Kim 1991: 285 (list only), 1995c: 183 (list only), 1996c: 208 (list only), 1997c: 178 (list only), 1998f: 31 (list only), 2000: 150 (list only), 2003: 255 (list only), 2008: 209, (list only), Im 1996: 154 (list only), 1997: 28, 223, Namkung, Kim and Lee 2000: 324 (list only), Kim and Cho 2002: 403 (list only), Kim *et al*. 2005: 102 (list only), Kim and Kim 2010: 141 (list only), Kim *et al*. 2015: 78 (list only).

***Arctosa cinerea* (Fabricius, 1777)**
*Arctosa cinerea* Kim *et al*. 2013: 18, f. 1, 2.

***Arctosa kawabe* Tanaka, 1985**
*Arctosa kawabe* Kim *et al*. 2013: 19, f. 3, 4.

***Pardosa yongduensis* Kim and Chae, 2012**
*Pardosa yongduensis* Kim and Chae 2012: 62, f. 1-14.

***Trochosa spinipalpis* (F.O. P.-Cambridge, 1895)**
*Trochosa spinipalpis* Korean society of entomology 1974: 100 (list only), Namkung 1976: 85 (list only), Paik 1978e: 440, Paik and Kim 1985: 69 (list only), 1994: 132 (list only), Kim 1991: 285 (list only), 1995c (list only), 1996c: 210 (list only), 1997c: 179 (list only), 1998f: 32 (list only), 2000: 151 (list only), 2003: 256 (list only), 2008: 210 (list only), Im 1996: 154 (list only), 1997: 28, 227, Namkung, Kim and Lee 2000: 325 (list only), Kim and Cho 2002: 404 (list only), Kim *et al*. 2005:

103 (list only), Kim and Kim 2010: 141 (list only), Kim *et al*. 2015: 78 (list only).

***Cheiracanthium eutittha* Bösenberg and Strand, 1906**
*Cheiracanthium eutittha* Namkung 2001: 429, f. 34.7; 2003: 424, f. 34.7 (may be misidentified, per Kim and Lee, 2007b: 239).

***Clubiona japonica* L. Koch, 1878**
*Clubiona japonica* Yoo and Kim 2002: 26, f. 19.

***Thanatus nodongensis* Kim and Kim, 2012**
*Thanatus nodongensis* Kim and Kim 2012: 72, f. 1-5.

***Tibellus kimi* Kim and Seung, 2015**
*Tibellus kimi* Kim and Seung 2015: 11, f. 1-8.

***Rhene myunghwani* Kim, 1996**
*Rhene myunghwani* Kim 1996a: 5, f. 1-5.

***Sitticus sinensis* Schenkel, 1963**
*Sitticus sinensis* Cho and Kim 2002: 133, f. 85, 195, 196, 304, 305.

**North Korean endemic spiders**

The following 4 species have been newly described from North Korea. The Korean names of these species were mostly already proposed by Namkung *et al*. (2000). All the North Korean spiders taxonomically described or reported, belong to the Clubionidae and Salticidae by Russian and Polish araneologists. So far, these 4 species have not been described from South Korea.

***Clubiona orientalis* Mikhailov, 1995 ♀**
*Clubiona orientalis* Mikhailov 1995: 106, f. 22, 23.

***Clubiona paralena* Mikhailov, 1995 ♂**
*Clubiona paralena* Mikhailov 1995: 102, f. 7-10.

***Clubiona proszynskii* Mikhailov, 1995 ♂**
*Clubiona proszynskii* Mikhailov 1995: 100, f. 1-3.

***Sitticus penicilloides* Wesolowska, 1981 ♀**
*Sitticus penicilloides* Wesolowska 1981: 79, f. 108, 109.

***Nomina nuda***

The following genus and species were described without designation of type species and diagnosis, therefore they are *nomina nuda*.

***Dolomedes jirisanensis* Kim and Chae, 2012**
*Dolomedes jirisanensis* Kim and Chae 2012: 2, f. 1-11 (no diagnosis provided, contra ICZN Art. 13.1.1).

***Joopilia* Chae and Sohn, 2013**
*Joopilia jooplis* Chae and Sohn 2013: 196, f. 1-9 (no type species designated, therefore the only species described, *Joopilia joopilis* Chae and Sohn, 2013: 196, f. 1-9, is also a nomen nudum).

**In synonymy**

The following 15 species were newly synonymized with previously described species.

*Pholcus uksuensis* Kim and Ye, 2014 = *Pholcus woongil* Huber, 2011.

*Neriene woljeongensis* Kim, Ye and Jang, 2013 = *Neriene nigripectoris* (Oi, 1960).

*Plebs yebongsanensis* Kim, Ye and Lee, 2014 = *Plebs sachalinensis* (Saito, 1934).

*Alloclubionoides boryeongensis* Kim and Ye, 2013 = *Alloclubionoides coreanus* Paik, 1992.

*Alloclubionoides persona* Kim and Ye, 2014 = *Draconarius coreanus* (Paik and Yaginuma, 1969).

*Alloclubionoides woljeongensis* Ye and Kim, 2014 (♀ only) = *Draconarius kayasanensis* (Paik, 1972).

*Alloclubionoides woljeongensis* Ye and Kim, 2014 (♂ only) = *Cybaeus longus* Paik, 1966.

*Cybaeus cappa* Kim, Ye and Yoo, 2014 = *Cybaeus triangulus* Paik, 1966.

*Cybaeus nodongensis* Kim, Sung and Chae, 2012 = *Cybaeus triangulus* Paik, 1966.

*Callobius woljeongsensis* Kim and Ye, 2013 = *Callobius koreanus* (Paik, 1966).

*Clubiona badoi* Kim and Ye, 2015 = *Clubiona kasanensis* Paik, 1990.

*Trachelas joopili* Kim and Lee, 2008 = *Cetonana orientalis* (Schenkel, 1936).

*Sinopoda jirisanensis* Kim and Chae, 2013 = *Sinopoda forcipata* (Karsch, 1881).

*Sinopoda cilvus* Kim *et al*., 2014 = *Sinopoda koreana* (Paik, 1968).

*Sinopoda yeoseodoensis* Kim and Ye, 2015 = *Sinopoda koreana* (Paik, 1968).

*Sinopoda aureola* Kim, Lee and Lee, 2014 = *Sinopoda stellatops* Jäger and Ono, 2002.

**Zoogeographical distribution of Korean spider**

From the zoogeographical distribution, the Korean

**Table 2.** Zoogeographical distribution of Korean spider.

| Families | Korean name | Genera | Species | Holarctic | Palearctic | Cosmopolitan | Tropical | | Korean endemic | Common species | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Cosmotropical | Pantropical | | Russia | China | Japan |
| Atypidae | 땅거미과 | 2 | 7 | | | | | | 6 | 1 | 1 | 1 |
| Sicariidae | 실거미과 | 1 | 1 | | | 1 | | | | 1 | 1 | 1 |
| Scytodidae | 가죽거미과 | 2 | 2 | 1 | | | | | | 1 | 2 | 2 |
| Leptonetidae | 잔나비거미과 | 3 | 23 | | | | | | 23 | | | |
| Pholcidae | 유령거미과 | 3 | 23 | 2 | | 1 | | | 19 | 4 | 4 | 4 |
| Segestriidae | 공주거미과 | 1 | 2 | | | | | | | | 2 | 2 |
| Oonopidae | 알거미과 | 2 | 2 | | | | | | | | | 2 |
| Mimetidae | 해방거미과 | 3 | 5 | | 1 | | | | | 3 | 3 | 5 |
| Eresidae | 주홍거미과 | 1 | 1 | | | | | | | 1 | 1 | |
| Oecobiidae | 티끌거미과 | 2 | 3 | | | 1 | | | | | 3 | 3 |
| Uloboridae | 응달거미과 | 5 | 8 | | 1 | | | | | 2 | 8 | 8 |
| Nesticidae | 굴아기거미과 | 2 | 7 | | | | | | 5 | 1 | 2 | 2 |
| Theridiidae | 꼬마거미과 | 33 | 85 | 6 | 5 | 4 | | 3 | 12 | 29 | 57 | 59 |
| Theridiosomatidae | 알망거미과 | 2 | 2 | | | | | | | 1 | | 2 |
| Anapidae | 도토리거미과 | 2 | 2 | | | | | | | | 2 | 2 |
| Mysmenidae | 깨알거미과 | 1 | 1 | | 1 | | | | | 1 | | 1 |
| Linyphiidae | 접시거미과 | 46 | 96 | 7 | 12 | 1 | | | 25 | 44 | 44 | 60 |
| Tetragnathidae | 갈거미과 | 7 | 26 | 2 | 1 | | 1 | | 1 | 17 | 18 | 24 |
| Nephilidae | 무당거미과 | 1 | 1 | | | | | | | | 1 | 1 |
| Araneidae | 왕거미과 | 22 | 74 | 6 | 7 | | 1 | | 1 | 31 | 63 | 68 |
| Lycosidae | 늑대거미과 | 8 | 49 | 3 | 5 | | | | 8 | 26 | 34 | 32 |
| Pisauridae | 닷거미과 | 3 | 7 | | | | | | | 4 | 7 | 6 |
| Oxyopidae | 스라소니거미과 | 1 | 3 | | | | | | | 1 | 2 | 3 |
| Zoropsidae | 정선거미과 | 1 | 1 | | | | | | | | 1 | 1 |
| Ctenidae | 너구리거미과 | 1 | 1 | | | | | | | 1 | 1 | 1 |
| Agelenidae | 풀거미과 | 10 | 41 | | 1 | | | | 27 | 7 | 9 | 12 |
| Cybaeidae | 굴뚝거미과 | 2 | 6 | | 1 | | | | 5 | 1 | 1 | 1 |
| Desidae | 갯가게거미과 | 1 | 1 | | | | | | | | | 1 |
| Hahniidae | 외줄거미과 | 2 | 3 | | 1 | | | | | 3 | 2 | 2 |
| Dictynidae | 잎거미과 | 6 | 14 | 1 | 1 | | | | 4 | 4 | 6 | 9 |
| Amaurobiidae | 비탈거미과 | 1 | 1 | | | | | | 1 | | | |
| Titanoecidae | 자갈거미과 | 1 | 1 | | | | | | | 1 | 1 | 1 |
| Eutichuridae | 장수염낭거미과 | 1 | 8 | | 1 | | | | | 3 | 8 | 4 |
| Miturgidae | 오소리거미과 | 1 | 1 | | 1 | | | | | | 1 | 1 |
| Anyphaenidae | 팔공거미과 | 1 | 1 | | | | | | | 1 | | 1 |
| Liocranidae | 밭고랑거미과 | 3 | 6 | | | | | | 1 | 2 | 3 | 3 |
| Phrurolithidae | 도사거미과 | 3 | 10 | | 1 | | | | 1 | 5 | 6 | 6 |
| Clubuonidae | 염낭거미과 | 1 | 28 | 1 | 3 | | | | 3 | 20 | 15 | 16 |
| Corinnidae | 코리나거미과 | 1 | 1 | | | | | | | | 1 | 1 |
| Trachelidae | 괭이거미과 | 3 | 3 | | | | | | | 2 | 3 | 2 |
| Trochanteridae | 홑거미과 | 1 | 1 | | | | | | | | 1 | 1 |
| Gnaphosidae | 수리거미과 | 20 | 56 | 3 | 6 | 1 | | | 13 | 22 | 33 | 30 |
| Sparassidae | 농발거미과 | 2 | 4 | | 1 | | | | | | 3 | 5 |
| Philodromidae | 새우게거미과 | 4 | 19 | 2 | 4 | | | | 1 | 15 | 15 | 14 |
| Thomisidae | 게거미과 | 19 | 46 | 1 | 7 | | | | 4 | 26 | 36 | 31 |
| Salticidae | 깡충거미과 | 33 | 65 | 1 | 11 | 2 | | | | 37 | 59 | 57 |
| Total | | 271 | 748 | 36 | 72 | 11 | 2 | 3 | 160 | 318 | 460 | 488 |
| % | | – | – | 4.8 | 9.7 | 1.5 | 0.27 | 0.40 | 21.5 | 42.7 | 61.7 | 65.5 |

spider fauna was found to be influenced by the northern species, including 36 Holarctic and 72 Palearctic species, 14.5% of the total species. Korean endemic species include 160 species, 21.5% of the total number. Eleven Cosmopolitan spiders (1.5% of the total species) are also distributed in Korea, and Cosmotropical (2 species, 0.3% of the total species) and Pantropical spiders (3 species, 0.4% of the total species) are also included. Korean indigenous spiders are also distributed in neighboring countries: 318 in Russia (42.7%), 460 in China (61.7%), and 488 in Japan (65.5%) (Table 2).

# CHECKLIST OF KOREAN SPIDERS (2015 REVISED)

**Kingdom Animalia Linnaeus, 1758** 동물계
**Phylum Arthropoda Latreille, 1829** 절지동물문
**Class Arachnida Cuvier, 1812** 거미강
**Order Araneae Clerck, 1757** 거미목

## Family Atypidae Thorell, 1870 땅거미과

Genus *Atypus* Latreille, 1804 땅거미속

***Atypus coreanus* Kim, 1985** 한국땅거미 ♀♂
---------- Korea.
*Atypus coreanus* Kim 1985b: 2, Kim and Kim 1996c: 58, Kim *et al*. 1999: 122, Namkung *et al*. 2000: 304, Namkung 2001: 25, 2003: 25, Kim and Cho 2002: 56, Yoo and Kim 2002: 25.
*Atypus donggukensis* Kim and Kim 1996c: 58, Kim *et al*. 1999: 122.

***Atypus magnus* Namkung, 1986** 광릉땅거미 ♀♂
---------- Russia, Korea.
*Atypus magnus* Namkung 1986a: 29, Kim and Kim 1996c: 59, Kim *et al*. 1999: 124, Namkung 2001: 26, 2003: 26, Yoo and Kim 2002: 25.

***Atypus minutus* Lee *et al*., 2015** 정읍땅거미 ♂
---------- Korea.
*Atypus minuta* Lee *et al*. 2015: 139 (specific epithet corrected according ICZN Art. 34.2).

***Atypus quelpartensis* Namkung, 2001** 한라땅거미 ♀♂
---------- Korea.
*Atypus quelpartensis* Namkung 2001: 27, 2003: 27.

***Atypus sternosulcus* Kim *et al*., 2006** 안동땅거미 ♂
---------- Korea.
*Atypus sternosulcus* Kim *et al*. 2006: 171.

***Atypus suwonensis* Kim *et al*., 2006** 수원땅거미 ♂
---------- Korea.
*Atypus suwonensis* Kim *et al*. 2006: 174.

Genus *Calommata* Lucas, 1837 고운땅거미속

***Calommata signata* Karsch, 1879** 고운땅거미 ♀♂
---------- China, Korea, Japan.
*Calommata signata* Karsch 1879: 60, Paik 1937: 43, Kim *et al*. 1999: 125, Namkung 2001: 28, 2003: 28, Kim and Cho 2002: 58, Yoo and Kim 2002: 25, Kim *et al*. 2008: 66.
*Calommata signatum*; Paik 1978e: 169.

## **Family Sicariidae Keyserling, 1880** 실거미과

Genus *Loxosceles* Heineken and Lowe, 1832 실거미속

***Loxosceles rufescens* (Dufour, 1820)** 실거미 우♂
---------- Cosmopolitan.
*Scytodes rufescens* Dufour 1820: 203, Paik 1978d: 572, Namkung 2001: 30, 2003: 30.
*Loxosceles ruescens*; Yoo and Kim 2002: 25 (lapsus).

## **Family Scytodidae Blackwall, 1864** 가죽거미과

Genus *Dictis* L. Koch, 1872 검정가죽거미속

***Dictis striatipes* L. Koch, 1872** 검정가죽거미 우♂
---------- China, Korea, Japan, Australia.
*Dictis striatipes* L. Koch 1872a: 295, Namkung 2003: 33.
*Scytodes nigrolineata*; Paik 1978e: 219.
*Scytodes striatipes*; Namkung 2001: 33.

Genus *Scytodes* Latreille, 1804 가죽거미속

***Scytodes thoracica* (Latreille, 1802)** 아롱가죽거미 우♂
---------- Holarctic, Pacific Is.
*Aranea thoracica* Latreille 1802: 56.
*Scytodes thoracica*; Paik 1978e: 221, Namkung 2001: 32, 2003: 32, Kim and Cho 2002: 61.

## **Family Leptonetidae Simon, 1890** 잔나비거미과

Genus *Leptoneta* Simon, 1872 잔나비거미속

***Leptoneta coreana* Paik and Namkung, 1969** 고려잔나비거미 우♂
---------- Korea.
*Leptoneta coreana* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 799, Paik 1978e: 209, Namkung 2001: 35, 2003: 35.

***Leptoneta handeulgulensis* Namkung, 2001** 한들잔나비거미 우♂
---------- Korea.
*Leptoneta handeulgulensis* Namkung 2001: 40, 2003: 40.

***Leptoneta hogyegulensis* Paik and Namkung, 1969** 호계잔나비거미 우♂
---------- Korea.
*Leptoneta hogyegulensis* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 803, Paik 1978e: 211, Namkung 2001: 36, 2003: 36.

***Leptoneta hongdoensis* Paik, 1980** 홍도잔나비거미 ♂
---------- Korea.
*Leptoneta hongdoensis* Paik 1980: 161.

***Leptoneta hwanseonensis* Namkung, 1987** 환선잔나비거미 우♂
---------- Korea.
*Leptoneta hwanseonensis* Namkung 1987: 86, 2001: 37, 2003: 37, Lee *et al*. 2004: 98.

***Leptoneta jangsanensis* Seo, 1989** 장산잔나비거미 우♂
---------- Korea.
*Leptoneta jangsanensis* Seo 1989: 30.

***Leptoneta kwangreungensis* Kim *et al*., 2004** 광릉잔나비거미 ♂
---------- Korea.
*Leptoneta kwangreungensis* Kim *et al*. 2004: 641.

***Leptoneta namhensis* Paik and Seo, 1982** 남해잔나비거미 우♂
---------- Korea.
*Leptoneta namhensis* Paik and Seo 1982: 65.

***Leptoneta namkungi* Kim *et al*., 2004** 남궁잔나비거미 ♂
---------- Korea.
*Leptoneta namkungi* Kim *et al*. 2004: 640.

***Leptoneta paikmyeonggulensis* Paik and Seo, 1984** 백명잔나비거미 우♂
---------- Korea.
*Leptoneta paikmyeonggulensis* Paik and Seo 1984: 99.

***Leptoneta secula* Namkung, 1987** 마귀잔나비거미 우♂
---------- Korea.
*Leptoneta secula* Namkung 1987: 84, 2001: 38, 2003: 38.

***Leptoneta simboggulensis* Paik, 1971** 심복잔나비거미 우♂
---------- Korea.
*Leptoneta simboggulensis* Paik 1971d: 301, 1978e: 212, Namkung 2003: 42.

***Leptoneta soryongensis* Paik and Namkung, 1969** 소룡잔나비거미 우
---------- Korea.
*Leptoneta soryongensis* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 804, Paik 1978e: 215.

***Leptoneta spinipalpus* Kim, Lee and Namkung, 2004** 가시잔나비거미 ♂
---------- Korea.
*Leptoneta spinipalpus* Kim, Lee and Namkung 2004: 257.

***Leptoneta taeguensis* Paik, 1985** 대구잔나비거미 우♂
---------- Korea.
*Leptoneta taeguensis* Paik 1985j: 114.

***Leptoneta waheulgulensis* Namkung, 1991** 와흘잔나비거미 우♂
---------- Korea.
*Leptoneta waheulgulensis* Namkung 1991: 30, 2001: 39, 2003: 39.

***Leptoneta yebongsanensis* Kim, Lee and Namkung, 2004** 예봉잔나비거미 우♂
---------- Korea.
*Leptoneta yebongsanensis* Kim, Lee and Namkung 2004: 259.

***Leptoneta yongdamgulensis* Paik and Namkung, 1969** 용담잔나비거미 우♂
---------- Korea.

*Leptoneta yongdamgulensis* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 806, Paik 1978e: 217, Namkung 2003: 41.

***Leptoneta yongyeonensis* Seo, 1989** 용연잔나비거미 우♂
---------- Korea.
*Leptoneta yongyeonensis* Seo 1989: 31.

Genus *Longileptoneta* Seo, 2015 긴잔나비거미속

***Longileptoneta songniensis* Seo, 2015** 긴잔나비거미 우♂
---------- Korea.
*Longileptoneta songniensis* Seo, 2015c: 307.

Genus *Masirana* Komatsu, 1942 턱잔나비거미속

***Masirana bonghwaensis* Seo, 2015** 봉화잔나비거미 ♂
---------- Korea.
*Masirana bonghwaensis* Seo, 2015c: 308.

***Masirana flabelli* Seo, 2015** 부채잔나비거미 ♂
---------- Korea.
*Masirana flabelli* Seo, 2015c: 310.

***Masirana ilweolensis* Seo, 2015** 일월잔나비거미 우♂
---------- Korea.
*Masirana ilweolensisi* Seo, 2015c: 312.

## Family Pholcidae C.L. Koch, 1850 유령거미과

Genus *Belisana* Thorell, 1898 제주육눈이유령거미속

***Belisana amabilis* (Paik, 1978)** 제주육눈이유령거미 우
---------- Korea.
*Spermophora amabilis* Paik 1978a: 114, Namkung 2001: 51, 2003: 53, Lee and Kim 2003: 116.
*Belisana amabilis* Huber 2005: 13 (transferrred from *Spermophora*).

Genus *Pholcus* Walckenaer, 1805 유령거미속

***Pholcus acutulus* Paik, 1978** 목이유령거미 우♂
---------- Korea.
*Pholcus acutulus* Paik 1978a: 121, Namkung 2001: 47, 2003: 49, Lee and Kim 2003: 106.

***Pholcus chiakensis* Seo, 2014** 치악유령거미 우♂
---------- Korea.
*Pholcus chiakensis* Seo 2014c: 400.

***Pholcus crassus* Paik, 1978** 부채유령거미 우♂
---------- Korea.
*Pholcus crassus* Paik 1978a: 119, Namkung 2001: 48, 2003: 50, Lee and Kim 2003: 107.

***Pholcus crypticolens* Bösenberg and Strand, 1906** 산유령거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Pholcus crypticolens* Bösenberg and Strand 1906: 127, Paik 1978e: 223, Namkung 2001: 44, 2003: 46, Lee and Kim 2003: 108.

***Pholcus extumidus* Paik, 1978** 엄지유령거미 우♂

---------- Korea, Japan.

*Pholcus extumidus* Paik 1978a: 123, Namkung 2001: 45, 2003: 47, Lee and Kim 2003: 109.

***Pholcus gajiensis* Seo, 2014** 가지유령거미 우♂

---------- Korea.

*Pholcus gajiensis* Seo 2014c: 403.

***Pholcus gosuensis* Kim and Lee, 2004** 고수유령거미 우♂

---------- Korea.

*Pholcus gosuensis* Kim and Lee 2004: 81.

***Pholcus joreongensis* Seo, 2004** 조령유령거미 우♂

---------- Korea

*Pholcus joreongensis* Seo 2004a: 74.

***Pholcus juwangensis* Seo, 2014** 주왕유령거미 우♂

---------- Korea.

*Pholcus juwangensis* Seo 2014c: 404.

***Pholcus kwanaksanensis* Namkung and Kim, 1990** 관악유령거미 우♂

---------- Korea.

*Pholcus kwanaksanensis* Namkung and Kim 1990: 132, Namkung 2001: 46, 2003: 48, Lee and Kim 2003: 110.

***Pholcus manueli* Gertsch, 1937** 대륙유령거미 우♂

---------- Russia, Turkmenistan, China, Korea, Japan, USA.

*Pholcus manueli* Gertsch, 1937: 1.

*Pholcus opilionoides*; Paik 1978e: 225, Namkung 2001: 42, 2003: 44, Lee and Kim 2003: 112.

***Pholcus montanus* Paik, 1978** 묏유령거미 우♂

---------- Korea.

*Pholcus montanus* Paik 1978a: 118, Lee and Kim 2003: 111.

***Pholcus nodong* Huber, 2011** 노동유령거미 우♂

---------- Korea.

*Pholcus nodong* Huber 2011: 481.

***Pholcus okgye* Huber, 2011** 옥계유령거미 우♂

---------- Korea.

*Pholcus okgye* Huber 2011: 481.

***Pholcus palgongensis* Seo, 2014** 팔공유령거미 우♂

---------- Korea.

*Pholcus palgongensis* Seo 2014c: 406.

***Pholcus phalangioides* (Fuesslin, 1775)** 집유령거미 우♂

---------- Cosmopolitan.

*Aranea phalangoides* Fuesslin 1775: 9.

*Pholcus phalangioides*; Paik 1978e: 227, Namkung 2001: 43, 2003: 45, Lee and Kim 2003: 113.

***Pholcus simbok* Huber, 2011** 심복유령거미 우♂
---------- Korea.
*Pholcus simbok* Huber 2011: 484.

***Pholcus socheunensis* Paik, 1978** 소천유령거미 우♂
---------- Korea.
*Pholcus socheunensis* Paik 1978a: 116, Lee and Kim 2003: 114.

***Pholcus sokkrisanensis* Paik, 1978** 속리유령거미 우♂
---------- Korea.
*Pholcus sokkrisanensis* Paik 1978a: 122, Namkung 2001: 49, 2003: 51, Lee and Kim 2003: 115.

***Pholcus woongil* Huber, 2011** 운길유령거미 우♂
---------- Korea.
*Pholcus woongil* Huber 2011b: 476.
*Pholcus uksuensis* Kim and Ye 2014b: 51 (New Synonym).

***Pholcus yeongwol* Huber, 2011** 영월유령거미 우♂
---------- Korea.
*Pholcus yeongwol* Huber 2011b: 479.

Genus *Spermophora* Hentz, 1841 육눈이유령거미속

***Spermophora senoculata* (Dugés, 1836)** 거문육눈이유령거미 우♂
---------- Holarctic, introduced elsewhere.
*Pholcus senoculatus* Dugés 1836: 160.
*Spermophora senoculata*; Paik 1996b: 23, Namkung 2001: 50, 2003: 52, Kim and Cho 2002: 60, Lee and Kim 2003: 117.

## Family Segestriidae Simon, 1893 공주거미과

Genus *Ariadna* Audouin, 1826 공주거미속

***Ariadna insulicola* Yaginuma, 1967** 섬공주거미 우♂
---------- China, Korea, Japan.
*Ariadna insulicola* Yaginuma 1967: 103, Namkung 1985: 57, 2001: 54, 2003: 56, Kim and Lee 2014: 148.

***Ariadna lateralis* Karsch, 1881** 공주거미 우♂
---------- China, Korea, Taiwan, Japan.
*Ariadna lateralis* Karsch 1881: 40, Paik 1978e: 204, Namkung 2001: 53, 2003: 55, Kim and Lee 2014: 149.

## Family Oonopidae Simon, 1890 알거미과

Genus *Gamasomorpha* Karsch, 1881 진드기거미속

***Gamasomorpha cataphracta* Karsch, 1881** 진드기거미 우♂
---------- Korea, Taiwan, Japan, Philippines.
*Gamasomorpha cataphracta* Karsch 1881: 40, Paik 1978d: 571, Namkung 2001: 55, 2003: 57.

Genus *Opopaea* Simon, 1891 숲진드기거미속

***Opopaea syarakui* (Komatsu, 1967)** 숲진드기거미 ♀♂
---------- *Gamasomorpha syarakui* Komatsu 1967: 46.
*Opopaea syarakui*; Seo 2010a: 2.

## Family Mimetidae Simon, 1881 해방거미과

Genus *Australomimetus* Heimer, 1986 배해방거미속

***Australomimetus japonicus* (Uyemura, 1938)** 배해방거미 ♀♂
---------- Korea, Japan.
*Mimetus japonicus* Uyemura 1938: 93, Namkung 1964: 36, Paik 1978e: 288, Seo 2003: 21.
*Australomimetus japonicus*; Kim and Lee 2013: 13.

Genus *Ero* C.L. Koch, 1836 해방거미속

***Ero cambridgei* Kulczyński, 1911** 얼룩해방거미 ♀♂
---------- Palearctic.
*Ero cambridgei* Kulczyński 1911: 61, Namkung 2001: 59, 2003: 61, Kim and Lee 2013: 15.

***Ero japonica* Bösenberg and Strand, 1906** 뿔해방거미 ♀♂
---------- Russia, China, Korea, Japan.
*Ero japonica* Bösenberg and Strand 1906: 245, Namkung 1964: 36, Paik 1967: 186, 1978e: 284, Namkung 2001: 57, 2003: 59, Kim and Lee 2013: 16.

***Ero koreana* Paik, 1967** 민해방거미 ♀
---------- Russia, China, Korea, Japan.
*Ero koreana* Paik 1967: 188, 1978e: 286, Namkung 2001: 58, 2003: 60, Kim and Lee 2013: 17.

Genus *Mimetus* Hentz, 1832 큰해방거미속

***Mimetus testaceus* Yaginuma, 1960** 큰해방거미 ♀♂
---------- China, Korea, Japan.
*Mimetus testaceus* Yaginuma 1960: appendix 3, Paik 1967: 190, 1978e: 289, Namkung 2001: 60, 2003: 62, Kim and Lee 2013: 18.

## Family Eresidae C.L. Koch, 1850 주홍거미과

Genus *Eresus* Walckenaer, 1805 주홍거미속

***Eresus kollari* Rossi, 1846** 주홍거미 ♀♂
---------- Europe to Central Asia.
*Eresus kollari* Rossi 1846: 17.
*Eresus cinnaberinus*; Namkung 2001: 62, 2003: 64.
*Eresus niger*; Namkung 1964: 33, Paik 1978e: 179.

## **Family Oecobiidae Blackwall, 1862** 티끌거미과

Genus *Oecobius* Lucas, 1846 티끌거미속

***Oecobius navus* Blackwall, 1859** 티끌거미 우♂
---------- Cosmopolitan.
*Oecobius navus* Blackwall 1859: 266, Namkung 2001: 64, 2003: 66.
*Oecobius annulipes*; Paik 1978e: 201.

Genus *Uroctea* Dufour, 1820 납거미속

***Uroctea compactilis* L. Koch, 1878** 남녘납거미 우♂
---------- China, Korea, Japan.
*Uroctea compactilis* L. Koch 1878: 749, Paik 1954: 5, 1978e: 297, Kim and Lee 1998: 53, Namkung 2001: 66, 2003: 68, Kim and Cho 2002: 62.

***Uroctea lesserti* Schenkel, 1936** 대륙납거미 우♂
---------- China, Korea.
*Uroctea lesserti* Schenkel 1936: 266, Kim and Namkung 1992: 102, Kim and Lee 1998: 54, Namkung 2001: 65, 2003: 67.
*Uroctea limbata*; Namkung 1964: 37 (우 misidentified), Paik 1978e: 299 (우♂ misidentified).

## **Family Uloboridae Thorell, 1869** 응달거미과

Genus *Hyptiotes* Walckenaer, 1837 부채거미속

***Hyptiotes affinis* Bösenberg and Strand, 1906** 부채거미 우♂
---------- China, Korea, Taiwan, Japan.
*Hyptiotes affinis* Bösenberg and Strand 1906: 108, Paik 1978e: 188, Kim and Lee 1999: 6, Namkung 1964: 32, 2001: 68, 2003: 70, Kim and Lee 2013: 21.

Genus *Miagrammopes* O. P.-Cambridge, 1870 손짓거미속

***Miagrammopes orientalis* Bösenberg and Strand, 1906** 손짓거미 우♂
---------- China, Korea, Taiwan, Japan.
*Miagrammopes orientalis* Bösenberg and Strand 1906: 109, Paik 1978e: 191, Kim and Lee 1999: 8, Namkung 2001: 69, 2003: 71, Kim and Cho 2002: 240, Kim and Lee 2013: 22.
*Miagrammopes coreensis* Yamaguchi 1953: 7.

Genus *Octonoba* Opell, 1979 중국응달거미속

***Octonoba sinensis* (Simon, 1880)** 중국응달거미 우♂
---------- China, Korea, Japan, North America.
*Uloborus sinensis* Simon 1880: 111.
*Octonoba sinensis*; Kim and Lee 1999: 10, Namkung 2001: 70, 2003: 72, Kim and Cho 2002: 249, Kim, Shin and Park 2008: 67, Kim and Lee 2013: 24.
*Uloborus tokyoensis*; Paik 1978e: 196.

***Octonoba sybotides* (Bösenberg and Strand, 1906)** 꼽추응달거미 우♂

---------- China, Korea, Japan.

*Uloborus sybotides* Bösenberg and Strand 1906: 104.

*Octonoba sybotides*; Kim and Lee 1999: 11, Namkung 2001: 71, 2003: 73, Kim and Cho 2002: 250, Kim and Lee 2013: 25.

***Octonoba varians* (Bösenberg and Strand, 1906)** 울도응달거미 우♂

---------- China, Korea, Japan.

*Uloborus varians* Bösenberg and Strand 1906: 102, Paik 1978e: 198.

*Octonoba varians*; Kim and Lee 1999: 11, Namkung 2001: 72, 2003: 74, Kim and Lee 2013: 26.

***Octonoba yesoensis* (Saito, 1934)** 북응달거미 우♂

---------- Russia, Central Asia to Japan.

*Argyrodes yesoensis* Saito 1934b: 303.

*Octonoba yesoensis*; Kim and Lee 1999: 12, Namkung 2001: 73, 2003: 75, Kim and Lee 2013: 27.

*Uloborus yesoensis*; Namkung, Paik and Yoon 1971: 50.

Genus *Philoponella* Mello-Leitão, 1917 왕관응달거미속

***Philoponella prominens* (Bösenberg and Strand, 1906)** 왕관응달거미 우♂

---------- China, Korea, Taiwan, Japan.

*Uloborus prominens* Bösenberg and Strand 1906: 106, Paik 1978e: 193.

*Philoponella prominens*; Kim and Lee 1999: 13, Namkung 2001: 74, 2003: 76, Kim and Cho 2002: 251, Kim and Lee 2013: 28.

Genus *Uloborus* Latreille, 1806 응달거미속

***Uloborus walckenaerius* Latreille, 1806** 유럽응달거미 우♂

---------- Palearctic.

*Uloborus walckenaerius* Latreille 1806: 110, Namkung 1964: 33, Paik 1978e: 199, Kim and Lee 1999: 14, Namkung 2001: 75, 2003: 77, Kim and Lee 2013: 30.

## Family Nesticidae Simon, 1894 굴아기거미과

Genus *Nesticella* Lehtinen and Saaristo, 1980 쇠굴아기거미속

***Nesticella brevipes* (Yaginuma, 1970)** 꼬마굴아기거미 우♂

---------- Russia, China, Korea, Japan.

*Nesticus brevipes* Yaginuma 1970: 386, Paik 1996f: 72.

*Nesticella brevipes*; Namkung 2001: 80, 2003: 82, Lee *et al*. 2004: 100.

***Nesticella mogera* (Yaginuma, 1972)** 쇠굴아기거미 우♂

---------- Azerbaijan, China, Korea, Japan, Hawaii, Fiji, Germany (introduced).

*Nesticus mogera* Yaginuma 1972a: 621.

*Nesticella mogera*; Kim, Yoo and Lee 1999: 183.

***Nesticella quelpartensis* (Paik and Namkung, 1969)** 제주굴아기거미 우♂

---------- Korea.

*Nesticus quelpartensis* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 812, Paik 1978e: 234.

*Nesticella quelpartensis*; Namkung 2001: 79, 2003: 81.

Genus *Nesticus* Thorell, 1869 굴아기거미속

***Nesticus acrituberculum* Kim *et al*., 2014** 검은줄무늬굴아기거미 ♂
---------- Korea.
*Nesticus acrituberculum* Kim *et al*. 2014: 380.

***Nesticus coreanus* Paik and Namkung, 1969** 반도굴아기거미 우♂
---------- Korea.
*Nesticus coreanus* Paik and Namkung in Paik, Yaginuma and Namkung 1969: 808, Paik 1978e: 231, Namkung 2001: 77, 2003: 79.

***Nesticus flavidus* Paik, 1978** 노랑굴아기거미 우
---------- Korea.
*Nesticus flavidus* Paik 1978b: 47.

***Nesticus kyongkeomsanensis* Namkung, 2001** 경검산굴아기거미 우♂
---------- Korea.
*Nesticus kyongkeomsanensis* Namkung 2001: 78, 2003: 80.

## Family Theridiidae Sundevall, 1833 꼬마거미과

Genus *Achaearanea* Strand, 1929 팔공말꼬마거미속

***Achaearanea palgongensis* Seo, 1992** 팔공말꼬마거미 우♂
---------- Korea.
*Achaearanea palgongensis* Seo 1992d: 169.

Genus *Anelosimus* Simon, 1891 잎무늬꼬마거미속

***Anelosimus crassipes* (Bösenberg and Strand, 1906)** 가시잎무늬꼬마거미 우♂
---------- China, Korea, Japan, Ryukyu Is.
*Enoplognatha crassipes* Bösenberg and Strand 1906: 157.
*Anelosimus crassipes*; Paik 1996c: 36, Namkung 2001: 103, 2003: 106, Kim and Cho 2002: 300.

***Anelosimus iwawakiensis* Yoshida, 1986** 보경잎무늬꼬마거미 우♂
---------- Korea, Japan.
*Anelosimus iwawakiensis* Yoshida 1986: 36, Paik 1996c: 38.

Genus *Argyrodes* Simon, 1864 더부살이꼬마거미속

***Argyrodes bonadea* (Karsch, 1881)** 백금더부살이거미 우♂
---------- China, Korea, Taiwan, Japan, Philippines.
*Conopistha bonadea* Karsch 1881: 39.
*Argyrodes bonadea*; Namkung 2001: 134, 2003: 136, Kim and Kim 2007: 214.

***Argyrodes flavescens* O. P.-Cambridge, 1880** 각시주홍더부살이거미 우♂
---------- India, Sri Lanka to Japan, New Guinea.
*Argyrodes flavescens* O. P.-Cambridge 1880: 321, Namkung 2001: 137, 2003: 139.

***Argyrodes miniaceus* (Doleschall, 1857)** 주홍더부살이거미 우♂
---------- Korea, Japan to Australia.
*Theridion miniaceum* Doleschall 1857: 408.
*Argyrodes miniaceus*; Namkung 2001: 136, 2003: 138, Kim and Kim 2007: 216.

Genus *Ariamnes* Thorell, 1869 꼬리거미속

***Ariamnes cylindrogaster* Simon, 1889** 꼬리거미 우♂
---------- China, Laos, Korea, Taiwan, Japan.
*Ariamnes cylindrogaster* Simon 1889: 251, Namkung 2003: 134, Kim and Kim 2007: 218.
*Argyrodes cylindrogaster*; Namkung 2001: 132, Kim and Cho 2002: 301.

Genus *Asagena* Sundevall, 1833 휘장무늬꼬마거미속

***Asagena phalerata* (Panzer, 1801)** 휘장무늬꼬마거미 우♂
---------- Palearctic.
*Phalangium phaleratum* Panzer 1801: 78.
*Steatoda phalerata*; Namkung, Im and Kim 1996: 15, Namkung 2001: 129, 2003: 131.

Genus *Chikunia* Yoshida, 2009 치쿠니연두꼬마거미속

***Chikunia albipes* (Saito, 1935)** 삼각점연두꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Theridula albipes* Saito 1935: 59.
*Chrysso albipes*; Namkung 2003: 113.
*Chrysso rapula*; Namkung 2001: 115.

Genus *Chrosiothes* Simon, 1894 혹꼬마거미속

***Chrosiothes sudabides* (Bösenberg and Strand, 1906)** 넷혹꼬마거미 우♂
---------- China, Korea, Japan.
*Theridion sudabides* Bösenberg and Strand 1906: 145.
*Chrosiothes sudabides*; Namkung 2001: 119, 2003: 121.

Genus *Chrysso* O. P.-Cambridge, 1882 연두꼬마거미속

***Chrysso foliata* (L. Koch, 1878)** 별연두꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Ero foliata* L. Koch 1878: 748.
*Argyroaster punctifera*; Namkung 1964: 33.
*Chrysso foliata*; Namkung 2003: 117.
*Chrysso punctifera*; Namkung 2001: 115.

***Chrysso lativentris* Yoshida, 1993** 조령연두꼬마거미 우♂
---------- China, Korea, Taiwan.
*Chrysso lativentris* Yoshida 1993: 27, Namkung 2001: 114, 2003: 116, Seo 2002a: 50.

***Chrysso octomaculata* (Bösenberg and Strand, 1906)** 여덟점꼬마거미 우♂
---------- China, Korea, Taiwan, Japan.

*Theridion octomaculatum* Bösenberg and Strand 1906: 138, Paik and Namkung 1979: 29.
*Coleosoma octomaculatum*; Namkung 2001: 117, 2003: 119.

***Chrysso pulcherrima* (Mello-Leitão, 1917)** 거문꼬마거미 우♂
---------- Pantropical.
*Argyrodes pulcherrimus* Mello-Leitão 1917: 86.
*Chrysso pulcherrima*; Seo 2005: 123.

***Chrysso scintillans* (Thorell, 1895)** 비너스연두꼬마거미 우♂
---------- Myanmar, China, Korea, Japan, Philippines.
*Physcoa scintillans* Thorell 1895: 83.
*Chrysso scintillans*; Namkung 2003: 118.
*Chrysso venusta*; Namkung 2001: 116.

Genus *Coscinida* Simon, 1895 깨알꼬마거미속

***Coscinida coreana* Paik, 1995** 한국깨알거미 우♂
---------- Korea.
*Coscinida coreana* Paik 1995b: 17.

***Coscinida ulleungensis* Paik, 1995** 울릉깨알꼬마거미 우♂
---------- Korea.
*Coscinida ulleungensis* Paik 1995b: 18.

Genus *Crustulina* Menge, 1868 곰보꼬마거미속

***Crustulina guttata* (Wider, 1834)** 점박이사마귀꼬마거미 우♂
---------- Palearctic.
*Theridion guttatum* Wider 1834: 235.
*Crustulina guttata*; Namkung 2001: 120, 2003: 122.

***Crustulina sticta* (O. P.-Cambridge, 1861)** 등줄곰보꼬마거미 우♂
---------- Holarctic.
*Theridion stictum* O. P.-Cambridge 1861: 432.
*Crustulina sticta*; Kim 1985a: 17.

Genus *Cryptachaea* Archer, 1946 돌꼬마거미속

***Cryptachaea riparia* (Blackwall, 1834)** 돌꼬마거미 우♂
---------- Palearctic.
*Cryptachaea riparia* Seo 2010b: 173.

Genus *Dipoena* Thorell, 1869 미진거미속

***Dipoena keumunensis* Paik, 1996** 금문미진거미 ♂
---------- Korea.
*Dipoena keumunensis* Paik 1996e: 43.

***Dipoena punctisparsa* Yaginuma, 1967** 서리미진거미 우♂
---------- Korea, Japan.

*Dipoena punctisparsa* Yaginuma 1967: 97, Namkung 2001: 112, 2003: 114, Kim and Cho 2002: 303.

***Dipoena wangi* Zhu, 1998** 왕미진거미 우♂
---------- China, Korea.
*Dipoena wangi* Zhu, 1998: 245, Seo 2004c: 28.

Genus *Enoplognatha* Pavesi, 1880 가랑잎꼬마거미속

***Enoplognatha abrupta* (Karsch, 1879)** 가랑잎꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Linyphia abrupta* Karsch 1879: 61.
*Enoplognatha abrupta*; Namkung 2003: 108.
*Enoplognatha transversifoveata*; Namkung 1964: 34, 2001: 106.

***Enoplognatha caricis* (Fickert, 1876)** 작살가랑잎꼬마거미 우♂
---------- Holarctic.
*Steatoda caricis* Fickert 1876: 72.
*Enoplognatha caricis*; Namkung 2003: 107.
*Enoplognatha japonica*; Paik and Namkung 1979: 29, Namkung 2001: 104.
*Enoplognatha tecta*; Namkung 2001: 105.

***Enoplognatha intrepida* (Sørensen, 1898)** 잎꼬마거미 우♂
---------- Korea, USA, Canada, Alaska, Greenland.
*Theridion intrepidum* Sørensen, 1898: 190.
*Enoplognatha intrepida*; Seo and Sohn 1998b: 77.

***Enoplognatha margarita* Yaginuma, 1964** 흰무늬꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Enoplognatha margarita* Yaginuma 1964: 6, Namkung and Yoon 1980: 19, Namkung 2001: 107, 2003: 109.

***Enoplognatha ovata* (Clerck, 1757)** 붉은무늬꼬마거미 우♂
---------- Holarctic.
*Araneus ovatus* Clerck 1757: 58.
*Enoplognatha ovata*; Namkung 2001: 108, 2003: 110.

Genus *Episinus* Walckenaer in Latreille, 1809 마름모꼬마거미속

***Episinus affinis* Bösenberg and Strand, 1906** 뿔마름모거미 우♂
---------- Russia, Korea, Taiwan, Japan, Ryukyu Is.
*Episinus affinis* Bösenberg and Strand 1906: 136, Namkung 2001: 122, 2003: 124.

***Episinus nubilus* Yaginuma, 1960** 민마름모거미 우♂
---------- China, Korea, Taiwan, Japan, Ryukyu Is.
*Episinus nubilus* Yaginuma 1960: appendix 3, Namkung 1964: 34, 2001: 123, 2003: 125, Kim and Cho 2002: 303.
*Episinus bicornutus*; Seo 1985b: 97.

Genus *Euryopis* Menge, 1868 팔성꼬마거미속

***Euryopis octomaculata* (Paik, 1995)** 팔성꼬마거미 우
---------- Korea, Japan.
*Steatoda octomaculata* Paik 1995a: 7.

Genus *Lasaeola* Simon, 1881 남방미진거미속

***Lasaeola yoshidai* (Ono, 1991)** 남방미진거미 우♂
---------- China, Korea, Japan.
*Dipoena yoshidai* Ono in Ono *et al*. 1991: 91.
*Lasaeola yoshidai*; Seo 2010b: 175.

Genus *Moneta* O. P.-Cambridge, 1870 긴마름모거미속

***Moneta caudifera* (Dönitz and Strand, 1906)** 긴마름모거미 우♂
---------- China, Korea, Japan.
*Episinus caudifer* Dönitz and Strand in Bösenberg and Strand 1906: 379.
*Episinus paiki*; Seo 1985b: 98.
*Moneta caudifer*; Namkung 2001: 124, 2003: 126.

Genus *Neospintharus* Exline, 1950 안장더부살이거미속

***Neospintharus baekamensis* Seo, 2010** 백암상투거미 우♂
---------- Korea.
*Neospintharus baekamensis* Seo 2010b: 172.

***Neospintharus fur* (Bösenberg and Strand, 1906)** 안장더부살이거미 우♂
---------- China, Korea, Japan.
*Argyrodes fur* Bösenberg and Strand 1906: 133, Namkung 2001: 135, 2003: 137, Kim and Cho 2002: 301.
*Neospintharus fur*; Kim and Kim 2007: 222.

***Neospintharus nipponicus* (Kumada, 1990)** 일본안장더부살이거미 우♂
---------- Korea, Japan.
*Neospintharus nipponicus* Kim *et al*. 2015: 25.

Genus *Neottiura* Menge, 1868 진주꼬마거미속

***Neottiura herbigrada* (Simon, 1873)** 가창꼬마거미 우♂
---------- France, Madeira, to Israel, China, Korea.
*Theridium herbigrada* Simon 1873: 113.
*Neottiura herbigrada*; Seo 2005: 123.

***Neottiura margarita* (Yoshida, 1985)** 진주꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Coleosoma margaritum* Yoshida 1985a: 45, Kim 1998e: 241, Namkung 2001: 118.
*Neottura margarita*; Namkung 2003: 120.

Genus *Paidiscura* Archer, 1950 회색꼬마거미속

***Paidiscura subpallens* (Bösenberg and Strand, 1906)** 회색꼬마거미 우♂
---------- China, Korea, Japan.
*Theridion subpallens* Bösenberg and Strand 1906: 139, Paik and Namkung 1979: 30, Namkung 2001: 101, Kim and Cho 2002: 314.
*Theridion mirabilis*; Paik 1996d: 10.
*Paidiscura subpallens*; Namkung 2003: 102.

Genus *Parasteatoda* Archer, 1946 말꼬마거미속

***Parasteatoda angulithorax* (Bösenberg and Strand, 1906)** 종꼬마거미 ♀♂
---------- Russia, China, Korea, Taiwan, Japan.
*Theridion angulithorax* Bösenberg and Strand 1906: 144.
*Achaearanea angulithorax*; Namkung 2001: 87, 2003: 89, Yoo and Kim 2002: 26.

***Parasteatoda asiatica* (Bösenberg and Strand, 1906)** 주황꼬마거미 ♀♂
---------- China, Korea, Japan.
*Achaea asiatica* Bösenberg and Strand 1906: 148.
*Achaearanea asiatica*; Namkung 2001: 90, 2003: 92.

***Parasteatoda culicivora* (Bösenberg and Strand, 1906)** 대륙꼬마거미 ♀♂
---------- China, Korea, Japan.
*Theridion culicivorum* Bösenberg and Strand 1906: 143.
*Achaearanea culicivora*; Yoo and Kim, 2002: 26.

***Parasteatoda ferrumequina* (Bösenberg and Strand, 1906)** 무릎꼬마거미 ♀♂
---------- China, Korea, Japan.
*Theridion ferrum-equinum* Bösenberg and Strand 1906: 139.
*Achaearanea ferrumequina*; Namkung 2001: 85, 2003: 87.

***Parasteatoda japonica* (Bösenberg and Strand, 1906)** 점박이꼬마거미 ♀♂
---------- China, Laos, Taiwan, Korea, Japan.
*Theridion japonicum* Bösenberg and Strand 1906: 140.
*Achaearanea ungilensis* Kim and Kim 1996b: 28.
*Achaearanea japonica*; Namkung 2001: 88, 2003: 90, Kim and Cho 2002: 298.

***Parasteatoda kompirensis* (Bösenberg and Strand, 1906)** 석점박이꼬마거미 ♀♂
---------- China, Korea, Japan.
*Theridion kompirense* Bösenberg and Strand 1906: 141, Namkung 1964: 35.
*Achaearanea kompirense*; Namkung 2001: 89, 2003: 91, Lee *et al*. 2004: 100.

***Parasteatoda oculiprominens* (Saito, 1939)** 색동꼬마거미 ♀♂
---------- China, Laos, Korea, Japan.
*Nesticus oculiprominentis* Saito 1939: 52.
*Achaearanea oculiprominentis*; Kim 1997b: 203, Namkung 2001: 91, 2003: 93.

***Parasteatoda simulans* (Thorell, 1875)** 담갈꼬마거미 ♀♂
---------- Palearctic.
*Theridion formosum simulans* Thorell 1875a: 55.
*Achaearanea simulans*; Namkung 2001: 84, 2003: 86.

***Parasteatoda tabulata* (Levi, 1980)** 큰종꼬마거미 ♀♂
---------- Holarctic.
*Achaearanea tabulata* Levi 1980: 334, Namkung 2001: 86, 2003: 88, Kim and Cho 2002: 299, Yoo and Kim 2002: 29.
*Achaearanea nipponica*; Paik 1986b: 4, Yoo and Kim 2002: 26.

***Parasteatoda tepidariorum* (C.L. Koch, 1841)** 말꼬마거미 ♀♂
---------- Cosmopolitan.
*Theridion tepidariorum* C.L. Koch, 1841: 75.
*Achaearanea tepidariorum*; Namkung 2001: 82, 2003: 84, Kim and Cho 2002: 299, Yoo and Kim 2002: 26.

Genus *Phoroncidia* Westwood, 1835 혹부리꼬마거미속

***Phoroncidia pilula* (Karsch, 1879)** 혹부리꼬마거미 우♂
---------- China, Korea, Japan.
*Sudabe pilula* Karsch 1879: 63.
*Phoroncidia pilula*; Namkung 2001: 121, 2003: 123.

Genus *Phycosoma* O. P.-Cambridge, 1879 용연미진거미속

***Phycosoma amamiense* (Yoshida, 1985)** 용연미진거미 우♂
---------- China, Korea, Japan, Ryukyu Is.
*Pholcomma amamiensis* Yoshida 1985b: 11.
*Dipoena amamiensis*; Paik 1995c: 33.

***Phycosoma flavomarginatum* (Bösenberg and Strand, 1906)** 황줄미진거미 우♂
---------- China, Korea, Japan.
*Dipoena flavomarginata* Bösenberg and Strand 1906: 151, Namkung 2001: 110, Lee *et al*. 2004: 100.
*Trigonobothrys flavomarginatus*; Namkung 2003: 112.

***Phycosoma japonicum* (Yoshida, 1985)** 고금미진거미 우♂
---------- Korea, Japan.
*Pholcomma japonicum* Yoshida 1985b: 10.
*Dipoena japonica*; Kim and Kim 1997: 20.
*Dipoena kayaensis* Paik 1996e: 42.

***Phycosoma martinae* (Roberts, 1983)** 한국미진거미 ♂
---------- Seychelles, India, China, Korea, Ryukyu Is., Philippines.
*Dipoena martinae* Roberts 1983: 227.
*Dipoena coreana* Paik 1995c: 32.

***Phycosoma mustelinum* (Simon, 1889)** 게미진거미 우♂
---------- Russia, China, Korea, Japan, Krakatau.
*Euryopis mustelina* Simon 1889: 251, Paik 1962: 74.
*Dipoena mustelina*; Namkung 2001: 111, Kim and Cho 2002: 302.
*Trigonobothrys mustelinus*; Namkung 2003: 113.
*Dipoena mustelina*; Lee *et al*. 2004: 100.

Genus *Platnickina* Koçak and Kemal, 2008 살별꼬마거미속

***Platnickina mneon* (Bösenberg and Strand, 1906)** 아담손꼬마거미 우♂
---------- Pantropical.
*Theridion mneon* Bösenberg and Strand 1906: 142.
*Theridion adamsoni*; Namkung 2001: 99.
*Keijia mneon*; Namkung 2003: 101.

***Platnickina sterninotata* (Bösenberg and Strand, 1906)** 살별꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Theridion sterninotatum* Bösenberg and Strand 1906: 143, Namkung 1964: 35, 2001: 98, Kim and Cho 2002: 313.
*Keijia sterninotata*; Namkung 2003: 100.

Genus *Rhomphaea* L. Koch, 1872 창거미속

***Rhomphaea sagana* (Dönitz and Strand, 1906)** 창거미 우♂
---------- Russia, Azerbaijan to Japan, Philippines.
*Ariamnes saganus* Dönitz and Strand in Bösenberg and Strand 1906: 378.
*Argyrodes saganus*; Namkung 2001: 138.
*Rhomphaea sagana*; Namkung 2003: 140.
*Rhomphaea saganus*; Kim and Kim 2007: 225.

Genus *Robertus* O. P.-Cambridge, 1879 민무늬꼬마거미속

***Robertus naejangensis* Seo, 2005** 내장꼬마거미 우♂
---------- Korea.
*Robertus naejangensis* Seo 2005: 121, 2007a: 83.

***Robertus subtilis* Seo, 2015** 뾰족수염꼬마거미 우♂
---------- Korea.
*Robertus subtilis* Seo 2015a: 106.

Genus *Steatoda* Sundevall, 1833 반달꼬마거미속

***Steatoda albomaculata* (De Geer, 1778)** 흰점박이꼬마거미 우♂
---------- Cosmopolitan.
*Aranea albo-maculata* De Geer 1778: 257.
*Steatoda albomaculata*; Paik 1995a: 5, Namkung 2001: 130, 2003: 132.

***Steatoda cingulata* (Thorell, 1890)** 반달꼬마거미 우♂
---------- China, Korea, Laos, Japan, Sumatra, Java.
*Stethopoma cingulatum* Thorell 1890: 289.
*Steatoda albilunata*; Namkung 1964: 34.
*Steatoda cingulata*; Namkung 2001: 126, 2003: 128.

***Steatoda erigoniformis* (O. P.-Cambridge, 1872)** 칠성꼬마거미 우♂
---------- Pantropical.
*Theridion erigoniforme* O. P.-Cambridge 1872: 284.
*Steatoda erigoniformis*; Namkung 2001: 127, 2003: 129.

***Steatoda grossa* (C.L. Koch, 1838)** 별꼬마거미 우♂
---------- Cosmopolitan.
*Theridium grossum* C.L. Koch 1838: 112.
*Steatoda grossa*; Paik 1970b: 346, Namkung 2001: 128, 2003: 130.

***Steatoda triangulosa* (Walckenaer, 1802)** 별무늬꼬마거미 우♂
---------- Cosmopolitan.
*Aranea triangulosa* Walckenaer 1802: 207.
*Steatoda triangulosa*; Namkung 1964: 34, 2001: 131, 2003: 133.

***Steatoda ulleungensis* Paik, 1995** 울릉반달꼬마거미 ♂
---------- Korea.
*Steatoda ulleungensis* Paik 1995a: 8.

Genus *Stemmops* O. P.-Cambridge, 1894 검정토시꼬마거미속

***Stemmops nipponicus* Yaginuma, 1969** 검정토시꼬마거미 우♂
---------- China, Korea, Japan.
*Stemmops nipponicus* Yaginuma 1969a: 14, Namkung 2001: 125, 2003: 127, Lee *et al*. 2004: 100.

Genus *Takayus* Yoshida, 2001 넉점꼬마거미속

***Takayus chikunii* (Yaginuma, 1960)** 갈비꼬마거미 우♂
---------- China, Korea, Japan.
*Theridion chikunii* Yaginuma 1960: appendix 1, Namkung 1964: 34, 2001: 93, Kim and Cho 2002: 304.
*Takayus chikunii*; Namkung 2003: 95.

***Takayus latifolius* (Yaginuma, 1960)** 넓은잎꼬마거미 우♂
---------- Russia, China, Korea, Japan.
*Theridion latifolium* Yaginuma 1960: appendix 1, Namkung 2001: 92, Kim and Cho 2002: 304.
*Takayus latifolius*; Namkung 2003: 94.

***Takayus lunulatus* (Guan and Zhu, 1993)** 초승달꼬마거미 우♂
---------- Russia, China, Korea.
*Theridion lunulatum*; Guan and Zhu in Zhu, Gao and Guan 1993: 91, Kim and Kim 2001: 154.

***Takayus quadrimaculatus* (Song and Kim, 1991)** 월매꼬마거미 우♂
---------- China, Korea.
*Theridion quadrimaculatum* Song and Kim 1991: 20, Namkung 2001: 102, 2003: 104.
*Theridion wolmerense* Paik 1996a: 10.

***Takayus takayensis* (Saito, 1939)** 넉점꼬마거미 우♂
---------- China, Korea, Japan.
*Theridion takayense* Saito 1939: 47, Namkung 2001: 97.
*Takayus takayensis*; Namkung 2003: 99.

Genus *Theridion* Walckenaer, 1805 꼬마거미속

***Theridion longipalpum* Zhu, 1998** 긴수염꼬마거미 ♂
---------- China, Korea.
*Theridion longipalpum* Zhu 1998: 193, Seo 2005: 125.

***Theridion longipili* Seo, 2004** 긴털꼬마거미 우♂
---------- Korea.
*Theridion longipili* Seo 2004b: 79.

***Theridion palgongense* Paik, 1996** 팔공꼬마거미 우
---------- Korea.
*Theridion palgongense* Paik 1996d: 9.

***Theridion pictum* (Walckenaer, 1802)** 붉은등줄꼬마거미 우♂
---------- Holarctic.
*Aranea picta* Walckenaer 1802: 207.
*Theridion pictum*; Namkung 1976: 84 (list only).

***Theridion pinastri* L. Koch, 1872** 등줄꼬마거미 우♂

---------- Palearctic.

*Theridion pinastri* L. Koch 1872b: 249, Paik 1957: 43, Namkung 2001: 94, 2003: 103.

***Theridion submirabile* Zhu and Song, 1993** 먼지꼬마거미 우♂

---------- China, Korea.

*Teridion submirabilis* Zhu and Song in Song, Zhu and Li 1993: 858.

*Teridion submirabile*; Namkung 2003: 105.

***Theridion taegense* Paik, 1996** 대구꼬마거미 우

---------- Korea.

*Theridion taegense* Paik 1996d: 8.

Genus *Thymoites* Keyserling, 1884 코보꼬마거미속

***Thymoites ulleungensis* (Paik, 1991)** 울릉코보꼬마거미 우♂

---------- Korea.

*Savignia ulleungensis* Paik 1991e: 7.

*Thymoites ulleungensis*; Seo 2007a: 84.

Genus *Yaginumena* Yoshida, 2002 야기누마미진거미속

***Yaginumena castrata* (Bösenberg and Strand, 1906)** 검정미진거미 우♂

---------- Russia, China, Korea, Japan.

*Dipoena castrata* Bösenberg and Strand 1906: 149, Namkung 1964: 34, 2001: 109, Paik and Namkung 1979: 28, Lee *et al*. 2004: 100.

*Yaginumena castrata*; Namkung 2003: 111.

***Yaginumena mutilata* (Bösenberg and Strand, 1906)** 적갈미진거미 우

---------- Korea, Japan.

*Dipoena mutilata* Bösenberg and Strand 1906: 150, Paik 1962: 74.

Genus *Yunohamella* Yoshida, 2007 탐라꼬마거미속

***Yunohamella lyrica* (Walckenaer, 1842)** 서리꼬마거미 우♂

---------- Holarctic.

*Theridion lyricum* Walckenaer 1842: 288, Kim and Kim 2001: 155, Namkung 2001: 96, 2003: 98.

*Takayus lyricus*; Namkung 2003: 98.

***Yunohamella subadulta* (Bösenberg and Strand, 1906)** 이끼꼬마거미 우♂

---------- Russia, Korea, Japan.

*Theridion subadultum* Bösenberg and Strand 1906: 147, Namkung 2001: 100, 2003: 96, Kim and Cho 2002: 313.

***Yunohamella yunohamensis* (Bösenberg and Strand, 1906)** 탐라꼬마거미 우♂

---------- Russia, Korea, Japan.

*Theridion yunohamense* Bösenberg and Strand 1906: 145, Namkung 2001: 95.

*Takayus yunohamensis*; Namkung 2003: 97.

**Family Theridiosomatidae Simon, 1881** 알망거미과

Genus *Ogulnius* O. P.-Cambridge, 1882 산길알망거미속

***Ogulnius pullus* Bösenberg and Strand, 1906** 산길알망거미 우♂
---------- Korea, Japan.
*Ogulnius pullus* Bösenberg and Strand 1906: 244, Namkung 2001: 141, 2003: 143, Kim and Lee 2013: 32.

Genus *Theridiosoma* O. P.-Cambridge, 1879 알망거미속

***Theridiosoma epeiroides* Bösenberg and Strand, 1906** 알망거미 우♂
---------- Russia, Korea, Japan.
*Theridiosoma epeiroides* Bösenberg and Strand 1906: 243, Paik 1978e: 295, Namkung 2001: 140, 2003: 142, Kim and Lee 2013: 34.

**Family Anapidae Simon, 1895** 도토리거미과

Genus *Comaroma* Bertkau, 1889 갑옷도토리거미속

***Comaroma maculosa* Oi, 1960** 갑옷도토리거미 우♂
---------- China, Korea, Japan.
*Comaroma maculosa* Oi 1960a: 184, Namkung 2001: 144, 2003: 146, Lee *et al*. 2004: 99.

Genus *Conculus* Komatsu, 1940 도토리거미속

***Conculus lyugadinus* Komatsu, 1940** 도토리거미 우♂
---------- China, Korea, Japan.
*Conculus lyugadinus* Komatsu 1940: 190, Namkung 2001: 143, 2003: 145.
*Conculus simboggulensis* Paik 1971d: 304, 1974d: 139, 1978e: 292.

**Family Mysmenidae Petrunkevitch, 1928** 깨알거미과

Genus *Mysmenella* Brignoli, 1895 깨알거미속

***Mysmenella jobi* (Kraus, 1967)** 깨알거미 우♂
---------- Palearctic.
*Mysmena jobi* Kraus 1967: 392.
*Mysmenella jobi*; Namkung and Lee 1987: 46, Namkung 2001: 146, 2003: 148, Lee *et al*. 2004: 100.

**Family Linyphiidae Blackwall, 1859** 접시거미과

Genus *Agyneta* Hull, 1911 꼬마접시거미속

***Agyneta nigra* (Oi, 1960)** 검정꼬마접시거미 우♂
---------- Russia, Mongolia, China, Korea, Japan.

*Meioneta nigra* Oi 1960a: 211, Seo 1992e: 173.

***Agyneta palgongsanensis* (Paik, 1991)** 팔공꼬마접시거미 우♂
---------- Russia, China, Korea.
*Meioneta palgongsanensis* Paik 1991e: 3.

***Agyneta rurestris* (C.L. Koch, 1836)** 꼬마접시거미 우♂
---------- Palearctic.
*Micryphantes rurestris* C.L. Koch 1836: 84.
*Meioneta rurestris*; Paik 1965a: 62, 1978e: 256, Namkung 2003: 170, Lee, Kang and Kim 2009: 130.
*Agyneta rurestris*; Namkung 2001: 170.

Genus *Allomengea* Strand, 1912 입술접시거미속

***Allomengea beombawigulensis* Namkung, 2001** 범바위입술접시거미 우
---------- Korea.
*Allomengea beombawigulensis* Namkung 2001: 174, 2003: 176, Lee, Kang and Kim 2009: 117.

***Allomengea coreana* (Paik and Yaginuma, 1969)** 입술접시거미 우♂
---------- Korea.
*Mengea coreana* Paik and Yaginuma in Paik, Yaginuma and Namkung 1969: 819, Paik 1978e: 260.
*Allomengea coreana*; Namkung 2001: 173, 2003: 175.

Genus *Anguliphantes* Saaristo and Tanasevitch, 1996 코접시거미속

***Anguliphantes nasus* (Paik, 1965)** 코접시거미 우♂
---------- China, Korea.
*Lepthyphantes nasus* Paik 1965c: 27, 1978e: 255, 1985a: 1, Namkung 2001: 164.
*Anguliphantes nasus*; Namkung 2003: 165, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 117.

Genus *Aprifrontalia* Oi, 1960 곱등애접시거미속

***Aprifrontalia mascula* (Karsch, 1879)** 곱등애접시거미 우♂
---------- Russia, Korea, Taiwan, Japan.
*Erigone mascula* Karsch 1879: 62.
*Aprifrontalia mascula*; Namkung 2001: 185, 2003: 187, Lee, Kang and Kim 2009: 118.

Genus *Arcuphantes* Chamberlin and Ivie, 1943 나사접시거미속

***Arcuphantes ephippiatus* Paik, 1985** 안장나사접시거미 우♂
---------- Korea.
*Arcuphantes ephippiatus* Paik 1985i: 87.

***Arcuphantes juwangensis* Seo, 2006** 주왕나사접시거미 우
---------- Korea.
*Arcuphantes juwangensis* Seo 2006: 101.

***Arcuphantes keumsanensis* Paik and Seo, 1984** 금산나사접시거미 우
---------- Korea.
*Arcuphantes keumsanensis* Paik and Seo 1984: 98.

***Arcuphantes longipollex* Seo, 2013** 긴나사접시거미 우♂
---------- Korea.
*Arcuphantes longipollex* Seo 2013b: 143.

***Arcuphantes namhaensis* Seo, 2006** 남해나사접시거미 우♂
---------- Korea.
*Arcuphantes namhaensis* Seo 2006: 102.

***Arcuphantes pennatus* Paik, 1983** 날개나사접시거미 우♂
---------- Korea.
*Arcuphantes pennatus* Paik 1983b: 81, Namkung 2001: 175, 2003: 177, Lee, Kang and Kim 2009: 119.

***Arcuphantes profudus* Seo, 2013** 가시나사접시거미 우♂
---------- Korea.
*Arcuphantes profudus* Seo 2013b: 143.

***Arcuphantes pulchellus* Paik, 1978** 공산나사접시거미 우
---------- Korea.
*Arcuphantes pulchellus* Paik 1978b: 48.

***Arcuphantes rarus* Seo, 2013** 민나사접시거미 우♂
---------- Korea.
*Arcuphantes rarus* Seo 2013b: 145.

***Arcuphantes scitulus* Paik, 1974** 까막나사접시거미 우♂
---------- Korea.
*Arcuphantes scitulus* Paik 1974a: 18, 1978e: 239, Namkung 2001: 176, 2003: 178, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 119.

***Arcuphantes trfidus* Seo, 2013** 갈래나사접시거미 우♂
---------- Korea.
*Arcuphantes trifidus* Seo 2013b: 147.

***Arcuphantes uhmi* Seo and Sohn, 1997** 엄나사접시거미 우
---------- Korea.
*Arcuphantes uhmi* Seo and Sohn 1997a: 45.

Genus *Bathyphantes* Menge, 1866 긴손접시거미속

***Bathyphantes gracilis* (Blackwall, 1841)** 각시긴손접시거미 우♂
---------- Holarctic.
*Linyphia gracilis* Blackwall 1841: 666.
*Bathyphantes gracilis*; Namkung 2001: 177, 2003: 179, Lee, Kang and Kim 2009: 120.

***Bathyphantes robustus* Oi, 1960** 검정긴손접시거미 우♂
---------- Korea, Japan.
*Bathyphantes robustus* Oi 1960a: 208, Namkung 2001: 178, 2003: 180, Lee, Kang and Kim 2009: 121.

***Bathyphantes yodoensis* Oi, 1960** 금오긴손접시거미 우♂
---------- Korea, Japan.
*Bathyphantes yodoensis* Oi, 1960a: 207, Seo 1996b: 161.

Genus *Ceratinella* Emerton, 1882 껍질애접시거미속

***Ceratinella brevis* (Wider, 1834)** 껍질애접시거미 ♀♂
---------- Palearctic.
*Theridion breve* Wider, 1834: 236.
*Ceratinella brevis*; Seo 2011b: 142, Kim, Lee and Lee 2014c: 156.

Genus *Ceratinopsis* Emerton, 1882 해변애접시거미속

***Ceratinopsis setoensis* (Oi, 1960)** 해변애접시거미 ♀♂
---------- Korea, Japan.
*Anacotyle setoensis* Oi 1960b: 5.
*Ceratinopsis setoensis*; Namkung 2001: 196, 2003: 198, Lee, Kang and Kim 2009: 121.

Genus *Collinsia* O. P.-Cambridge, 1913 언덕애접시거미속

***Collinsia inerrans* (O. P.-Cambridge, 1885)** 언덕애접시거미 ♀♂
---------- Palearctic.
*Neriene inerrans* O. P.-Cambridge, 1885b: 11.
*Collinsia inerrans*; Namkung 2003: 199, Lee, Kang and Kim 2009: 121.
*Collinsia japonica*; Paik 1995d: 47.
*Collinsia submissa*; Namkung 2001: 197.

Genus *Cresmatoneta* Simon, 1929 개미접시거미속

***Cresmatoneta mutinensis* (Canestrini, 1868)** 개미접시거미 ♀♂
---------- Palearctic.
*Formicina mutinensis* Canestrini 1868: 197.
*Cresmatoneta mutinensis*; Namkung 1986b: 12, Kim and Kim 2000: 10.

***Cresmatoneta nipponensis* Saito, 1988** 일본개미접시거미 ♀♂
---------- Korea, Japan.
*Cresmatoneta nipponensis* Saito 1988: 24, Namkung 2001: 181, 2003: 183.

Genus *Crispiphantes* Tanasevitch, 1992 마름모접시거미속

***Crispiphantes biseulsanensis* (Paik, 1985)** 비슬산접시거미 ♀
---------- China, Korea.
*Lepthyphantes biseulsanensis* Paik 1985d: 8.
*Crispiphantes biseulsanensis*; Namkung 2001: 162, 2003: 163, Lee, Kang and Kim 2009: 122.

***Crispiphantes rhomboideus* (Paik, 1985)** 마름모꼬마접시거미 ♀♂
---------- Russia, Korea.
*Meioneta rhomboidea* Paik 1985h: 58.
*Crispiphantes rhomboideus*; Namkung 2001: 162, 2003: 164, Lee, Kang and Kim 2009: 122.

Genus *Diplocephaloides* Oi, 1960 흰배애접시거미속

***Diplocephaloides saganus* (Bösenberg and Strand, 1906)** 흰배애접시거미 우♂

---------- Korea, Japan.

*Diplocephalus saganus* Bösenberg and Strand 1906: 160.

*Diplocephaloides saganus*; Namkung, Paik and Yoon 1972: 92, Namkung 2001: 195, 2003: 197, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 123.

Genus *Doenitzius* Oi, 1960 땅접시거미속

***Doenitzius peniculus* Oi, 1960** 용접시거미 우♂

---------- Korea, Japan.

*Doenitzius peniculus* Oi 1960a: 195, Paik 1965a: 60, 1978e: 244, Namkung 2001: 166, 2003: 168, Lee, Kang and Kim 2009: 123.

***Doenitzius pruvus* Oi, 1960** 땅접시거미 우♂

---------- Russia, China, Korea, Japan.

*Doenitzius pruvus* Oi 1960a: 196, Paik 1965a: 61, 1978e: 245, Namkung 2001: 167, 2003: 169, Kim and Cho 2002: 167, Lee *et al*. 2004: 100.

Genus *Eldonnia* Tanasevitch, 2008 가야접시거미속

***Eldonnia kayaensis* (Paik, 1965)** 가야접시거미 우♂

---------- Russia, Korea, Japan.

*Centromerus kayaensis* Paik 1965c: 24, 1978e: 242.

*Eldonia kayaensis*; Namkung 2001: 180, 2003: 182, Yoo *et al*. 2004: 2, Lee *et al*. 2004: 100.

*Eldomia kayaensis*; Lee, Kang and Kim 2009: 124.

Genus *Entelecara* Simon, 1884 상투애접시거미속

***Entelecara dabudongensis* Paik, 1983** 다부동상투애접시거미 우♂

---------- Russia, China, Korea, Japan.

*Entelecara dabudongensis* Paik 1983a: 30, Seo and Sohn 1984: 115, Namkung 2001: 189, 2003: 191.

Genus *Erigone* Audouin, 1826 톱날애접시거미속

***Erigone atra* Blackwall, 1833** 긴톱날애접시거미 우♂

---------- Holarctic.

*Erigone atra* Blackwall, 1833: 195; Seo 2011b: 143.

***Erigone koshiensis* Oi, 1960** 톱날애접시거미 우♂

---------- China, Korea, Taiwan, Japan.

*Erigone koshiensis* Oi 1960a: 181, Namkung, Paik and Yoon 1971: 51, Namkung 2001: 193, 2003: 195.

***Erigone prominens* Bösenberg and Strand, 1906** 흑갈톱날애접시거미 우♂

---------- Cameroon to Japan, New Zealand.

*Erigone prominens* Bösenberg and Strand 1906: 168, Paik and Namkung 1979: 33, Namkung 2001: 192, 2003: 194, Lee, Kang and Kim 2009: 125.

Genus *Eskovina* Kocak and Kemal, 2006 에스코브접시거미속

***Eskovina clava* (Zhu and Wen, 1980)** 못금오접시거미 우♂

---------- Russia, China, Korea.

*Gongylidium clavus* Zhu and Wen 1980: 20, Paik 1985h: 59.

*Oinia clava*; Namkung 2001: 198, 2003: 200, Kim and Cho 2002: 288, Lee, Kang and Kim 2009: 137.

Genus *Floronia* Simon, 1887 꽃접시거미속

***Floronia exornata* (L. Koch, 1878)** 꽃접시거미 우♂

---------- Korea, Japan.

*Linyphia exornata* L. Koch 1878: 746.

*Floronia bucculenta*; Paik 1965a: 59, 1978e: 247.

*Floronia exornata*; Namkung 2001: 159, 2003: 161, Lee, Kang and Kim 2009: 126.

Genus *Gnathonarium* Karsch, 1881 턱애접시거미속

***Gnathonarium dentatum* (Wider, 1834)** 황갈애접시거미 우♂

---------- Palearctic.

*Theridion dentatum* Wider 1834: 223.

*Gnathonarium dentatum*; Namkung, Paik and Yoon 1972: 92, Paik and Namkung 1979: 34, Namkung 2001: 187, 2003: 189, Lee, Kang and Kim 2009: 126.

***Gnathonarium gibberum* Oi, 1960** 흑황갈애접시거미 우♂

---------- Russia, China, Korea, Japan.

*Gnathonarium gibberum* Oi 1960a: 149, Paik and Namkung 1979: 35, Namkung 2001: 188, 2003: 190, Lee, Kang and Kim 2009: 126.

Genus *Gonatium* Menge, 1868 가시다리애접시거미속

***Gonatium arimaense* Oi, 1960** 황적가시다리애접시거미 우♂

---------- Korea, Japan.

*Gonatium arimaensis* Oi 1960a: 154.

*Gonatium arimaense*; Namkung 2001: 190, 2003: 192, Lee, Kang and Kim 2009: 127.

***Gonatium japonicum* Simon, 1906** 일본가시다리애접시거미 우♂

---------- Russia, China, Korea, Japan.

*Gonatium japonicum* Simon in Bösenberg and Strand 1906: 162, Namkung 2001: 191, 2003: 193.

Genus *Herbiphantes* Tanasevitch, 1992 비단가시접시거미속

***Herbiphantes cericeus* (Saito, 1934)** 비단가시접시거미 우♂

---------- Russia, Korea, Japan.

*Nesticus cericeus* Saito 1934b: 312.

*Herbiphantes cericeus*; Namkung 2001: 160, 2003: 162, Lee, Kang and Kim 2009: 127.

*Lepthyphantes cericeus*; Paik 1978e: 251.

Genus *Hylyphantes* Simon, 1884 숲애접시거미속

***Hylyphantes graminicola* (Sundevall, 1830)** 흑갈풀애접시거미 우♂
---------- Palearctic.
*Linyphia graminicola* Sundevall 1830: 26.
*Erigonidium graminicola*; Paik and Namkung 1979: 33.
*Hylyphantes graminicola*; Namkung 2001: 186, 2003: 188, Kim and Cho 2002: 297, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 128.

Genus *Jacksonella* Millidge, 1951 육눈이애접시거미속

***Jacksonella sexoculata* Paik and Yaginuma, 1969** 육눈이애접시거미 우
---------- Korea.
*Jacksonella sexoculata* Paik and Yaginuma in Paik, Yaginuma and Namkung 1969: 821.

Genus *Lepthyphantes* Menge, 1866 한라접시거미속

***Lepthyphantes cavernicola* Paik and Yaginuma, 1969** 굴접시거미 우♂
---------- Korea.
*Lepthyphantes cavernicola* Paik and Yaginuma in Paik, Yaginuma and Namkung 1969: 815, Paik 1978e: 250, Namkung 2001: 165, 2003: 167, Lee, Kang and Kim 2009: 129.

***Lepthyphantes latus* Paik, 1965** 한라접시거미 우♂
---------- Korea.
*Lepthyphantes latus* Paik 1965c: 27, 1978e: 253, Namkung 2001: 163, 2003: 166, Lee, Kang and Kim 2009: 129.

Genus *Maso* Simon, 1884 마소애접시거미속

***Maso sundevalli* (Westring, 1851)** 마소애접시거미 우♂
---------- Holarctic.
*Erigone sundevallii* Westring 1851: 44.
*Maso sundevalli*; Seo 2011b: 144.

Genus *Micrargus* Dahl, 1886 낙엽층접시거미속

***Micrargus herbigradus* (Blackwall, 1854)** 낙엽층접시거미 우♂
---------- Palearctic.
*Neriene herbigradus* Blackwall 1854: 179.
*Micrargus herbigradus*; Yoo *et al*. 2003: 2.

Genus *Microneta* Menge, 1869 좁쌀접시거미속

***Microneta viaria* (Blackwall, 1841)** 길좁쌀접시거미 우♂
---------- Holarctic.
*Neriene viaria* Blackwall 1841: 645.
*Microneta viaria*; Seo 1990: 102, Lee *et al*. 2004: 100.

Genus *Nematogmus* Simon, 1884 앵도애접시거미속

***Nematogmus sanguinolentus* (Walckenaer, 1842)** 앵도애접시거미 우♂

---------- Palearctic.

*Theridion sanguinolentum* Walckenaer 1842: 326.

*Nematogmus sanguinolentus*; Namkung, Paik and Yoon 1972: 92, Namkung 2001: 194, 2003: 196, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 131.

Genus *Neriene* Blackwall, 1833 접시거미속

***Neriene albolimbata* (Karsch, 1879)** 살촉접시거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Linyphia albolimbata* Karsch 1879: 62.

*Neriene albolimbata*; Paik 1978e: 264, Paik and Namkung 1979: 31, Kim and Kim 2000: 14, Namkung 2001: 155, 2003: 157, Kim and Cho 2002: 281, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 131.

***Neriene clathrata* (Sundevall, 1830)** 십자접시거미 우♂

---------- Holarctic.

*Linyphia clathrata* Sundevall 1830: 30, Paik 1965a: 70.

*Neriene clathrata*; Paik 1978e: 266, Kim and Kim 2000: 16, Namkung 2001: 152, 2003: 154, Kim and Cho 2002: 282, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 132.

***Neriene emphana* (Walckenaer, 1842)** 대륙접시거미 우♂

---------- Palearctic.

*Linyphia emphana* Walckenaer 1842: 246, Paik 1957: 43.

*Neriene emphana*; Paik 1978e: 268, Kim and Kim 2000: 18, Namkung 2001: 148, 2003: 150, Kim and Cho 2002: 283, Yoo and Kim 2002: 26.

*Prolinyphia emphana*; Paik 1965a: 66.

***Neriene japonica* (Oi, 1960)** 가시접시거미 우♂

---------- Russia, China, Korea, Japan.

*Neolinyphia japonica* Oi 1960a: 224, Paik 1965a: 67.

*Neriene japonica*; Paik 1978e: 270, Kim and Cho 2002: 284, Namkung 2003: 159, Lee *et al*. 2004: 100.

*Bathylinyphia major*; Kim and Kim 2000: 7, Namkung 2001: 157.

***Neriene jinjooensis* Paik, 1991** 진주접시거미 우♂

---------- China, Korea.

*Neriene jinjooensis* Paik 1991e: 5.

***Neriene kimyongkii* (Paik, 1965)** 화엄접시거미 우

---------- Korea.

*Linyphia kimyongkii* Paik 1965c: 29.

*Neriene kimyongkii*; Paik 1978e: 272, Namkung 2001: 154, 2003: 156, Lee, Kang and Kim 2009: 133.

***Neriene limbatinella* (Bösenberg and Strand, 1906)** 쌍줄접시거미 우♂

---------- Russia, China, Korea, Japan.

*Linyphia limbatinella* Bösenberg and Strand 1906: 174, Yoo and Kim 2002: 26.

*Neriene limbatinella*; Paik 1978e: 273, Kim and Kim 2000: 21, Namkung 2001: 151, 2003: 153, Kim and Cho 2002: 285, Lee, Kang and Kim 2009: 133.

*Prolinyphia bilineata*; Namkung 1964: 36, Paik 1965a: 65.

*Prolinyphia limbatinella*; Namkung 1964: 36.

***Neriene longipedella* (Bösenberg and Strand, 1906)** 농발접시거미 우♂

---------- Russia, China, Korea, Japan.

*Linyphia marginata longipedella* Bösenberg and Strand 1906: 173.

*Linyphia longipedella*; Yoo and Kim 2002: 26.

*Neriene longipedella*; Paik 1978e: 275, Kim and Kim 2000: 23, Namkung 2001: 150, 2003: 152, Lee, Kang and Kim 2009: 134.

*Prolinyphia longipedella*; Namkung 1964: 36, Paik 1965a: 64.

***Neriene nigripectoris* (Oi, 1960)** 검정접시거미 우♂

---------- Russia, China, Korea, Japan.

*Neolinyphia nigripectoris* Oi 1960a: 227, Namkung 1964: 36, Paik 1965a: 68, 1978e: 262.

*Neriene nigripectoris*; Kim and Kim 2000: 25, Namkung 2001: 156, 2003: 158, Kim and Cho 2002: 286, Lee, Kang and Kim 2009: 134.

*Neriene woljeongensis*; Kim, Ye and Jang 2013: 151 (New Synonym).

***Neriene oidedicata* van Helsdingen, 1969** 고무래접시거미 우♂

---------- Russia, China, Korea, Japan.

*Neriene oidedicata* van Helsdingen 1969: 146, Paik 1978e: 277, Kim and Kim 2000: 26, Namkung 2001: 153, 2003: 155, Kim and Cho 2002: 287, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 134.

*Linyphia albolimbata*; Paik 1965a: 69 (우♂ misidentified).

***Neriene radiata* (Walckenaer, 1842)** 테두리접시거미 우♂

---------- Holarctic.

*Neriene radiata* Walckenaer 1842: 262, Paik 1978e: 279, Kim and Kim 2000: 28, Namkung 2001: 149, 2003: 151.

*Linyphia radiata*; Yoo and Kim 2002: 26.

*Prolinyphia marginata*; Paik 1965a: 63.

Genus *Nippononeta* Eskov, 1992 일본접시거미속

***Nippononeta cheunghensis* (Paik, 1978)** 청하꼬마접시거미 우

---------- Korea.

*Meioneta cheunghensis* Paik 1978b: 49.

***Nippononeta coreana* (Paik, 1991)** 금정접시거미 우♂

---------- China, Korea.

*Macrargus coreanus* Paik 1991e: 2.

***Nippononeta obliqua* (Oi, 1960)** 옆꼬마접시거미 우♂

---------- Korea, Japan.

*Meioneta obliqua* Oi 1960a: 123, Paik 1980: 163.

*Nippononeta obliqua*; Namkung 2001: 169, 2003: 171.

*Nippononeta oblique*; Lee *et al*. 2004: 100.

***Nippononeta projecta* (Oi, 1960)** 뿔꼬마접시거미 우♂

---------- Mongolia, Korea, Japan.

*Meioneta projecta* Oi 1960a: 215.

*Nippononeta projecta*; Namkung 2001: 171, 2003: 173, Lee *et al*. 2004: 100, Lee, Kang and Kim 2009: 136.

***Nippononeta ungulata* (Oi, 1960)** 발톱꼬마접시거미 우♂

---------- Korea, Japan.

*Meioneta ungulata* Oi 1960a: 210, Paik 1978e: 258.

*Nippononeta ungulata*; Namkung 2001: 170, 2003: 172, Lee, Kang and Kim 2009: 136.

Genus *Oedothorax* Bertkau in Föster and Bertkau, 1883 가슴애접시거미속

***Oedothorax hulongensis* Zhu and Wen, 1980** 내장가슴애접시거미
---------- Russia, China, Korea.
*Oedothorax hulongensis* Zhu and Wen, 1980: 21, Seo 2011c: 35.

***Oedothorax insulanus* Paik, 1980** 섬가슴애접시거미 우
---------- Korea.
*Oedothorax insulanus* Paik 1980: 162, Namkung 2001: 205, 2003: 207, Seo 2011c: 37.

Genus *Oia* Wunderlich, 1973 낫애접시거미속

***Oia imadatei* (Oi, 1964)** 낫애접시거미 우♂
---------- Russia, Korea, Taiwan, Japan.
*Cornicularia imadatei* Oi 1964: 24.
*Oia imadatei*; Seo 1992e: 175, Namkung 2001: 200, 2003: 202, Lee *et al*. 2004: 100.

Genus *Orientopus* Eskov, 1992 동방애접시거미속

***Orientopus yodoensis* (Oi, 1960)** 곰보애접시거미 우♂
---------- China, Korea, Japan.
*Lophomma yodoensis* Oi 1960a: 171, Namkung 1964: 36.
*Lophomma yodoense*; Paik and Namkung 1979: 37.

Genus *Ostearius* Hull, 1911 분홍접시거미속

***Ostearius melanopygius* (O. P.-Cambridge, 1879)** 흑띠분홍접시거미 우♂
---------- Cosmopolitan.
*Linyphia melanopygia* O. P.-Cambridge 1879: 696.
*Ostearius melanopygius*; Seo and Sohn 1984: 114, Namkung 2001: 172, 2003: 174.

Genus *Pacifiphantes* Eskov and Marusik, 1994 점봉꼬마접시거미속 (개칭)

***Pacifiphantes zakharovi* Eskov and Marusik, 1994** 점봉꼬마접시거미 우♂
---------- Russia, China, Korea.
*Pacifiphantes zakharovi* Eskov and Marusik 1994: 49, Kim *et al*. 2004: 182.

Genus *Paikiniana* Eskov, 1992 백애접시거미속

***Paikiniana bella* (Paik, 1978)** 공산코뿔애접시거미 ♂
---------- Korea.
*Cornicularia bella* Paik 1978b: 50.
*Paikiniana bella*; Namkung 2001: 202, 2003: 204, Lee, Kang and Kim 2009: 138.

***Paikiniana lurida* (Seo, 1991)** 황흑애접시거미 우♂
---------- Korea, Japan.
*Walckenaeria lurida* Seo 1991: 37, Namkung 2001: 221, 2003: 213, Lee *et al*. 2004: 100.

***Paikiniana mira* (Oi, 1960)** 긴코뿔애접시거미 우♂
---------- China, Korea, Japan.
*Cornicularia mira* Oi 1960a: 141.
*Paikiniana mira*; Namkung 2001: 203, 2003: 205, Lee, Kang and Kim 2009: 138.

***Paikiniana vulgaris* (Oi, 1960)** 쌍코뿔애접시거미 우♂
---------- Korea, Japan.
*Cornicularia vulgaris* Oi 1960a: 142.
*Paikiniana vulgaris*; Namkung 2001: 201, 2003: 203.

Genus *Parasisis* Eskov, 1984 대륙애접시거미속

***Parasisis amurensis* Eskov, 1984** 대륙애접시거미 우♂
---------- Russia, China, Korea, Japan.
*Parasisis amurensis*; Eskov, 1984: 1338, Seo 2011b: 146.

Genus *Porrhomma* Simon, 1884 폴호마거미속

***Porrhomma montanum* Jackson, 1913** 묏폴호마거미 우♂
---------- Palearctic.
*Porrhomma montanum* Jackson 1913: 40, Namkung, Paik and Yoon 1981: 56, Namkung 2003: 181.
*Porrhomma hebescens*; Kim and Kim 2000: 33, Namkung 2001: 179.

Genus *Saitonia* Eskov, 1992 이마애접시거미속

***Saitonia pilosus* Seo, 2011** 털애접시거미 우♂
---------- Korea.
*Saitonia pilosus* Seo 2011b: 147.

Genus *Savignia* Blackwall, 1833 바구미애접시거미속

***Savignia pseudofrontata* Paik, 1978** 바구미애접시거미 우♂
---------- Korea.
*Savignia pseudofrontata* Paik 1978b: 51, Namkung 2001: 204, 2003: 206.
*Savignia psedofrontata*; Lee, Kang and Kim 2009: 140 (lapsus).

Genus *Solenysa* Simon, 1894 개미시늉거미속

***Solenysa geumoensis* Seo, 1996** 금오개미시늉거미 우♂
---------- Korea.
*Solenysa geumoensis* Seo 1996a: 157 (spelled goumoensis in heading, correctly elsewhere), Namkung 2001: 182, 2003: 184, Lee, Kang and Kim 2009: 140.
*Solenysa melloteei*; Namkung 1986b: 13 (우♂ misidentified).

Genus *Strandella* Oi, 1960 팔공접시거미속

***Strandella pargongensis* (Paik, 1965)** 팔공접시거미 우♂
---------- Russia, China, Korea, Japan.

*Phaulothrix pargongensis* Paik 1965c: 23, 1978e: 281.
*Strandella pargongensis*; Paik 1978c: 213, Namkung 2001: 183, 2003: 185, Lee, Kang and Kim 2009: 140.

Genus *Syedra* Simon, 1884 검은눈접시거미속

***Syedra oii* Saito, 1983** 검은눈테두리접시거미 우♂
---------- China, Korea, Japan.
*Syedra oii* Saito 1983: 14, Yoo *et al*. 2004: 34.

Genus *Turinyphia* van Helsdingen, 1982 제주접시거미속

***Turinyphia yunohamensis* (Bösenberg and Strand, 1906)** 제주접시거미 우♂
---------- China, Korea, Japan.
*Linyphia yunohamensis* Bösenberg and Strand 1906: 173.
*Turinyphia yunohamensis*; Namkung 2001: 158, 2003: 160, Lee, Kang and Kim 2009: 141.

Genus *Ummeliata* Strand, 1942 붉은가슴애접시거미속

***Ummeliata angulituberis* (Oi, 1960)** 모등줄애접시거미 우♂
---------- Russia, Korea, Japan.
*Oedothorax angulituberis* Oi 1960a: 162, Paik and Namkung 1979: 37.
*Ummeliata angulituberis*; Namkung 2001: 207, 2003: 209, Lee, Kang and Kim 2009: 141.

***Ummeliata feminea* (Bösenberg and Strand, 1906)** 혹가슴애접시거미 우♂
---------- Russia, China, Korea, Japan.
*Oedothorax femineus* Bösenberg and Strand 1906: 163.
*Oedothorax tokyoensis*; Paik and Namkung 1979: 39.
*Ummeliata feminea*; Namkung 2001: 208, 2003: 210.

***Ummeliata insecticeps* (Bösenberg and Strand, 1906)** 등줄가슴애접시거미 우♂
---------- Russia to Vietnam, Taiwan, Japan.
*Oedothorax insecticeps* Bösenberg and Strand 1906: 163, Namkung 1964: 36, Paik and Namkung 1979: 38.
*Ummeliata insecticeps*; Namkung 2001: 206, 2003: 208, Kim and Cho 2002: 297, Yoo and Kim 2002: 26, Lee, Kang and Kim 2009: 142.

Genus *Walckenaeria* Blackwall, 1833 혹애접시거미속

***Walckenaeria antica* (Wider, 1834)** 고풍쌍혹애접시거미 우♂
---------- Palearctic.
*Theridion anticum* Wider 1834: 215.
*Walckenaeria antica*; Namkung 2001: 209, 2003: 211.
*Wideria antica*; Paik 1985h: 60.

***Walckenaeria capito* (Westring, 1861)** 와흘쌍혹애접시거미 우♂
---------- Holarctic.
*Erigone capito* Westring 1861: 213.
*Walckenaeria capito*; Namkung 2001: 210, 2003: 212.

***Walckenaeria chikunii* Saito and Ono, 2001** 내장혹애접시거미 우♂
---------- Korea, Japan.

*Walckenaeria chikunii* Saito and Ono 2001: 26, Seo 2013a: 102.

***Walckenaeria coreana* (Paik, 1983)** 가산혹애접시거미 우♂
---------- Korea.
*Cornicularia coreana* Paik 1983a: 294.
*Walckenaeria coreana*; Namkung 2001: 212, 2003: 214.

***Walckenaeria furcillata* (Menge, 1869)** 북방혹애접시거미 우♂
---------- Palearctic.
*Phalops furcillatus* Menge 1869: 220.
*Walckenaeria furcillata*; Seo 2013a: 104.

***Walckenaeria ichifusaensis* Saito and Ono, 2001** 계곡혹애접시거미 우♂
---------- Korea, Japan.
*Walckenaeria ichifusaensis* Saito and Ono 2001: 24, Seo 2013a: 106.

***Walckenaeria orientalis* (Oliger, 1985)** 적갈혹애접시거미 우♂
---------- Russia, Korea, Japan.
*Cornicularia orientalis* Oliger 1985: 647.
*Walckenaeria ferruginea*; Seo 1991: 36.

## Family Tetragnathidae Menge, 1866 갈거미과

Genus *Diphya* Nicolet, 1849 각시어리갈거미속

***Diphya albula* (Paik, 1983)** 흰배곰보갈거미 우♂
---------- Korea.
*Lophomma albulum* Paik 1983a: 31, Namkung 2001: 199, 2003: 201, Seo 2005: 49.
*Diphya albula*; Kim and Lee 2013: 36.

***Diphya okumae* Tanikawa, 1995** 각시어리갈거미 우♂
---------- China, Korea, Japan.
*Diphya okumae* Tanikawa 1995b: 102, Namkung 2003: 239, Kim, Kim and Lee 2008: 44, Kim and Lee 2013: 37.

Genus *Leucauge* White, 1841 백금거미속

***Leucauge blanda* (L. Koch, 1878)** 중백금거미 우♂
---------- Russia, China, Korea, Taiwan, Japan.
*Meta blanda* L. Koch 1878: 743.
*Leucauge blanda*; Kim, Kim and Lee 1999: 46, Namkung 2001: 223, 2003: 225, Kim, Kim and Lee 2008: 35, Kim and Lee 2013: 39.

***Leucauge celebesiana* (Walckenaer, 1842)** 꼬마백금거미 우♂
---------- India to China, Japan, Sulawesi, New Guinea.
*Tetragnatha celebesiana* Walckenaer 1842: 222.
*Leucauge celebesiana*; Kim, Kim and Lee, 2008: 35, Kim and Lee 2013: 40.
*Leucauge magnifica*; Paik 1957: 44, Kim 1990: 149, Kim, Kim and Lee 1999: 47, Namkung 2001: 224, 2003: 226, Kim and Cho 2002: 315, Kim, Kim and Lee, 2008: 35.
*Leucauge subblanda*; Kim, Kim and Lee 1999: 47 (우♂ misidentified).

***Leucauge subblanda* Bösenberg and Strand, 1906** 왕백금거미 우♂

---------- China, Korea, Taiwan, Japan.

*Leucauge subblanda* Bösenberg and Strand, 1906: 184.

*Leucauge celebesiana*; Namkung, 2001: 225 (우♂ misidentified).

***Leucauge subgemmea* Bösenberg and Strand, 1906** 금빛백금거미 우♂

---------- Russia, China, Korea, Japan.

*Leucauge subgemmea* Bösenberg and Strand 1906: 185, Kim, Kim and Lee 1999: 49, Namkung 2001: 226, 2003: 228, Kim and Cho 2002: 316, Kim, Kim and Lee 2008: 36, Kim and Lee 2013: 41.

Genus *Menosira* Chikuni, 1955 가시다리거미속

***Menosira ornata* Chikuni, 1955** 가시다리거미 우♂

---------- China, Korea, Japan.

*Menosira ornata* Chikuni 1955: 31, Namkung, Paik and Yoon 1972: 93, Kim, Kim and Lee 1999: 51, Namkung 2001: 227, 2003: 229, Kim and Cho 2002: 317, Kim, Kim and Lee 2008: 36, Kim and Lee 2013: 43.

Genus *Meta* C.L. Koch, 1836 시내거미속

***Meta manchurica* Marusik and Koponen, 1992** 만주굴시내거미 우♂

---------- Russia, Korea.

*Meta manchurica* Marusik and Koponen, 1992: 138, Namkung 2001: 228, 2003: 230, Kim and Lee 2013: 44.

*Meta menardi*; Paik, Yaginuma and Namkung 1969: 823 (우 misidentified), Kim, Kim and Lee 1999: 53 (우♂ misidentified).

***Meta reticuloides* Yaginuma, 1958** 얼룩시내거미 우♂

---------- Korea, Japan.

*Meta reticuloides* Yaginuma 1958: 26, Kim, Kim and Lee 1999: 54, Namkung 2001: 229, 2003: 231, Kim and Lee 2013: 46.

Genus *Metleucauge* Levi, 1980 무늬시내거미속

***Metleucauge chikunii* Tanikawa, 1992** 치쿠니시내거미 우♂

---------- Korea, Taiwan, Japan.

*Metleucauge chikunii* Tanikawa 1992a: 169, Namkung 2001: 230, 2003: 232, Kim and Cho 2002: 230, Kim and Lee 2013: 47.

*Metleucauge kompirensis*; Kim, Kim and Lee 1999: 55 (우♂ misidentified).

***Metleucauge yunohamensis* (Bösenberg and Strand, 1906)** 안경무늬시내거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Meta yunohamensis* Bösenberg and Strand 1906: 180.

*Metleucauge yunohamensis*; Kim, Kim and Lee 1999: 56, Namkung 2001: 231, 2003: 233, Kim and Lee 2013: 48.

Genus *Pachygnatha* Sundevall, 1823 턱거미속

***Pachygnatha clercki* Sundevall, 1823** 턱거미 우♂

---------- Holarctic.

*Pachygnatha clerckii* Sundevall 1823: 16.

*Pachygnatha clercki*; Namkung 1964: 40, Paik and Namkung 1979: 51, Kim, Kim and Lee 1999: 60, Namkung 2001: 234, 2003: 236, Kim and Lee 2013: 50.

***Pachygnatha quadrimaculata* (Bösenberg and Strand, 1906)** 점박이가랑갈거미 우♂

---------- Russia, China, Korea, Japan.

*Dyschiriognatha quadrimaculata* Bösenberg and Strand 1906: 175, Paik and Namkung 1979: 50, Kim, Kim and Lee 1999: 43, Namkung 2001: 235, 2003: 237, Kim, Kim and Lee 2008: 34, Kim and Lee 2013: 51.

***Pachygnatha tenera* Karsch, 1879** 애가랑갈거미 우♂

---------- China, Korea, Japan.

*Pachygnatha tenera* Karsch 1879: 64, Kim and Lee 2013: 53.

*Dyschiriognatha tenera*; Paik and Namkung 1979: 50, Kim, Kim and Lee 1999: 44, Namkung 2001: 236, 2003: 238, Kim, Kim and Lee 2008: 34.

Genus *Tetragnatha* Latreille, 1804 갈거미속

***Tetragnatha caudicula* (Karsch, 1879)** 꼬리갈거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Eugnatha caudicula* Karsch 1879: 66.

*Eucta caudicula*; Paik 1957: 45.

*Tetragnatha caudicula*; Paik and Namkung 1979: 52, Kim, Kim and Lee 1999: 63, Namkung 2001: 222, 2003: 224, Kim, Kim and Lee 2008: 37, Kim and Lee 2013: 54.

***Tetragnatha extensa* (Linnaeus, 1758)** 큰배갈거미 우♂

---------- Holarctic, Madeira.

*Aranea extensa* Linnaeus 1758: 621.

*Tetragnatha extensa*; Kim, Kim and Lee 1999: 65, Namkung 2001: 216, 2003: 218, Kim and Cho 2002: 319, Kim, Kim and Lee 2008: 38, Kim and Lee 2013: 56.

***Tetragnatha lauta* Yaginuma, 1959** 비단갈거미 우♂

---------- Hong Kong, Korea, Laos, Taiwan, Japan.

*Tetragnatha lauta* Yaginuma 1959: 11, Paik and Namkung 1979: 53, Kim, Kim and Lee 1999: 66, Kim and Lee 2013: 57.

***Tetragnatha lea* Bösenberg and Strand, 1906** 풀갈거미 우

---------- Russia, Korea, Japan.

*Tetragnatha lea* Bösenberg and Strand 1906: 178, Kambe 1932: 252, Paik 1976b: 84 (list only), Kim, Kim and Lee 1999: 67.

***Tetragnatha maxillosa* Thorell, 1895** 민갈거미 우♂

---------- South Africa, Bangladesh to Philippines, New Hebrides.

*Tetragnatha maxillosa* Thorell 1895: 139, Kim, Kim and Lee 1999: 67, Namkung 2001: 215, 2003: 217, Kim and Cho 2002: 319, Kim, Kim and Lee 2008: 38, Kim and Lee 2013: 59.

*Tetragnatha japonica*; Paik and Namkung 1979: 52.

***Tetragnatha nitens* (Audouin, 1826)** 세뿔갈거미 우♂

---------- Cosmotropical.

*Eugnatha nitens* Audouin 1826: 323.

*Tetragnatha nitens*; Namkung 2001: 218, 2003: 220, Yoo and Kim 2002: 25, Kim and Lee 2013: 60.

***Tetragnatha pinicola* L. Koch, 1870** 백금갈거미 우♂

---------- Palearctic.

*Tetragnatha pinicola* L. Koch 1870: 11, Kim, Kim and Lee 1999: 69, Namkung 2001: 217, 2003: 219, Kim and Cho 2002: 320, Kim, Kim and Lee 2008: 39, Kim and Lee 2013: 62.

***Tetragnatha praedonia* L. Koch, 1878** 장수갈거미 우♂

---------- Russia, China, Korea, Laos, Taiwan, Japan.

*Tetragnatha praedonia* L. Koch 1878: 744, Paik and Namkung 1979: 53, Kim, Kim and Lee 1999: 70, Namkung 2001: 214, 2003: 216, Kim and Cho 2002: 320, Kim, Kim and Lee 2008: 39, Kim and Lee 2013: 64.

***Tetragnatha shinanoensis* Okuma and Chikuni, 1978** 미녀갈거미 우♂

---------- Korea, Japan.

*Tetragnatha shinanoensis* Okuma and Chikuni 1978: 1, Seo 2007b: 63.

***Tetragnatha squamata* Karsch, 1879** 비늘갈거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Tetragnatha squamata* Karsch 1879: 65, Paik 1957: 45, Paik and Namkung 1979: 55, Kim, Kim and Lee 1999: 72, Namkung 2001: 220, 2003: 222, Yoo and Kim 2002: 26, Kim, Kim and Lee 2008: 40, Kim and Lee 2013: 65.

***Tetragnatha vermiformis* Emerton, 1884** 논갈거미 우♂

---------- Canada to Panama, Southern Africa to Japan, Philippines.

*Tetragnatha vermiformis* Emerton 1884: 333, Kim, Kim and Lee 1999: 64, Namkung 2001: 219, 2003: 221, Kim, Kim and Lee 2008: 40, Kim and Lee 2013: 66.

*Tetragnatha coreana*; Seo and Paik 1981: 88, Kim, Kim and Lee 1999: 64.

*Tetragnatha shikokiana*; Paik and Namkung 1979: 54.

***Tetragnatha yesoensis* Saito, 1934** 북방갈거미 우♂

---------- Russia, China, Korea, Japan.

*Tetragnatha yesoensis* Saito 1934b: 334, Paik 1979e: 190, Kim, Kim and Lee 1999: 73, Namkung 2001: 221, 2003: 223, Yoo and Kim 2002: 26, Kim, Kim and Lee 2008: 41, Kim and Lee 2013: 68.

## Family Nephilidae Simon, 1894 무당거미과

Genus *Nephila* Leach, 1815 무당거미속

***Nephila clavata* L. Koch, 1878** 무당거미 우♂

---------- India to Japan.

*Nephila clavata* L. Koch 1878: 741, Kim, Kim and Lee, 1999: 58, Namkung, 2001: 232, 2003: 234, Kim and Cho 2002: 318, Kim, Ki and Park 2008: 183, Kim and Lee 2013: 70.

## Family Araneidae Simon, 1895 왕거미과

Genus *Acusilas* Simon, 1895 잎왕거미속

***Acusilas coccineus* Simon, 1895** 가랑잎왕거미 우♂

---------- China to Moluccas.

*Acusilas coccineus* Simon 1895a: 785, Namkung 1964: 37, 2001: 256, 2003: 257, Kim and Kim 2002: 177, Shin 2007: 163, Kim and Lee 2012b: 12.

Genus *Alenatea* Song and Zhu, 1999 먹왕거미속

***Alenatea fuscocolorata* (Bösenberg and Strand, 1906)** 먹왕거미 우♂

---------- China, Korea, Taiwan, Japan.

*Aranea fuscocolorata* Bösenberg and Strand 1906: 224.

*Alenatea fuscocolorata*; Kim and Kim 2002: 178, Shin 2007: 166, Kim and Lee 2012b: 13.

*Araneus fuscoloratus*; Namkung 2001: 253.

*Alenatea fuscocoloratus*; Namkung 2003: 256.

Genus *Arachnura* Vinson, 1863 긴꼬리왕거미속

***Arachnura logio* Yaginuma, 1956** 긴꼬리왕거미 우♂

---------- China, Korea, Japan.

*Arachnura logio* Yaginuma 1956: 1, Kim and Yoo 2007: 93, Shin 2007: 169, Kim, Shin and Park 2008: 66, Kim and Lee 2012b: 15.

Genus *Araneus* Clerck, 1757 왕거미속

***Araneus acusisetus* Zhu and Song, 1994** 어리먹왕거미 우♂

---------- China, Korea, Japan.

*Araneus acusisetus* Zhu and Song in Zhu *et al*. 1994: 27, Namkung 2003: 255, Kim and Lee 2012b: 17.

*Araneus fuscocoloratoides*; Namkung 2001: 254.

***Araneus angulatus* Clerck, 1757** 모서리왕거미 우♂

---------- Palearctic.

*Araneus angulatus* Clerck 1757: 22, Namkung, Paik and Yoon 1972: 93, Namkung 2001: 240, 2003: 243, Kim and Kim 2002: 179, Kim and Lee 2012b: 18.

***Araneus ejusmodi* Bösenberg and Strand, 1906** 노랑무늬왕거미 우♂

---------- China, Korea, Japan.

*Araneus ejusmodi* Bösenberg and Strand 1906: 229, Paik 1957: 44, Namkung 2001: 253, 2003: 253, Kim and Kim 2002: 179, Kim and Lee 2012b: 20.

***Araneus ishisawai* Kishida, 1928** 부석왕거미 우♂

---------- Russia, Korea, Japan.

*Araneus ishisawai* Kishida 1928: ?, Namkung, Paik and Yoon 1972: 93, Namkung 2001: 243, 2003: 245, Kim and Lee 2012b: 21.

***Araneus marmoreus* Clerck, 1757** 마불왕거미 우♂

---------- Holarctic.

*Araneus marmoreus* Clerck 1757: 29, Paik 1976b: 83, Namkung 2001: 244, 2003: 246, Kim and Kim 2002: 180, Yoo and Kim 2002: 28, Kim and Lee 2012b: 22.

***Araneus mitificus* (Simon, 1886)** 미녀왕거미 우♂

---------- India to Philippines, New Guinea.

*Epeira mitifica* Simon 1886a: 150.

*Araneus mitificus*; Namkung 2001: 246, 2003: 248, Kim and Kim 2002: 181, Kim and Lee 2012b: 24.

***Araneus nordmanni* (Thorell, 1870)** 반야왕거미 우♂

---------- Holarctic.

*Epeira nordmanni* Thorell 1870: 77.

*Araneus nordmanni*; Namkung, Paik and Yoon 1972: 93, Namkung 2001: 248, 2003: 250, Kim and Kim 2002: 182, Yoo and Kim 2002: 28, Kim and Lee 2012b: 25.

***Araneus pentagrammicus* (Karsch, 1879)** 선녀왕거미 우♂

---------- China, Korea, Taiwan, Japan.

*Miranda pentagrammica* Karsch 1879: 72.

*Araneus pentagrammicus*; Namkung 2001: 247, 2003: 249, Kim and Kim 2002: 182, Kim and Lee 2012b: 26.

***Araneus pinguis* (Karsch, 1879)** 점왕거미 우♂

---------- Russia, China, Korea, Japan.

*Epeira pinguis* Karsch 1879: 68.

*Araneus pinguis*; Namkung 2001: 245, 2003: 247, Kim and Kim 2002: 183, Kim and Lee 2012b: 27.

***Araneus rotundicornis* Yaginuma, 1972** 등뿔왕거미 우♂

---------- Korea, Japan.

*Araneus rotundicornis* Yaginuma 1972b: 55, Lee, Lee and Kim, 2012: 211, Kim and Lee 2012b: 28.

***Araneus seminiger* (L. Koch, 1878)** 이끼왕거미 우♂

---------- Korea, Japan.

*Epeira semi-nigra* L. Koch 1878: 737.

*Araneus seminiger*; Namkung 1964: 37, Namkung 2003: 251, Kim and Lee 2012b: 29.

*Araneus tartaricus*; Namkung 2001: 249 (우 misidentified).

***Araneus stella* (Karsch, 1879)** 뿔왕거미 우♂

---------- Russia, China, Korea, Japan.

*Epeira stella* Karsch 1879: 69.

*Araneus stella*; Namkung 2003: 252, Kim and Lee 2012b: 30.

*Araneus tsuno*; Namkung 2001: 250, Kim and Kim 2002: 185.

***Araneus triguttatus* (Fabricius, 1793)** 방울왕거미 우♂

---------- Palearctic.

*Araneus triguttata* Fabricius 1793: 419.

*Araneus triguttatus*; Namkung, Paik and Yoon 1972: 93, Kim and Lee 2012b: 31.

***Araneus tsurusakii* Tanikawa, 2001** 당왕거미 우♂

---------- Korea, Japan.

*Araneus tsurusakii* Tanikawa 2001: 66, Namkung 2003: 254.

*Araneus viperifer*; Namkung 2001: 252 (우♂ misidentified), Kim and Kim 2002: 189 (우♂ misidentified), Kim and Lee 2012b: 33 (우♂ misidentified).

***Araneus uyemurai* Yaginuma, 1960** 탐라산왕거미 우♂

---------- Russia, Korea, Japan.

*Araneus uyemurai* Yaginuma 1960: appendix 3, Namkung, Im and Kim 1994: 67, Namkung 2001: 240, 2003: 242, Kim and Kim 2002: 186, Kim and Lee 2012b: 34.

***Araneus variegatus* Yaginuma, 1960** 비단왕거미 우♂

---------- Russia, China, Korea, Japan.

*Araneus variegatus* Yaginuma 1960: appendix 4, Namkung and Yoon 1980: 19, Namkung 2001: 242, 2003: 244, Kim and Kim 2002: 187, Kim and Lee 2012b: 35.

***Araneus ventricosus* (L. Koch, 1878)** 산왕거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Epeira ventricosa* L. Koch 1878: 739.

*Araneus ventricosus*; Paik and Namkung 1979: 42, Namkung 2001: 238, 2003: 241, Kim and Kim 2002: 188, Shin 2007: 146, Kim and Lee 2012b: 36.

Genus *Araniella* Chamberlin and Ivie, 1942 꽃왕거미속

***Araniella coreana* Namkung, 2001** 고려꽃왕거미 우♂

---------- Korea.

*Araniella coreana* Namkung 2001: 278, 2003: 280, Kim and Lee 2012b: 38.

***Araniella cucurbitina* (Clerck, 1757)** 참꽃왕거미 우♂

---------- Palearctic.

*Araneus cucurbitinus* Clerck 1757: 44.

*Araniella cucurbitina*; Namkung 2001: 279, 2003: 281, Kim and Lee 2012b: 39.

***Araniella displicata* (Hentz, 1847)** 각시꽃왕거미 우♂

---------- Holarctic.

*Epeira displicata* Hentz 1847: 476.

*Araniella displicata*; Kim 1998c: 2, Namkung 2001: 277, 2003: 279, Kim and Kim 2002: 190, Kim and Lee 2012b: 40.

***Araniella yaginumai* Tanikawa, 1995** 부리꽃왕거미 우♂

---------- Russia, Korea, China, Taiwan, Japan.

*Araniella yaginumai* Tanikawa 1995a: 52, Kim 1998c: 4, 1999b: 17, Namkung 2001: 280, 2003: 282, Kim and Kim 2002: 190, Kim and Cho 2002: 253, Kim and Lee 2012b: 42.

Genus *Argiope* Audouin, 1826 호랑거미속

***Argiope amoena* L. Koch, 1878** 호랑거미 우♂

---------- China, Korea, Taiwan, Japan.

*Argiope amoena* L. Koch 1878: 735, Namkung 2001: 271, 2003: 273, Kim and Kim 2002: 271, Kim and Cho 2002: 254, Shin 2007: 152, Kim and Lee 2012b: 43.

***Argiope boesenbergi* Levi, 1983** 레비호랑거미 우♂

---------- China, Korea, Japan.

*Argiope boesenbergi* Levi 1983: 279, Namkung, Im and Kim 1994: 69, Namkung 2001: 272, 2003: 274, Kim and Kim 2002: 192, Shin 2007: 154, Kim and Lee 2012b: 45.

***Argiope bruennichi* (Scopoli, 1772)** 긴호랑거미 우♂

---------- Palearctic.

*Aranea brünnichii* Scopoli 1772: 125.

*Argiope bruennichi*; Namkung 2001: 274, 2003: 276, Kim and Kim 2002: 193, Kim and Cho 2002: 254, Shin 2007: 156, Kim, Ki and Park 2008: 182, Kim and Lee 2012b: 46.

*Argiope bruennichii*; Paik and Namkung 1979: 42.

***Argiope minuta* Karsch, 1879** 꼬마호랑거미 우♂

---------- Bangladesh, East Asia.

*Argiope minuta* Karsch 1879: 67, Paik and Namkung 1979: 43, Namkung 2001: 273, 2003: 275, Kim and Kim 2002: 194, Kim and Cho 2002: 255, Shin 2007: 158, Kim and Lee 2012b: 48.

Genus *Chorizopes* O. P.-Cambridge, 1870 머리왕거미속

***Chorizopes nipponicus* Yaginuma, 1963** 머리왕거미 우♂

---------- China, Korea, Japan.

*Chorizopes nipponicus* Yaginuma 1963b: 9, Namkung 2001: 292, 2003: 294, Kim and Kim 2002: 195, Kim and Lee 2012b: 49.

Genus *Cyclosa* Menge, 1866 먼지거미속

***Cyclosa argenteoalba* Bösenberg and Strand, 1906** 은먼지거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Cyclosa argenteoalba* Bösenberg and Strand 1906: 202, Namkung 2001: 299, 2003: 301, Kim and Kim 2002: 196, Kim

and Cho 2002: 256, Kim and Lee 2012b: 51.

***Cyclosa atrata* Bösenberg and Strand, 1906** 울도먼지거미 우♂

---------- Russia, China, Korea, Japan.

*Cyclosa atrata* Bösenberg and Strand 1906: 204, Namkung 2001: 301, 2003: 303, Kim and Kim 2002: 196, Kim and Cho 2002: 256, Lee *et al*. 2004: 99, Kim and Lee 2012b: 52.

***Cyclosa confusa* Bösenberg and Strand, 1906** 백령섬먼지거미 우♂

---------- China, Korea, Taiwan, Japan.

*Cyclosa confusa* Bösenberg and Strand 1906: 209, Kim and Kim 1996: 45, Kim and Lee 2012b: 54.

***Cyclosa ginnaga* Yaginuma, 1959** 장은먼지거미 우♂

---------- China, Korea, Taiwan, Japan.

*Cyclosa ginnaga* Yaginuma 1959: 12, Kim and Kim 2002: 197.

***Cyclosa japonica* Bösenberg and Strand, 1906** 복먼지거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Cyclosa japonica* Bösenberg and Strand 1906: 211, Paik 1962: 75, Namkung 2001: 298, 2003: 300, Kim and Kim 2002: 198, Kim and Cho 2002: 265, Shin 2007: 146, Kim and Lee 2012b: 56.

***Cyclosa kumadai* Tanikawa, 1992** 어리장은먼지거미 우♂

---------- Russia, Korea, Japan.

*Cyclosa kumadai* Tanikawa 1992b: 74, Namkung 2001: 300, 2003: 302, Kim and Lee 2012b: 57.

***Cyclosa laticauda* Bösenberg and Strand, 1906** 여섯혹먼지거미 우♂

---------- China, Korea, Taiwan, Japan.

*Cyclosa laticauda* Bösenberg and Strand 1906: 209, Namkung 1964: 38, 2001: 296, 2003: 298, Kim and Kim 2002: 199, Kim and Cho 2002: 265, Kim and Lee 2012b: 58.

***Cyclosa monticola* Bösenberg and Strand, 1906** 셋혹먼지거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Cyclosa monticola* Bösenberg and Strand 1906: 210, Namkung 2001: 295, 2003: 297, Kim and Kim 2002: 199, Kim and Lee 2012b: 59.

***Cyclosa octotuberculata* Karsch, 1879** 여덟혹먼지거미 우♂

---------- China, Korea, Taiwan, Japan.

*Cyclosa octotuberculata* Karsch 1879: 74, Paik and Namkung 1979: 44, Namkung 2001: 294, 2003: 296, Kim and Kim 2002: 200, Kim and Cho 2002: 266, Kim and Lee 2012b: 60.

***Cyclosa okumae* Tanikawa, 1992** 해안먼지거미 우♂

---------- Russia, Korea, Japan.

*Cyclosa okumae* Tanikawa 1992b: 68, Kim and Yoo 1996: 30, Kim and Kim 2002: 201, Kim and Lee 2012b: 61.

***Cyclosa omonaga* Tanikawa, 1992** 섬먼지거미 우♂

---------- Korea, Taiwan, Japan.

*Cyclosa omonaga* Tanikawa 1992b: 30, Kim 1995a: 80, Namkung 2001: 297, 2003: 299, Kim and Kim 2002: 201, Kim and Lee 2012b: 62.

***Cyclosa sedeculata* Karsch, 1879** 넷혹먼지거미 우♂

---------- China, Korea, Japan.

*Cyclosa sedeculata* Karsch 1879: 74, Namkung 2001: 293, 2003: 295, Kim and Kim 2002: 202, Kim and Cho 2002: 266, Kim and Lee 2012b: 63.

***Cyclosa vallata* (Keyserling, 1886)** 녹두먼지거미 우♂
---------- Korea, Taiwan, Japan to Australia.
*Epeira vallata* Keyserling 1886: 149.
*Cyclosa vallata*; Namkung 2001: 302, 2003: 304, Kim and Kim 2002: 202, Kim and Lee 2012b: 64.

Genus *Cyrtarachne* Thorell, 1868 새똥거미속

***Cyrtarachne bufo* (Bösenberg and Strand, 1906)** 민새똥거미 우♂
---------- China, Korea, Japan.
*Poecilopachys bufo* Bösenberg and Strand 1906: 241.
*Cyrtarachne bufo*; Namkung and Kim 1985: 23, Namkung 2001: 286, 2003: 288, Kim and Kim 2002: 203, Kim and Lee 2012b: 66.

***Cyrtarachne inaequalis* Thorell, 1895** 큰새똥거미 우♂
---------- India to Japan.
*Cyrtarachne inaequalis* Thorell 1895: 201, Namkung 2001: 285, 2003: 287, Kim and Kim 2002: 204, Kim and Lee 2012b: 67.

***Cyrtarachne nagasakiensis* Strand, 1918** 흰띠새똥거미 우♂
---------- China, Korea, Japan.
*Cyrtarachne nagasakiensis* Strand 1918: 81, Jo 1981: 77, Namkung 2001: 287, 2003: 289, Kim and Kim 2002: 205, Kim and Lee 2012b: 68.

***Cyrtarachne yunoharuensis* Strand, 1918** 붉은새똥거미 우♂
---------- China, Korea, Japan.
*Cyrtarachne yunoharuensis* Strand 1918: 81, Namkung 2001: 288, 2003: 290, Kim and Lee 2012b: 69.

Genus *Gasteracantha* Sundevall, 1833 가시거미속

***Gasteracantha kuhli* C.L. Koch, 1837** 가시거미 우♂
---------- India to Japan, Philippines.
*Gasteracantha kuhlii* C.L. Koch 1837: 20, Kim and Cho 2002: 267.
*Gasteracantha kuhli*; Namkung 2001: 289, 2003: 291, Kim and Kim 2002: 207, Shin 2007: 160, Kim and Lee 2012b: 74.

Genus *Gibbaranea* Archer, 1951 층층왕거미속

***Gibbaranea abscissa* (Karsch, 1879)** 층층왕거미 우♂
---------- Russia, China, Korea, Japan.
*Epeira abscissa* Karsch 1879: 69.
*Araneus abscissus*; Namkung 1964: 37.
*Gibbaranea abscissa*; Namkung 2001: 257, 2003: 258, Kim and Lee 2012b: 75.
*Gibbaranea abscissus*; Kim and Kim 2002: 208.

Genus *Hypsosinga* Ausserer, 1871 높은애왕거미속

***Hypsosinga pygmaea* (Sundevall, 1831)** 넉점애왕거미 우♂
---------- Holarctic.
*Theridion pygmaeum* Sundevall 1831: 14.
*Hypsosinga pygmaea*; Namkung 2001: 282, 2003: 284, Kim and Kim 2002: 209, Kim and Lee 2012b: 77.
*Singa pygmaea*; Paik and Namkung 1979: 48.

*Singa pygmea*; Namkung 1964: 39.

***Hypsosinga sanguinea* (C.L. Koch, 1844)** 산짜애왕거미 우♂

---------- Palearctic.

*Singa sanguinea* C.L. Koch 1844: 155, Paik 1962: 76.

*Hypsosinga sanguinea*; Namkung 2001: 283, 2003: 285, Kim and Kim 2002: 210, Kim and Lee 2012b: 79.

Genus *Lariniaria* Grasshoff, 1970 어리호랑거미속

***Lariniaria argiopiformis* (Bösenberg and Strand, 1906)** 어리호랑거미 우♂

---------- Russia, China, Korea, Japan.

*Larinia argiopiformis* Bösenberg and Strand 1906: 212, Paik and Namkung 1979: 45.

*Lariniaria argiopiformis*; Namkung 2001: 276, 2003: 278, Kim and Kim 2002: 211, Kim and Lee 2012b: 81.

Genus *Larinioides* Caporiacco, 1934 기생왕거미속

***Larinioides cornutus* (Clerck, 1757)** 기생왕거미 우♂

---------- Holarctic.

*Araneus cornutus* Clerck 1757: 39.

*Larinioides cornutus*; Namkung 2001: 258, 2003: 259, Kim and Kim 2002: 212, Yoo and Kim 2002: 29, Kim and Lee 2012b: 83.

*Nuctenea cornuta*; Paik 1978e: 98, Paik and Namkung 1979: 45.

***Larinioides sclopetarius* (Clerck, 1757)** 골목왕거미 우♂

---------- Holarctic.

*Araneus sclopetarius* Clerck 1757: 43.

*Larinioides sclopetarius*; Namkung 2001: 259, 2003: 260, Kim and Kim 2002: 212, Kim and Lee 2012b: 85.

Genus *Mangora* O. P.-Cambridge, 1889 귀털거미속

***Mangora crescopicta* Yin *et al*., 1990** 무당귀털거미 우♂

---------- China, Korea, Japan.

*Mangora crescopicta* Yin *et al*. 1990: 95, Lee *et al*. 2015: 53.

***Mangora herbeoides* (Bösenberg and Strand, 1906)** 귀털거미 우♂

---------- China, Korea, Japan.

*Aranea herbeoides* Bösenberg and Strand 1906: 227.

*Mangora herbeoides*; Namkung 2001: 281, 2003: 283, Kim and Kim 2002: 213, Kim and Lee 2012b: 87.

Genus *Neoscona* Simon, 1864 어리왕거미속

***Neoscona adianta* (Walckenaer, 1802)** 각시어리왕거미 우♂

---------- Palearctic.

*Aranea adianta* Walckenaer 1802: 199.

*Neoscona adianta*; Paik 1957: 44, Kim 1998a: 1, Namkung 2001: 265, 2003: 267, Kim and Kim 2002: 214, Kim and Cho 2002: 268, Kim and Lee 2012b: 89.

*Neoscona adiantum*; Paik and Namkung 1979: 46.

*Neoscona doenitzi*; Paik and Namkung 1979: 46, Kim 1998a: 1, Yoo and Kim 2002: 28.

***Neoscona melloteei* (Simon, 1895)** 검은테연두어리왕거미 우♂

---------- China, Korea, Taiwan, Japan.

*Araneus mellotteei* Simon 1895a: 812.

*Neoscona melloteei*; Namkung 2001: 266, 2003: 268, Kim and Lee 2012b: 90.

*Neoscona mellotteei*; Kim and Kim 2002: 215, Kim and Cho 2002: 268 (lapsus).

***Neoscona multiplicans* (Chamberlin, 1924)** 아기지이어리왕거미 우♂

---------- China, Korea, Japan.

*Aranea multiplicans* Chamberlin 1924: 18.

*Neoscona minoriscylla*; Namkung and Kim 1999: 213.

*Neoscona multiplicans*; Namkung 2001: 263, 2003: 265, Kim and Kim 2002: 216, Kim and Lee 2012b: 92.

***Neoscona nautica* (L. Koch, 1875)** 집왕거미 우♂

---------- Cosmotropical.

*Epeira nautica* L. Koch 1875: 17.

*Neoscona nautica*; Namkung 2001: 260, 2003: 261, Kim and Kim 2002: 217, Kim and Cho 2002: 269, Yoo and Kim 2002: 28, Kim and Lee 2012b: 93.

***Neoscona pseudonautica* Yin *et al*., 1990** 어리집왕거미 우♂

---------- China, Korea.

*Neoscona pseudonautica* Yin *et al*. 1990: 107, Namkung and Kim 1999: 234, Namkung 2001: 261, 2003: 262, Kim and Kim 2002: 217, Kim and Lee 2012b: 94.

***Neoscona punctigera* (Doleschall, 1857)** 적갈어리왕거미 우♂

---------- Réunion to Japan.

*Epeira punctigera* Doleschall 1857: 420.

*Neoscona opima*; Paik 1957: 44.

*Neoscona punctigera*; Namkung 2001: 264, 2003: 266, Kim and Kim 2002: 218, Kim and Lee 2012b: 96.

***Neoscona scylla* (Karsch, 1879)** 지이어리왕거미 우♂

---------- Russia, China, Korea, Japan.

*Epeira scylla* Karsch 1879: 71.

*Neoscona scylla*; Paik 1978e: 107, Namkung 2001: 264, 2003: 264, Kim and Kim 2002: 219, Kim and Cho 2002: 269, Yoo and Kim 2002: 28, Kim and Lee 2012b: 97.

***Neoscona scylloides* (Bösenberg and Strand, 1906)** 연두어리왕거미 우♂

---------- China, Korea, Taiwan, Japan.

*Aranea scylloides* Bösenberg and Strand 1906: 217.

*Neoscona scylloides*; Namkung 2001: 267, 2003: 269, Kim and Kim 2002: 220, Kim and Lee 2012b: 99.

***Neoscona semilunaris* (Karsch, 1879)** 삼각무늬왕거미 우♂

---------- China, Korea, Japan.

*Atea semilunaris* Karsch 1879: 73.

*Araneus semilunaris*; Namkung 2001: 255.

*Neoscona semilunaris*; Namkung 2003: 263, Kim and Lee 2012b: 100.

***Neoscona subpullata* (Bösenberg and Strand, 1906)** 분왕거미 우♂

---------- China, Korea, Japan.

*Aranea subpullata* Bösenberg and Strand 1906: 234.

*Araneus subpullatus*; Paik 1970b: 85.

*Neoscona subpullata*; Namkung 2001: 270, 2003: 272, Kim and Kim 2002: 221, Kim and Lee 2012b: 101.

***Neoscona theisi* (Walckenaer, 1842)** 석어리왕거미 우♂

---------- India, China to Pacific Is.

*Epeira theis* Walckenaer 1842: 53.
*Neoscona theisi*; Namkung 2001: 269, 2003: 271, Kim and Kim 2002: 221, Kim and Lee 2012b: 102.

***Neoscona tianmenensis* Yin *et al*., 1990** 천문어리왕거미 우♂
---------- China, Korea.
*Neoscona tianmenensis* Yin *et al*. 1990: 126, Namkung 2001: 268, 2003: 270, Kim and Lee 2012b: 104.

Genus *Ordgarius* Keyserling, 1886 뿔가시왕거미속

***Ordgarius sexspinosus* (Thorell, 1894)** 여섯뿔가시거미 우♂
---------- India to Japan, Indonesia.
*Notocentria sex-spinosa* Thorell 1894: 48.
*Ordgarius sexspinosus*; Namkung 2001: 290, 2003: 292, Kim and Kim 2002: 222, Kim and Lee 2012b: 105.

Genus *Paraplectana* Brito Capello, 1867 점박이새똥거미속

***Paraplectana sakaguchii* Uyemura, 1938** 주황흰점박이새똥거미 우♂
---------- China, Korea.
*Paraplectana sakaguchii* Uyemura, 1938: 90, Lee, Yoo and Kim 2015: 57.

Genus *Plebs* Joseph and Framenau, 2012 북왕거미속

***Plebs astridae* (Strand, 1917)** 어깨왕거미 우♂
---------- China, Korea, Taiwan, Japan.
*Aranea astridae* Strand 1917: 71.
*Eriophora astridae*; Kim and Lee 2012b: 71.
*Eriophora sagana*; Namkung 2001: 305, 2003: 307, Kim and Kim 2002: 206.
*Zilla astridae*; Kim *et al*. 1988: 146, Kim, Kim and Lee 1999: 75.

***Plebs sachalinensis* (Saito, 1934)** 북왕거미 우♂
---------- Russia, China, Korea, Japan.
*Argiope sachalinensis* Saito 1934a: 332.
*Eriophora sachalinensis*; Namkung 2001: 304, 2003: 306, Kim and Kim 2002: 206, Kim and Lee 2012b: 72.
*Zilla sachalinensis*; Namkung 1964: 38, Kim, Kim and Lee 1999: 76.
*Plebs yebongsanensis* Kim, Ye and Lee 2014: 1 (New Synonym).

Genus *Pronoides* Schenkel, 1936 콩왕거미속

***Pronoides brunneus* Schenkel, 1936** 콩왕거미 우♂
---------- Russia, China, Korea, Japan.
*Pronoides brunneus* Schenkel 1936: 120, Kim and Lee 2012b: 107.
*Pronous minutus*; Namkung 2001: 291, 2003: 293, Kim and Kim 2002: 223.
*Wixia minuta*; Namkung 1964: 40.

Genus *Singa* C.L. Koch, 1836 애왕거미속

***Singa hamata* (Clerck, 1757)** 천짜애왕거미 우♂
---------- Palearctic.
*Araneus hamatus* Clerck 1757: 51.

*Singa hamata*; Paik and Namkung 1979: 47, Namkung 2001: 284, 2003: 286, Kim and Kim 2002: 224, Kim and Lee 2012b: 108.

Genus *Yaginumia* Archer, 1960 그늘왕거미속

***Yaginumia sia* (Strand, 1906)** 그늘왕거미 우♂
---------- China, Korea, Taiwan, Japan.
*Aranea sia* Strand in Bösenberg and Strand 1906: 237.
*Yaginumia sia*; Namkung, Paik and Yoon 1972: 93, Namkung 2001: 303, 2003: 305, Kim and Kim 2002: 225, Kim and Cho 2002: 270, Kim and Lee 2012b: 109.

## Family Lycosidae Sundevall, 1833 늑대거미과

Genus *Alopecosa* Simon, 1885 줄무늬늑대거미속

***Alopecosa albostriata* (Grube, 1861)** 아로페늑대거미 우♂
---------- Russia, Kazakhstan, China, Korea.
*Lycosa albostriata* Grube 1861: 174.
*Alopecosa albostriata*; Paik 1988a: 87, Namkung 2001: 308, 2003: 310.

***Alopecosa auripilosa* (Schenkel, 1953)** 당늑대거미 우♂
---------- Russia, China, Korea.
*Lycosa auripilosa* Schenkel 1953: 74.
*Alopecosa auripilosa*; Paik 1988a: 90, Namkung 2001: 309, 2003: 311, Kim and Cho 2002: 202.

***Alopecosa cinnameopilosa* (Schenkel, 1963)** 어리별늑대거미 우♂
---------- Russia, China, Korea, Japan.
*Tarentula cinnameopilosa* Schenkel 1963: 333.
*Alopecosa cinnameopilosa*; Paik 1988a: 92, Namkung 2001: 313, 2003: 315.

***Alopecosa licenti* (Schenkel, 1953)** 안경늑대거미 우♂
---------- Russia, Mongolia, China, Korea.
*Tarentula licenti* Schenkel 1953: 77.
*Alopecosa licenti*; Kim, Namkung and Jun 1987: 30, Paik 1988a: 94, Namkung 2001: 307, 2003: 309, Kim and Cho 2002: 202.

***Alopecosa moriutii* Tanaka, 1985** 일본늑대거미 우♂
---------- Russia, Korea, Japan.
*Alopecosa moriutii* Tanaka 1985: 64, Paik 1988a: 97, Namkung 2001: 311, 2003: 313, Yoo, Kim and Tanaka 2004: 2.

***Alopecosa pulverulenta* (Clerck, 1757)** 먼지늑대거미 우♂
---------- Palearctic.
*Araneus pulverulentus* Clerck 1757: 93.
*Alopecosa pulverulenta*; Namkung 2001: 312, 2003: 314.

***Alopecosa virgata* (Kishida, 1909)** 채찍늑대거미 우♂
---------- Russia, Korea, Japan.
*Lycosa virgata* Kishida 1909: 101.
*Alopecosa virgata*; Paik 1988a: 98, Namkung 2001: 310, 2003: 312, Kim and Cho 2002: 203.

***Alopecosa volubilis* Yoo, Kim and Tanaka, 2004** 회전늑대거미 우♂
---------- Russia, Korea, Japan.
*Alopecosa volubilis*; Yoo, Kim and Tanaka 2004: 2.

Genus *Arctosa* C.L. Koch, 1847 논늑대거미속

***Arctosa chungjooensis* Paik, 1994** 충주논늑대거미 우♂
---------- Korea.
*Arctosa chungjooensis* Paik 1994c: 51, Namkung 2001: 319, 2003: 321.

***Arctosa coreana* Paik, 1994** 한국논늑대거미 ♂
---------- Korea.
*Arctosa coreana* Paik 1994c: 49, Namkung 2001: 321, 2003: 323.

***Arctosa ebicha* Yaginuma, 1960** 적갈논늑대거미 우♂
---------- China, Korea, Japan.
*Arctosa ebicha* Yaginuma 1960: appendix 6, Namkung and Yoon 1980: 19, Paik 1994c: 40, Namkung 2001: 317, 2003: 319, Kim and Cho 2002: 204.

***Arctosa hallasanensis* Paik, 1994** 한라산논늑대거미 우
---------- Korea.
*Arctosa hallasanensis* Paik 1994c: 46.

***Arctosa ipsa* (Karsch, 1879)** 흰털논늑대거미 우♂
---------- Russia, Korea, Japan.
*Lycosa ipsa* Karsch 1879: 101.
*Arctosa ipsa*; Namkung 2001: 322, 2003: 324.

***Arctosa keumjeungsana* Paik, 1994** 금정산논늑대거미 우
---------- Russia, Korea.
*Arctosa keumjeungsana* Paik 1994c: 45.

***Arctosa kwangreungensis* Paik and Tanaka, 1986** 광릉논늑대거미 우♂
---------- China, Korea.
*Arctosa kwangreungensis* Paik and Tanaka 1986: 16, Namkung 2001: 318, 2003: 320, Lee *et al*. 2004: 99.

***Arctosa pargongensis* Paik, 1994** 팔공논늑대거미 ♂
---------- Korea.
*Arctosa pargongensis* Paik 1994c: 47.

***Arctosa pungcheunensis* Paik, 1994** 풍천논늑대거미 우
---------- Korea.
*Arctosa pungcheunensis* Paik 1994c: 50, Namkung 2001: 320, 2003: 322.

***Arctosa subamylacea* (Bösenberg and Strand, 1906)** 논늑대거미 우♂
---------- Kazakhstan, China, Korea, Japan.
*Tarentula subamylacea* Bösenberg and Strand 1906: 322.
*Arctosa stigmosa*; Namkung 2001: 316, 2003: 318, Kim and Cho 2002: 205 (우 misidentified).
*Arctosa subamylacea*; Paik and Namkung 1979: 64, Paik 1994c: 41, Yoo, Framenau and Kim 2007: 175.

***Arctosa yasudai* (Tanaka, 2000)** 얼룩논늑대거미 우♂
---------- Korea, Japan.
*Tricca yasudai* Tanaka 2000: 155.

*Arctosa yasudai*; Yoo *et al*. 2014: 32.

Genus *Lycosa* Latreille, 1804 짧은마디늑대거미속

***Lycosa coelestis* L. Koch, 1878** 제주늑대거미 우♂

---------- China, Korea, Japan.

*Lycosa coelestis* L. Koch 1878: 772, Paik 1988b: 116, Namkung 2001: 323, 2003: 325, Kim and Cho 2002: 206, Yoo, Park and Kim 2007: 25.

*Lycosa auribrachialis*; Paik 1988b: 114.

***Lycosa coreana* Paik, 1994** 한국늑대거미 우♂

---------- Korea.

*Lycosa coreana* Paik 1994b: 24, Namkung 2001: 324, 2003: 326.

***Lycosa labialis* Mao and Song, 1985** 입술늑대거미 우♂

---------- China, Korea.

*Lycosa labialis* Mao and Song 1985: 264, Paik 1988b: 116, Namkung 2001: 326, 2003: 328.

***Lycosa suzukii* Yaginuma, 1960** 땅늑대거미 우♂

---------- Russia, China, Korea, Japan.

*Lycosa suzukii* Yaginuma 1960: 83, Namkung 1964: 41, 2001: 325, 2003: 327, Paik and Namkung 1979: 65, Paik 1988b: 118, Kim and Cho 2002: 206.

Genus *Pardosa* C.L. Koch, 1847 긴마디늑대거미속

***Pardosa astrigera* L. Koch, 1878** 별늑대거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Pardosa astrigera* L. Koch 1878: 775, Paik and Namkung 1979: 67, Kim and Yoo 1997a: 32, Namkung 2001: 327, 2003: 329, Kim and Cho 2002: 207, Yoo and Kim 2002: 28, Lee *et al*. 2004: 99, Yoo, Park and Kim 2007: 25.

*Lycosa T-insignita*; Namkung 1964: 41.

***Pardosa atropos* (L. Koch, 1878)** 극동늑대거미 우♂

---------- China, Korea, Japan.

*Lycosa atropos* L. Koch 1878: 770.

*Pardosa atropos*; Namkung 1964: 41.

***Pardosa bifasciata* (C.L. Koch, 1834)** 한라늑대거미 우♂

---------- Palearctic.

*Lycosa bifasciata* C.L. Koch 1834: 125.

*Pardosa bifasciata*; Namkung 2001: 335, 2003: 337.

*Pardosa hanrasanensis* Jo and Paik 1984: 194, Kim and Yoo 1997a: 33.

***Pardosa brevivulva* Tanaka, 1975** 뫼가시늑대거미 우♂

---------- Russia, China, Korea, Japan.

*Pardosa brevivulva* Tanaka 1975: 21, Kim and Yoo 1997a: 33, Namkung 2001: 328, 2003: 330, Kim and Cho 2002: 207, Yoo and Kim 2002: 28.

***Pardosa hedini* Schenkel, 1936** 중국늑대거미 우♂

---------- Russia, China, Korea, Japan.

*Pardosa hedini* Schenkel 1936: 230, Paik 1979e: 192, Kim and Yoo 1997a: 33, Namkung 2001: 334, 2003: 336, Kim and Cho 2002: 208.

***Pardosa herbosa* Jo and Paik, 1984** 풀늑대거미 우♂
---------- Russia, China, Korea, Japan.
*Pardosa herbosa* Jo and Paik 1984: 190, Kim and Yoo 1997a: 34, Namkung 2001: 336, 2003: 338.

***Pardosa isago* Tanaka, 1977** 이사고늑대거미 우♂
---------- Russia, China, Korea, Japan.
*Pardosa isago* Kim 1999a: 1, Yoo *et al*. 2014: 32.

***Pardosa laura* Karsch, 1879** 가시늑대거미 우♂
---------- Russia, China, Korea, Taiwan, Japan.
*Pardosa laura* Karsch 1879: 102, Paik 1976b: 84, 1978e: 107, Paik and Namkung 1979: 66, Kim and Yoo 1997a: 35, Namkung 2001: 330, 2003: 332, Kim and Cho 2002: 208, Yoo and Kim 2002: 28.

***Pardosa lugubris* (Walckenaer, 1802)** 흰표늑대거미 우♂
---------- Palearctic.
*Aranea lugubris* Walckenaer 1802: 239.
*Pardosa lugbris*; Yoo and Kim 2002: 28 (lapsus).
*Pardosa lugubris*; Namkung, Paik and Yoon 1972: 94, Kim and Yoo 1997a: 35, Namkung 2001: 333, 2003: 335, Kim and Cho 2002: 217.

***Pardosa lyrifera* Schenkel, 1936** 모래톱늑대거미 우♂
---------- China, Korea, Japan.
*Pardosa lyrifera* Schenkel 1936: 234, Kim and Yoo 1997a: 36, Kim 1999a: 1, Namkung 2001: 332, 2003: 334.
*Pardosa koreana* Jo and Paik 1984: 192.

***Pardosa palustris* (Linnaeus, 1758)** 대륙늑대거미 우♂
---------- Holarctic.
*Aranea palustris* Linnaeus 1758: 623.
*Pardosa palustris*; Kim and Yoo 1997a: 36, Namkung 2001: 331, 2003: 333, Kim and Cho 2002: 218.

***Pardosa pseudoannulata* (Bösenberg and Strand, 1906)** 들늑대거미 우♂
---------- Pakistan to Japan, Philippines, Java.
*Tarentula pseudoannulata* Bösenberg and Strand 1906: 319.
*Lycosa pseudoannulata*; Paik and Namkung 1979: 65.
*Pardosa pseudoannulata*; Yoo and Kim 2002: 28, Namkung 2001: 329, 2003: 331.

***Pardosa uncifera* Schenkel, 1963** 갈고리늑대거미 우♂
---------- Russia, China, Korea.
*Pardosa uncifera* Schenkel 1963: 361, Namkung 2001: 337, 2003: 339.

Genus *Pirata* Sundevall, 1833 부이표늑대거미속

***Pirata coreanus* Paik, 1991** 금오늑대거미 우
---------- Korea.
*Pirata coreanus* Paik 1991g: 61.

***Pirata piraticus* (Clerck, 1757)** 늪산적늑대거미 우♂
---------- Holarctic.
*Araneus piraticus* Clerck 1757: 102.
*Pirata piraticus*; Namkung, Paik and Yoon 1971: 51, Paik and Namkung 1979: 68, Yoo, Park and Kim 2007: 25.

***Pirata subpiraticus* (Bösenberg and Strand, 1906)** 황산적늑대거미 우♂
---------- China, Korea, Japan.

*Tarentula subpiratica* Bösenberg and Strand 1906: 317.
*Pirata subpiraticus*; Paik and Namkung 1979: 68, Namkung 2001: 338, 2003: 340, Yoo and Framenau 2006: 680.

Genus *Piratula* Roewer, 1960 좀늑대거미속 (신칭)

***Piratula clercki* (Bösenberg and Strand, 1906)** 양산적늑대거미 우♂
---------- China, Korea, Taiwan, Japan.
*Tarentula clercki* Bösenberg and Strand 1906: 316.
*Pirata clercki*; Namkung 2001: 340, 2003: 342, Kim and Cho 2002: 219, Lee *et al*. 2004: 99.

***Piratula knorri* (Scopoli, 1763)** 크노르늑대거미 우
---------- Palearctic.
*Aranea knorrii* Scopoli 1763: 403.
*Pirata knorrii*; Paik 1978e: 107.

***Piratula meridionalis* (Tanaka, 1974)** 포천늑대거미 우♂
---------- China, Korea, Japan.
*Pirata meridionalis* Tanaka 1974: 31, Sohn and Paik 1981: 20, Namkung 2001: 341, 2003: 343.

***Piratula piratoides* (Bösenberg and Strand, 1906)** 공산늑대거미 우♂
---------- Russia, China, Korea, Japan.
*Tarentula piratoides* Bösenberg and Strand 1906: 318.
*Pirata piratoides*; Paik 1979e; 195, Namkung 2001: 342, 2003: 344, Kim and Cho 2002: 219.

***Piratula procurvus* (Bösenberg and Strand, 1906)** 좀늑대거미 우♂
---------- China, Korea, Japan.
*Tarentula procurva* Bösenberg and Strand 1906: 315.
*Pirata procurva* Paik 1970b: 87.
*Pirata procurvus*; Namkung 2001: 343, 2003: 345, Kim and Cho 2002: 220, Lee *et al*. 2004: 99.

***Piratula tanakai* (Brignoli, 1983)** 꼬마산적거미 우
---------- Russia, Korea, Japan.
*Pirata tanakai* Brignoli 1983: 456, Namkung 2001: 344, 2003: 346.

***Piratula yaginumai* (Tanaka, 1974)** 방울늑대거미 우♂
---------- Russia, China, Korea, Japan.
*Pirata yaginumai* Tanaka 1974: 27, Paik 1976b: 85, Namkung 2001: 339, 2003: 341, Kim and Cho 2002: 220.

Genus *Trochosa* C.L. Koch, 1847 곤봉표늑대거미속

***Trochosa ruricola* (De Geer, 1778)** 촌티늑대거미 우♂
---------- Holarctic, Bermuda.
*Aranea lupus ruricola* De Geer 1778: 282.
*Trochosa ruricola*; Namkung, Paik and Yoon 1971: 51, Paik and Namkung 1979: 69, Paik 1994a: 11, Namkung 2001: 314, 2003: 316, Kim and Cho 2002: 221.

***Trochosa unmunsanensis* Paik, 1994** 운문티늑대거미 ♂
---------- Korea.
*Trochosa unmunsanensis* Paik 1994a: 10.

Genus *Xerolycosa* Dahl, 1908 마른늑대거미속

***Xerolycosa nemoralis* (Westring, 1861)** 흰줄늑대거미 우♂

---------- Palearctic.

*Lycosa nemoralis* Westring 1861: 472.

*Xerolycosa nemoralis*; Namkung and Yoon 1980: 19, Paik 1994d: 76, Namkung 2001: 315, 2003: 317, Yoo, Park and Kim 2007: 25.

## Family Pisauridae Simon, 1890 닷거미과

Genus *Dolomedes* Latreille, 1804 닷거미속

***Dolomedes angustivirgatus* Kishida, 1936** 가는줄닷거미 우♂

---------- China, Korea, Japan.

*Dolomedes angustivirgatus* Kishida 1936b: 123, Paik 1969a: 36, 1978e: 367, Paik and Namkung 1979: 61, Namkung, 2001: 346 (우 partly misidentified), Kim and Lee 2013: 73.

***Dolomedes japonicus* Bösenberg and Strand, 1906** 줄닷거미 우♂

---------- China, Korea, Japan.

*Dolomedes japonicus* Bösenberg and Strand 1906: 313, Kim and Lee 2013: 74.

*Dolomedes stellatus*; Paik 1969a: 39, 1978e: 391, Namkung 2001: 347, 2003: 349.

***Dolomedes raptor* Bösenberg and Strand, 1906** 먹닷거미 우♂

---------- Russia, China, Korea, Japan.

*Dolomedes raptor* Bösenberg and Strand 1906: 309, Paik 1969a: 42, 1978e: 370, Namkung 2001: 348, 2003: 350, Kim and Lee 2013: 75.

***Dolomedes sulfureus* L. Koch, 1878** 황닷거미 우♂

---------- Russia, China, Korea, Japan.

*Dolomedes sulfureus* L. Koch 1878: 778, Paik 1969a: 29, 1978e: 369, Paik and Namkung 1979: 62, Namkung 2001: 346, 2003: 348, Kim and Cho 2002: 190, Yoo and Kim 2002: 27, Yoo, Park and Kim 2007: 25, Kim and Lee 2013: 76.

*Dolomedes hercules*; Paik 1969a: 33, 1978e: 369, Paik and Namkung 1979: 61.

Genus *Perenethis* L. Koch, 1878 번개닷거미속

***Perenethis fascigera* (Bösenberg and Strand, 1906)** 번개닷거미 우♂

---------- China, Korea, Japan.

*Tetragonophthalma fascigera* Bösenberg and Strand 1906: 306, Paik 1970b: 87.

*Perenethis fascigera*; Paik 1978e: 375, Namkung 2001: 349, 2003: 351, Kim and Lee 2013: 78.

Genus *Pisaura* Simon, 1885 서성거미속

***Pisaura ancora* Paik, 1969** 닻표늪서성거미 우♂

---------- Russia, China, Korea.

*Pisaura ancora* Paik 1969a: 49, 1978e: 377, Namkung 2001: 350, 2003: 352, Kim and Cho 2002: 191, Kim and Lee 2013: 79.

***Pisaura lama* Bösenberg and Strand, 1906** 아기늪서성거미 우♂

---------- Russia, China, Korea, Japan.

*Pisaura lama* Bösenberg and Strand 1906: 306, Paik 1969a: 44, 1978e: 379, Namkung 2001: 351, 2003: 353, Kim and

Cho 2002: 192, Kim and Lee 2013: 80.

## **Family Oxyopidae Thorell, 1870** 스라소니거미과

Genus *Oxyopes* Latreille, 1804 스라소니거미속

***Oxyopes koreanus* Paik, 1969** 분스라소니거미 우♂
---------- Korea, Japan.
*Oxyopes koreanus* Paik 1969b: 110, 1978e: 382, Paik and Namkung 1979: 58, Namkung 2001: 354, 2003: 356.

***Oxyopes licenti* Schenkel, 1953** 아기스라소니거미 우♂
---------- Russia, China, Korea, Japan.
*Oxyopes licenti* Schenkel 1953: 81, Namkung 2001: 355, 2003: 357, Kim and Cho 2002: 223.
*Oxyopes parvus*; Paik 1969b: 114, 1978e: 385, Paik and Namkung 1979: 59.

***Oxyopes sertatus* L. Koch, 1878** 낯표스라소니거미 우♂
---------- China, Korea, Taiwan, Japan.
*Oxyopes sertatus* L. Koch 1878: 779, Paik 1969b: 107, 1978e: 387, Namkung 2001: 353, 2003: 355.

## **Family Zoropsidae Bertkau, 1882** 정선거미과

Genus *Takeoa* Lehtinen, 1967 정선거미속

***Takeoa nishimurai* (Yaginuma, 1963)** 정선거미 우♂
---------- China, Korea, Japan.
*Zoropsis nishimurai* Yaginuma 1963a: 1, 3.
*Takeoa nishimurai*; Namkung 2001: 406, 2003: 408.
*Zoropsis coreana* Paik 1978b: 45, Kim and Cho 2002: 187.

## **Family Ctenidae Keyserling, 1877** 너구리거미과

Genus *Anahita* Karsch, 1879 너구리거미속

***Anahita fauna* Karsch, 1879** 너구리거미 우♂
---------- Russia, China, Korea, Japan.
*Anahita fauna* Karsch 1879: 99, Paik 1978e: 403, Paik and Namkung 1979: 87, Namkung 2001: 408, 2003: 410, Kim and Cho 2002: 188.

## **Family Agelenidae C.L. Koch, 1837** 풀거미과

Genus *Agelena* Walckenaer, 1805 풀거미속

***Agelena choi* Paik, 1965** 복풀거미 우
---------- Korea.
*Agelena choi* Paik 1965b: 58, 1978e: 314, Kim and Tak 2001: 114, Namkung 2001: 360, 2003: 362.

***Agelena jirisanensis* Paik, 1965** 지리풀거미 우

---------- Korea.

*Agelena jirisanensis* Paik 1965b: 61, 1978e: 317, Kim and Tak 2001: 116.

***Agelena koreana* Paik, 1965** 고려풀거미 우♂

---------- Korea.

*Agelena koreana* Paik 1965b: 59, 1978e: 319, Kim and Tak 2001: 117, Namkung 2001: 361, 2003: 363, Kim and Cho 2002: 224.

***Agelena labyrinthica* (Clerck, 1757)** 대륙풀거미 우♂

---------- Palearctic.

*Araneus labyrinthicus* Clerck 1757: 79.

*Agelena labyrinthica*; Paik 1962: 77, 1978e: 320, Kim and Tak 2001: 119, Namkung 2001: 358, 2003: 360.

***Agelena limbata* Thorell, 1897** 들풀거미 우♂

---------- China, Korea, Myanmar, Laos, Japan.

*Agalena limbata* Thorell 1897: 225.

*Agelena limbata*; Paik 1978e: 322, Kim and Tak 2001: 121, Namkung 2001: 357, 2003: 359, Kim and Cho 2002: 233.

Genus *Allagelena* Zhang, Zhu and Song, 2006 타래풀거미속

***Allagelena difficilis* (Fox, 1936)** 타래풀거미 우♂

---------- China, Korea.

*Agelena difficilis* Fox 1936: 121, Paik 1965b: 55, 1978e: 316, Kim and Tak 2001: 114, Namkung 2001: 359, 2003: 361, Kim, Ki and Park 2008: 184.

***Allagelena donggukensis* Kim, 1996** 동국풀거미 우♂

---------- Korea, Japan.

*Agelena donggukensis* Kim 1996: 1, Kim and Tak 2001: 116.

***Allagelena opulenta* (L. Koch, 1878)** 애풀거미 우♂

---------- China, Korea, Taiwan, Japan.

*Agalena opulenta* L. Koch 1878: 757, Paik 1978e: 325, Kim and Tak 2001: 123, Namkung 2001: 362, 2003: 364.

Genus *Alloclubionoides* Paik, 1992 광릉가게미속

***Alloclubionoides bifidus* (Paik, 1976)** 민무늬가게거미 우

---------- Korea.

*Coelotes bifidus* Paik 1976a: 82, 1978e: 336, Namkung 2001: 391, 2003: 393.

***Alloclubionoides cochlea* (Kim, Lee and Kwon, 2007)** 달팽이가게거미 우♂

---------- Korea.

*Ambanus cochlea* Kim, Lee and Kwon 2007: 329.

***Alloclubionoides coreanus* Paik, 1992** 광릉가게거미 우♂

---------- Korea.

*Alloclubionoides coreana* Paik 1992g: 9, Namkung 2003: 448.

*Alloclubionoides boryeongensis* Kim and Ye 2013a: 2 (New Synonym).

*Ambanus coreana*; Kim and Lee 2006b: 1433.

*Ambanus lunatus*; Namkung 2001: 393 (♂ misidentified), 2003: 395 (♂ misidentified), Kim and Cho 2002: 185 (우♂ misidentified).

*Ambanus paikwunensis*; Namkung 2003: 394 (우 misidentified).

*Coelotes paikwunensis* Kim and Jung 1993: 2 (♀ misidentified), Namkung 2001: 390 (♀ misidentified).

***Alloclubionoides dimidiatus* (Paik, 1974)** 팔공가게거미 ♀♂

---------- Korea.

*Coelotes dimidiatus* Paik 1974b: 171, 1978e: 339.

*Ambanus dimidiatus*; Namkung 2001: 394, 2003: 396.

*Ambanus kimi*; Namkung 2001: 395 (♀ misidentified), 2003: 397 (♀ misidentified).

***Alloclubionoides euini* (Paik, 1976)** 입가게거미 ♀♂

---------- Korea.

*Coelotes euini* Paik 1976a: 78, 1978e: 341.

*Ambanus euini*; Namkung 2001: 398, 2003: 400, Kim and Cho 2002: 176, Lee *et al*. 2004: 99, Kim 2007: 704.

***Alloclubionoides gajiensis* Seo, 2014** 가지가게거미 ♀♂

---------- Korea.

*Alloclubionoides gajiensis* Seo 2014b: 166.

***Alloclubionoides geumensis* Seo, 2014** 금산가게거미 ♀

---------- Korea.

*Alloclubionoides geumensis* Seo 2014b: 168.

***Alloclubionoides jaegeri* (Kim, 2007)** 오대산가게거미 (개칭) ♀♂

---------- Korea.

*Ambanus jaegeri* Kim 2007: 711.

***Alloclubionoides jirisanensis* Kim, 2009** 지리산가게거미 (개칭) ♀♂

---------- Korea.

*Alloclubionoides jirisanensis* Kim 2009b: 2931, Seo 2014a: 30.

***Alloclubionoides kimi* (Paik, 1974)** 용기가게거미 ♀♂

---------- Korea.

*Coelotes kimi* Paik 1974b: 169, 1978e: 345.

*Ambanus kimi*; Namkung 2001: 395 (♀ = *Alloclubionoides dimidiatus*), 2003: 397 (♀ = *Alloclubionoides dimidiatus*), Kim and Lee 2008b: 66.

***Alloclubionoides lunatus* (Paik, 1976)** 속리가게거미 ♀♂

---------- Korea.

*Coelotes lunatus* Paik 1976a: 84, 1978e: 346.

*Ambanus lunatus*; Namkung 2001: 393 (♂ = *Alloclubionoides coreanus*), 2003: 395 (♂ = *Alloclubionoides coreanus*), Kim and Lee 2006b: 1426.

***Alloclubionoides naejangensis* Seo, 2014** 내장가게거미 ♀♂

---------- Korea.

*Alloclubionoides naejangensis* Seo 2014b: 169.

***Alloclubionoides namhaensis* Seo, 2014** 남해가게거미 ♀♂

---------- Korea.

*Alloclubionoides namhaensis* Seo 2014b: 171.

***Alloclubionoides ovatus* (Paik, 1976)** 방울가게거미 ♀♂

---------- Korea.

*Coelotes ovatus* Paik 1976a: 80, 1978e: 348.

*Ambanus ovatus*; Namkung 2001: 399, 2003: 401, Kim and Lee 2008a: 143.

***Alloclubionoides paikwunensis* (Kim and Jung, 1993)** 백운가게거미 우♂

---------- Korea.

*Coelotes paikwunensis* Kim and Jung 1993: 2 (우 = *Alloclubionoides coreanus*), Namkung 2001: 290 (우 = *Alloclubionoides coreanus*).

*Alloclubionoides paikwunensis*; Kim and Kim 2012: 2388.

*Ambanus paikwunensis*; Namkung 2003: 394.

*Coelotes samaksanensis*; Namkung 2001: 392, 2003: 394.

***Alloclubionoides quadrativulvus* (Paik, 1974)** 모가게거미 우♂

---------- Korea.

*Coelotes quadrativulvus* Paik 1974b: 173, 1978e: 349.

*Ambanus quadrativulvus*; Namkung 2001: 397, 2003: 399.

***Alloclubionoides solea* Kim and Kim, 2012** 말굽가게거미 우♂

---------- Korea.

*Alloclubionoides solea* Kim and Kim 2012: 2393.

***Alloclubionoides terdecimus* (Paik, 1978)** 거제가게거미 우♂

---------- Korea.

*Coelotes terdecimus* Paik 1978b: 53.

*Alloclubionoides terdecimus*; Seo 2014a: 33.

***Alloclubionoides wolchulsanensis* Kim, 2009** 월출산가게거미 우♂

---------- Korea.

*Alloclubionoides wolchulsanensis* Kim 2009b: 2926.

***Alloclubionoides yangyangensis* Seo, 2014** 양양가게거미 우

---------- Korea.

*Alloclubionoides yangyangensis* Seo 2014b: 173.

Genus *Coelotes* Blackwall, 1841 가게거미속

***Coelotes exitialis* L. Koch, 1878** 어리가게거미 우♂

---------- Korea, Japan.

*Coelotes exitialis* L. Koch 1878: 755, Paik 1978e: 342.

Genus *Coras* Simon, 1898 설악가게거미속 (신칭)

***Coras seorakensis* Seo, 2014** 설악가게거미 ♂

---------- Korea.

*Coras seorakensis* Seo 2014b: 175.

Genus *Draconarius* Ovtchinnikov, 1999 고려가게거미속

***Draconarius coreanus* (Paik and Yaginuma, 1969)** 고려가게거미 우♂

---------- Korea, Japan.

*Coelotes coreanus* Paik, Yaginuma and Namkung 1969: 837, Paik 1978e: 337, Namkung 2001: 389, 2003: 391, Kim and Lee 2007a: 114.

*Alloclubionoides persona* Kim and Ye 2014: 135 (new synonym).

***Draconarius hallaensis* Kim and Lee, 2007** 한라가게거미 ♂
---------- Korea.
*Draconarius hallaensis* Kim and Lee 2007a: 126.

***Draconarius kayasanensis* (Paik, 1972)** 가야산가게거미 우♂
---------- Korea.
*Coelotes kayasanensis* Paik 1972: 49, 1978e: 343.
*Alloclubionoides woljeongensis* Ye and Kim 2014: 33 (우 only) (New Synonym).
*Ambanus kayasanensis*; Namkung 2001: 396, 2003: 398.
*Draconarius kayasanensis*; Kim and Lee 2007a: 119, Kim and Ye 2013b: 35.

Genus *Iwogumoa* Kishida, 1955 얼룩가게거미속

***Iwogumoa insidiosa* (L. Koch, 1878)** 얼룩가게거미 우♂
---------- Russia, Korea, Japan.
*Coelotes insidiosus* L. Koch 1878: 751.
*Asiacoelotes insidiosus*; Kim and Lee 2006a: 197.

***Iwogumoa interuna* (Nishikawa, 1977)** 얼룩꼬마가게거미 우♂
---------- Korea, Japan.
*Coelotes interunus* Nishikawa 1977: 34, Kim 1998b: 6.

***Iwogumoa songminjae* (Paik and Yaginuma, 1969)** 민자가게거미 우♂
---------- Russia, China, Korea.
*Coelotes songminjae* Paik, Yaginuma and Namkung 1969: 839, Paik 1971c: 172, 1978e: 351, Paik and Namkung 1979: 56, Namkung 2001: 388, 2003: 390.
*Asiacoelotes songminjae*; Kim and Lee 2006a: 50.

Genus *Pireneitega* Kishida, 1955 깔때기거미속

***Pireneitega luctuosa* (L. Koch, 1878)** 안경깔때기거미 우♂
---------- Russia, Central Asia, China, Korea, Japan.
*Coelotes luctuosus* L. Koch 1878: 752, Yoo and Kim 2002: 26.
*Coras luctuosus*; Paik 1971a: 12, 1978e: 354.
*Paracoelotes luctuosus*; Namkung 2001: 402, 2003: 404.

***Pireneitega spinivulva* (Simon, 1880)** 한국깔때기거미 우♂
---------- Russia, China, Korea, Japan.
*Coelotes spinivulva* Simon 1880: 116.
*Coelotes vulgaris*; Yoo and Kim 2002: 30.
*Coras vulgaris*; Paik 1971a: 8, 1978e: 356.
*Paracoelotes spinivulva*; Namkung 2001: 401, 2003: 403, Kim and Cho 2002: 186.

Genus *Tegecoelotes* Ovtchinnikov, 1999 가야집가게거미속

***Tegecoelotes secundus* (Paik, 1971)** 가야집가게거미 우♂
---------- Russia, China, Korea, Japan.
*Tegenaria secunda* Paik 1971b: 22, 1978e: 360.
*Coelotes bicaudatus* Paik 1976a: 81, 1978e: 334.
*Tegecoelotes secunda*; Kim and Tak 2001: 127, Namkung 2001: 400.
*Tegecoelotes secundus*; Namkung 2003: 402.

Genus *Tegenaria* Latreille, 1804 집가게거미속

***Tegenaria daiamsanesis* Kim, 1998** 대암산집가게거미 우

---------- Korea.

*Tegenaria daiamsanesis* Kim 1998d: 17.

***Tegenaria domestica* (Clerck, 1757)** 집가게거미 우♂

---------- Cosmopolitan.

*Araneus domesticus* Clerck 1757: 76.

*Tegenaria domestica*; Paik 1971b: 19, 1978e: 358, Kim and Tak 2001: 124, Namkung 2001: 363, 2003: 365, Kim and Cho 2002: 234.

## Family Cybaeidae Banks, 1892 굴뚝거미과

Genus *Argyroneta* Latreille, 1804 물거미속

***Argyroneta aquatica* (Clerck, 1757)** 물거미 우♂

---------- Palearctic.

*Araneus aquaticus* Clerck 1757: 143.

*Argyroneta aquatica*; Paik 1978e: 302, Namkung, Kim and Lim 1996: 112, Namkung 2001: 365, 2003: 367.

Genus *Cybaeus* L. Koch, 1868 굴뚝거미속

***Cybaeus aratrum* Kim and Kim, 2008** 쟁기굴뚝거미 ♂

---------- Korea.

*Cybaeus aratrum* Kim and Kim 2008: 10.

***Cybaeus longus* Paik, 1966** 왕굴뚝거미 우♂

---------- Korea.

*Cybaeus longus* Paik 1966b: 33, 1978e: 305, Namkung 2001: 367, 2003: 369.

*Alloclubionoides woljeongensis* Ye and Kim 2014: 33 (♂ only) (New Synonym).

***Cybaeus mosanensis* Paik and Namkung, 1967** 모산굴뚝거미 우♂

---------- Korea.

*Cybaeus mosanensis* Paik and Namkung 1967: 22, Paik 1978e: 306, Namkung 2001: 366, 2003: 368.

*Cybaeus nipponicus*; Paik 1966b: 31 (우 misidentified).

***Cybaeus triangulus* Paik, 1966** 삼각굴뚝거미 우♂

---------- Korea.

*Cybaeus triangulus* Paik 1966b: 34, 1978e: 309, Namkung 2001: 368, 2003: 370, Kim and Cho 2002: 236.

*Cybaeus cappa* Kim, Ye and Yoo 2014: 135 (New Synonym).

*Cybaeus nodongensis* Kim, Sung and Chae, 2012: 77 (New synonym).

***Cybaeus whanseunensis* Paik and Namkung, 1967** 환선굴뚝거미 우♂

---------- Korea.

*Cybaeus whanseunensis* Paik and Namkung 1967: 23.

*Dolichocybaeus whanseunensis*; Paik, Yaginuma and Namkung 1969: 824, Paik 1978e: 311, Namkung 2001: 369, 2003: 371.

## **Family Desidae Pocock, 1895** 갯가게거미과

Genus *Paratheuma* Bryant, 1940 갯가게거미속

***Paratheuma shirahamaensis* (Oi, 1960)** 갯가게거미 우♂
---------- Korea, Japan.
*Litisedes shirahamaensis* Oi 1960b: 7, Paik and Kang 1987: 92, Namkung 2001: 370, 2003: 372.

## **Family Hahniidae Bertkau, 1878** 외줄거미과

Genus *Hahnia* C.L. Koch, 1841 외줄거미속

***Hahnia corticicola* Bösenberg and Strand, 1906** 외줄거미 우♂
---------- Russia, China, Korea, Taiwan, Japan.
*Hahnia corticicola* Bösenberg and Strand 1906: 305, Paik 1978e: 363, Paik and Namkung 1979: 57, Namkung 2001: 372, 2003: 374, Kim and Cho 2002: 237.

***Hahnia nava* (Blackwall, 1841)** 가산외줄거미 우♂
---------- Palearctic.
*Agelena nava* Blackwall 1841: 622.
*Hahnia nava*; Paik 1985e: 24, Namkung 2001: 373, 2003: 375, Lee *et al*. 2004: 99.

Genus *Neoantistea* Gertsch, 1934 제주외줄거미속

***Neoantistea quelpartensis* Paik, 1958** 제주외줄거미 우♂
---------- Russia, China, Korea, Japan.
*Neoantistea quelpartensis* Paik 1958: 283, 1978e: 364, Namkung 2001: 374, 2003: 376, Kim and Cho 2002: 238, Lee *et al*. 2004: 99.

## **Family Dictynidae O. P.-Cambridge, 1871** 잎거미과

Genus *Blabomma* Chamberlin and Ivie, 1937 굴잎거미속

***Blabomma uenoi* Paik and Yaginuma, 1969** 굴잎거미 우
---------- Korea.
*Blabomma uenoi* Paik, Yaginuma and Namkung 1969: 830, Paik 1978e: 317.

Genus *Brommella* Tullgren, 1948 칠보잎거미속

***Brommella punctosparsa* (Oi, 1957)** 칠보잎거미 우♂
---------- China, Korea, Japan.
*Lathys punctosparsus* Oi 1957: 47.
*Brommella punctosparsa*; Kim, Kwon and Kim 2003: 8.

Genus *Cicurina* Menge, 1871 두더지거미속

***Cicurina japonica* (Simon, 1886)** 두더지거미 우♂
---------- Korea, Japan, Europe (introduced).
*Tetrilus japonicus* Simon 1886b: 60.
*Cicurina japonica*; Paik, Yaginuma and Namkung 1969: 832, Paik 1978e: 329, Namkung 2001: 376, 2003: 378.

***Cicurina kimyongkii* Paik, 1970** 금두더지거미 우
---------- Korea.
*Cicurina kimyongkii* Paik 1970a: 99, 1978e: 331, Namkung 2001: 377, 2003: 379.

***Cicurina phaselus* Paik, 1970** 콩두더지거미 우♂
---------- Korea.
*Cicurina phaselus* Paik 1970a: 101, Namkung 2001: 378, 2003: 380.
*Cicurina phaserus*; Paik 1978e: 333 (lapsus).

Genus *Dictyna* Sundevall, 1833 잎거미속

***Dictyna arundinacea* (Linnaeus, 1758)** 갈대잎거미 우♂
---------- Holarctic.
*Aranea arundinacea* Linnaeus 1758: 620.
*Dictyna arundinacea*; Paik 1978e: 181, 1979b: 420, Namkung 2001: 379, 2003: 381.

***Dictyna felis* Bösenberg and Strand, 1906** 잎거미 우♂
---------- Russia, China, Korea, Japan.
*Dictyna felis* Bösenberg and Strand 1906: 111, Paik 1978e: 183, 1979b; 421, Namkung 2001: 380, 2003: 382.

***Dictyna foliicola* Bösenberg and Strand, 1906** 아기잎거미 우♂
---------- Russia, China, Korea, Japan.
*Dictyna foliicola* Bösenberg and Strand 1906: 112, Paik 1979b: 422, Namkung 2001: 381, 2003: 383.

Genus *Lathys* Simon, 1884 마른잎거미속

***Lathys annulata* Bösenberg and Strand, 1906** 한산마른잎거미 우♂
---------- Korea, Japan.
*Lathys annulata* Bösenberg and Strand 1906: 110, Seo 2015a: 106.

***Lathys dihamata* Paik, 1979** 쌍칼퀴마른잎거미 우♂
---------- Korea.
*Lathys dihamata* Paik 1979b: 424, Namkung 2001: 382, 2003: 384, Lee *et al*. 2004: 98.

***Lathys maculosa* (Karsch, 1879)** 마른잎거미 우♂
---------- Korea, Japan.
*Dictyna maculosa* Karsch, 1879g: 96.
*Lathys humilis*; Paik, 1978e: 185 (우 misidentified).

***Lathys sexoculata* Seo and Sohn, 1984** 육눈이마른잎거미 우♂
---------- Korea, Japan.
*Lathys sexoculata* Seo and Sohn 1984: 114, Namkung 2001: 384, 2003: 386.

***Lathys stigmatisata* (Menge, 1869)** 공산마른잎거미 우♂
---------- Palearctic.

*Lethia stigmatisata* Menge 1869: 250.
*Lathys puta*; Paik 1979b; 426.
*Lathys puto*; Namkung 2001: 383 (♀♂ misidentified, lapsus).
*Lathys stigmatisata*; Namkung 2003: 385.

Genus *Sudesna* Lehtinen, 1967 흰잎거미속

***Sudesna hedini* (Schenkel, 1936)** 흰잎거미 ♀♂
---------- China, Korea.
*Dictyna hedini* Schenkel 1936: 14, Paik 1979b: 423.
*Sudesna hedini*; Namkung 2001: 385, 2003: 387.

## Family Amaurobiidae Thorell, 1870 비탈거미과

Genus *Callobius* Chamberlin, 1947 비탈거미속

***Callobius koreanus* (Paik, 1966)** 반도비탈거미 ♀♂
---------- Korea.
*Amaurobius koreanus* Paik 1966a: 53.
*Callobius koreanus*; Paik 1978e: 174, Namkung 2001: 387, 2003: 389, Kim and Cho 2002: 186.
*Callobius woljeongsensis* Kim and Ye 2013c: 163, Kim and Ye 2015c: 44 (New Synonym).

## Family Titanoecidae Lehtinen, 1967 자갈거미과

Genus *Nurscia* Simon, 1874 자갈거미속

***Nurscia albofasciata* (Strand, 1907)** 살깃자갈거미 ♀♂
---------- Russia, China, Korea, Taiwan, Japan.
*Titanoeca albofasciata* Strand 1907: 107.
*Nurscia albofasciata*; Namkung 2001: 404, 2003: 406.
*Titanoeca nipponica*; Namkung 1964: 32, Paik 1966a: 55, 1978e: 176.
*Titanoeca quadriruguttata*; Kim, Lee and Lee 2014b: 72 (♂ misidentified).

## Family Eutichuridae Lehtinen, 1967 장수염낭거미과

Genus *Cheiracanthium* C.L. Koch, 1839 어리염낭거미속

***Cheiracanthium brevispinum* Song, Feng and Shang, 1982** 짧은가시어리염낭거미 ♀♂
---------- China, Korea.
*Cheiracanthium brevispinus* Song, Feng and Shang 1982: 73.
*Cheiracanthium brevispinum*; Paik 1990b: 7, Namkung 2001: 428, 2003: 423.

***Cheiracanthium erraticum* (Walckenaer, 1802)** 북방어리염낭거미 ♀♂
---------- Palearctic.
*Aranea erratica* Walckenaer 1802: 219.
*Cheiracanthium erraticum*; Kim and Lee 2007b: 240.

***Cheiracanthium japonicum* Bösenberg and Strand, 1906** 애어리염낭거미 우♂
---------- China, Korea, Japan.
*Cheiracanthium japonicum* Bösenberg and Strand 1906: 288, Paik 1990b: 5, Namkung 2001: 423, 2003: 418.

***Cheiracanthium lascivum* Karsch, 1879** 큰머리장수염낭거미 우♂
---------- Russia, China, Korea, Japan.
*Cheiracanthium lascivum* Karsch, 1879: 91, Yoo, Lee and Kim 2015: 64.

***Cheiracanthium taegense* Paik, 1990** 대구어리염낭거미 우♂
---------- China, Korea.
*Cheiracanthium taegense* Paik 1990b: 11, Namkung 2001: 425, 2003: 420.
*Cheiracanthium taeguense*; Kim and Cho 2002: 77.

***Cheiracanthium uncinatum* Paik, 1985** 갈퀴혹어리염낭거미 우♂
---------- China, Korea.
*Cheiracanthium uncinatum* Paik 1985b: 2, 1990b: 15, Namkung 2001: 426, 2003: 421.

***Cheiracanthium unicum* Bösenberg and Strand, 1906** 긴어리염낭거미 우♂
---------- China, Korea, Japan, Laos.
*Cheiracanthium unicum* Bösenberg and Strand 1906: 287, Paik 1970b: 88, 1990b: 13, Namkung 2001: 427, 2003: 422.

***Cheiracanthium zhejiangense* Hu and Song, 1982** 중국어리염낭거미 우♂
---------- China, Korea.
*Cheiracanthium zhejiangensis* Hu and Song 1982: 56.
*Cheiracanthium zhejiangense*; Paik 1990b: 9, Namkung 2001: 424, 2003: 419, Lee *et al*. 2004: 99.

## Family Miturgidae Simon, 1886 오소리거미과

Genus *Zora* C.L. Koch, 1847 오소리거미속

***Zora nemoralis* (Blackwall, 1861)** 수풀오소리거미 우♂
---------- Palearctic.
*Hecaerge nemoralis* Blackwall 1861: 441.
*Zora nemoralis*; Paik 1978e: 406, Namkung 2001: 493, 2003: 496, Lee *et al*. 2004: 99.

## Family Anyphaenidae Bertkau, 1878 팔공거미과

Genus *Anyphaena* Sundevall, 1833 팔공거미속

***Anyphaena pugil* Karsch, 1879** 팔공거미 우♂
---------- Russia, Korea, Japan.
*Anyphaena pugil* Karsch 1879: 94, Paik 1957: 47, 1978e: 391, Namkung 2001: 410, 2003: 412, Kim and Cho 2002: 89.

## Family Liocranidae Simon, 1897 밭고랑거미과

Genus *Agroeca* Westring, 1861 밭고랑거미속

***Agroeca bonghwaensis* Seo, 2011** 봉화밭고랑거미 우

---------- Korea.

*Agroeca bonghwaensis* Seo 2011a: 99.

***Agroeca coreana* Namkung, 1989** 밭고랑거미 우♂

---------- Russia, Korea, Japan.

*Agroeca coreana* Namkung 1989: 24, 2001: 412, 2003: 414, Kim and Choi 2001: 80, Kim, Kim and Park 2008: 15.

*Drassodes kiranensis* Paik 1991f: 46.

***Agroeca mongolica* Schenkel, 1936** 몽골밭고랑거미 우♂

---------- Mongolia, China, Korea.

*Agroeca mongolica* Schenkel 1936: 283, Namkung 1992: 96, 2001: 413, 2003: 415, Kim and Choi 2001: 81, Kim, Kim and Park 2008: 16.

***Agroeca montana* Hayashi, 1986** 적갈밭고랑거미 우♂

---------- China, Korea, Japan.

*Agroeca montana* Hayashi 1986a: 24, Seo 2011a: 99.

Genus *Itatsina* Kishida, 1930 족제비거미속

***Itatsina praticola* (Bösenberg and Strand, 1906)** 족제비거미 우♂

---------- China, Korea, Japan.

*Agroeca praticola* Bösenberg and Strand 1906: 291.

*Itatsina praticola*; Paik 1970b: 88, 1990d: 109, Kim and Choi 2001: 82, Namkung 2001: 414, 2003: 416, Kim and Cho 2002: 73, Lee *et al*. 2004: 99, Kim, Kim and Park 2008: 17.

Genus *Scotina* Menge, 1873 좀밭고랑거미속

***Scotina palliardii* (L. Koch, 1881)** 좀밭고랑거미 우♂

---------- Europe, Russia, Korea.

*Liocranum palliardii* L. Koch, 1881: 60.

*Scotina palliardii*; Seo 2011a: 101.

## Family Phrurolithidae Banks, 1892 도사거미과

Genus *Orthobula* Simon, 1897 십자쌈지거미속

***Orthobula crucifera* Bösenberg and Strand, 1906** 십자쌈지거미 우♂

---------- China, Korea, Japan.

*Orthobula crucifera* Bösenberg and Strand 1906: 292, Namkung 1964: 45, Paik and Namkung 1979: 86, Kim and Choi 2001: 84, Namkung 2001: 415, 2003: 453, Lee *et al*. 2004: 99, Kim and Lee 2014: 43.

Genus *Otacilia* Thorell, 1897 가시도사거미속

***Otacilia komurai* (Yaginuma, 1952)** 장도사거미 우♂
---------- China, Korea, Japan.
*Phrurolithus komurai* Yaginuma, 1952: 13.
*Otacilia komurai*; Seo 2012a: 26.

Genus *Phrurolithus* C.L. Koch, 1839 도사거미속

***Phrurolithus coreanus* Paik, 1991** 고려도사거미 우♂
---------- Korea, Japan.
*Phrurolithus coreanus* Paik 1991a: 174, Kim and Choi 2001: 84, Namkung 2001: 416, 2003: 454, Kim and Lee 2014: 45.

***Phrurolithus faustus* Paik, 1991** 법주도사거미 우
---------- Korea.
*Phrurolithus faustus* Paik 1991a: 176, Kim and Choi 2001: 85, Kim and Lee 2014: 46.

***Phrurolithus festivus* (C.L. Koch, 1835)** 평창도사거미 우♂
---------- Palearctic.
*Macaria festiva* C.L. Koch, 1835: 129.
*Phrurolithus festivus*; Seo 2012a: 26.

***Phrurolithus hamdeokensis* Seo, 1988** 함덕도사거미 우♂
---------- Russia, Korea.
*Phrurolithus hamdeokensis* Seo 1988a: 82, Paik 1991a: 179, Kim and Choi 2001: 86, Namkung 2001: 420, 2003: 455, Kim and Lee 2014: 47.

***Phrurolithus labialis* Paik, 1991** 입술도사거미 우♂
---------- Korea, Japan.
*Phrurolithus labialis* Paik 1991a: 177, Kim and Choi 2001: 86, Namkung 2001: 420, 2003: 458, Kim and Lee 2014: 48.

***Phrurolithus palgongensis* Seo, 1988** 팔공도사거미 우♂
---------- Russia, China, Korea.
*Phrurolithus palgongensis* Seo 1988a: 83, Paik 1991a: 180, Kim and Choi 2001: 87, Namkung 2001: 419, 2003: 457, Kim and Lee 2014: 49.

***Phrurolithus pennatus* Yaginuma, 1967** 살깃도사거미 우♂
---------- Russia, China, Korea, Japan.
*Phrurolithus pennatus* Yaginuma 1967: 102, Paik 1970b: 88, Seo 1988a: 79, Paik 1991a: 181, Kim and Choi 2001: 89, Namkung 2001: 418, 2003: 456, Kim and Lee 2014: 50.

***Phrurolithus sinicus* Zhu and Mei, 1982** 꼬마도사거미 우♂
---------- Russia, China, Korea, Japan.
*Phrurolithus sinicus* Zhu and Mei 1982: 49, Seo 1988a: 81, Paik 1991a: 184, Kim and Choi 2001: 91, Namkung 2001: 421, 2003: 459, Lee *et al*. 2004: 99, Kim and Lee 2014: 51.

## Family Clubionidae Wagner, 1887 염낭거미과

Genus *Clubiona* Latreille, 1804 염낭거미속

***Clubiona coreana* Paik, 1990** 한국염낭거미 ♀♂
---------- Russia, China, Korea.
*Clubiona coreana* Paik 1990a: 89, Namkung 2001: 430, 2003: 425, Kim and Cho 2002: 79, Kim and Lee 2014: 14.

***Clubiona diversa* O. P.-Cambridge, 1862** 천마염낭거미 ♀♂
---------- Palearctic.
*Clubiona diversa* O. P.-Cambridge 1862: 7959, Namkung 2001: 447, 2003: 442, Kim and Lee 2014: 15.

***Clubiona haeinsensis* Paik, 1990** 해인염낭거미 ♀♂
---------- Russia, China, Korea, Japan.
*Clubiona haeinsensis* Paik 1990a: 91, Namkung 2001: 433, 2003: 428, Kim and Lee 2014: 16.

***Clubiona hwanghakensis* Paik, 1990** 황학염낭거미 ♂
---------- Korea.
*Clubiona hwanghakensis* Paik 1990a: 94, Kim and Lee 2014: 17.

***Clubiona irinae* Mikhailov, 1991** 이리나염낭거미 ♀♂
---------- Russia, China, Korea.
*Clubiona irinae* Mikhailov 1991: 208, Namkung 2001: 449, 2003: 444, Kim and Lee 2014: 17.

***Clubiona japonicola* Bösenberg and Strand, 1906** 노랑염낭거미 ♀♂
---------- Russia to Philippines, Indonesia.
*Clubiona japonicola* Bösenberg and Strand 1906: 281, Paik and Namkung 1979: 84, Paik 1990c: 65, Namkung 2001: 431, 2003: 426, Kim and Lee 2014: 19.

***Clubiona jucunda* (Karsch, 1879)** 살깃염낭거미 ♀♂
---------- Russia, China, Korea, Taiwan, Japan.
*Liocranum jucundum* Karsch 1879: 92.
*Clubiona jucunda*; Paik 1990c: 71, Namkung 2001: 432, 2003: 427, Kim and Lee 2014: 20.

***Clubiona kasanensis* Paik, 1990** 가산염낭거미 ♀♂
---------- Korea, Japan.
*Clubiona kasanensis* Paik 1990a: 100, Namkung 2001: 445, 2003: 440, Kim and Lee 2014: 21.
*Clubiona badoi* Kim and Ye 2015b: 20 (♂ misinedified) (New Synonym).

***Clubiona kimyongkii* Paik, 1990** 김염낭거미 ♀♂
---------- Russia, China, Korea.
*Clubiona kimyongkii* Paik 1990a: 98, Namkung 2001: 443, 2003: 438, Kim and Lee 2014: 22.

***Clubiona kurilensis* Bösenberg and Strand, 1906** 각시염낭거미 ♀♂
---------- Russia, China, Korea, Japan.
*Clubiona kurilensis* Bösenberg and Strand 1906: 286, Paik and Namkung 1979: 85, Paik 1990c: 69, Namkung 2001: 439, 2003: 434, Kim and Lee 2014: 23.

***Clubiona kurosawai* Ono, 1986** 내장염낭거미 ♀♂
---------- Korea, Japan, Taiwan.
*Clubiona kurosawai* Ono 1986: 20, Seo 2009a: 62.

***Clubiona lena* Bösenberg and Strand, 1906** 솔개빛염낭거미 우♂

---------- China, Korea, Japan.

*Clubiona lena* Bösenberg and Strand 1906: 285, Paik 1990c: 67, Namkung 2001: 434, 2003: 429, Kim and Lee 2014: 24.

***Clubiona lutescens* Westring, 1851** 갈색염낭거미 우♂

---------- Holarctic.

*Clubiona lutescens* Westring 1851: 49, Namkung 1964: 45, 2001: 437, 2003: 432, Paik and Namkung 1979: 85, Kim and Lee 2014: 25.

***Clubiona mandschurica* Schenkel, 1953** 만주염낭거미 우♂

---------- Russia, China, Korea, Japan.

*Clubiona mandschurica* Schenkel 1953: 61, Paik 1990a: 105, Namkung 2001: 436, 2003: 431, Kim and Lee 2014: 26.

***Clubiona mayumiae* Ono, 1993** 북녘염낭거미 우♂

---------- Russia, Korea, Japan.

*Clubiona mayumiae* Ono 1993: 90, Namkung 2001: 441, 2003: 436, Kim and Lee 2014: 27.

***Clubiona minuta* Seo, 2009** 한려염낭거미 우♂

---------- Korea.

*Clubiona minuta* Seo 2009a: 64.

***Clubiona neglectoides* Bösenberg and Strand, 1906** 공산염낭거미 ♂

---------- China, Korea, Japan.

*Clubiona neglectoides* Bösenberg and Strand 1906: 284, Paik 1990a: 104, Namkung 2001: 442, 2003: 437, Kim and Lee 2014: 28.

***Clubiona odesanensis* Paik, 1990** 오대산염낭거미 우♂

---------- Russia, China, Korea.

*Clubiona odesanensis* Paik 1990a: 96, Namkung 2001: 435, 2003: 430, Kim and Lee 2014: 29.

***Clubiona papillata* Schenkel, 1936** 월정염낭거미 우♂

---------- Russia, China, Korea.

*Clubiona papillata* Schenkel 1936: 162.

*Clubiona wolchongsensis* Paik 1990a: 99, Namkung 2001: 446, 2003: 441, Kim and Lee 2014: 30.

***Clubiona phragmitis* C.L. Koch, 1843** 늪염낭거미 우♂

---------- Palearctic.

*Clubiona phragmitis* C.L. Koch 1843: 134, Namkung, Paik and Yoon 1972: 95, Paik 1990c: 73, Kim and Lee 2014: 31.

***Clubiona pseudogermanica* Schenkel, 1936** 강동염낭거미 우♂

---------- Russia, China, Korea, Japan.

*Clubiona pseudogermanica* Schenkel 1936: 155, Namkung 2001: 440, 2003: 435, Kim and Lee 2014: 33.

*Clubiona hummeli*; Paik 1990a: 107 (우 misidentified).

*Clubiona propinqua*; Paik 1990a: 102.

*Clubiona salictum*; Namkung and Kim 1987: 24 (우 = *Clubiona hummeli*).

***Clubiona rostrata* Paik, 1985** 부리염낭거미 우♂

---------- Russia, China, Korea, Japan.

*Clubiona rostrata* Paik 1985b: 3, 1990c: 75, Namkung 2001: 444, 2003: 439, Lee *et al*. 2004: 99, Kim and Lee 2014: 34.

***Clubiona sapporensis* Hayashi, 1986** 북방염낭거미 우♂

---------- Russia, Korea, Japan.

*Clubiona sapporensis* Hayashi 1986b: 35, Kim *et al*. 2014: 379.

***Clubiona sopaikensis* Paik, 1990** 소백염낭거미 우♂
---------- Russia, Korea.
*Clubiona sopaikensis* Paik 1990a: 93, Namkung 2001: 438, 2003: 433, Kim and Lee 2014: 35.

***Clubiona subtilis* L. Koch, 1867** 표주박염낭거미 우♂
---------- Palearctic.
*Clubiona subtilis* L. Koch 1867: 351, Paik 1990a: 108, Namkung 2001: 448, 2003: 443, Kim and Lee 2014: 36.

***Clubiona venusta* Paik, 1985** 예쁜이염낭거미 우
---------- Korea.
*Clubiona venusta* Paik 1985b: 5, Namkung 2001: 450, 2003: 445, Kim and Lee 2014: 37.

***Clubiona vigil* Karsch, 1879** 붉은가슴염낭거미 우♂
---------- Russia, Korea, Japan.
*Clubiona vigil* Karsch 1879: 93, Namkung 2001: 451, 2003: 446, Yoo and Kim 2002: 26, Kim and Lee 2014: 38.

***Clubiona zacharovi* Mikhailov, 1991** 보광염낭거미 우♂
---------- Russia, Korea.
*Clubiona zacharovi* Mikhailov, 1991: 226, Kim *et al*. 2013: 240.

## Family Corinnidae Karsch, 1880 코리나거미과

Genus *Castianeira* Keyserling, 1879 나나니거미속

***Castianeira shaxianensis* Gong, 1983** 대륙나나니거미 우♂
---------- China, Korea, Japan.
*Castianeira shaxianensis* Gong 1983: 63, Paik 1991c: 257, Kim and Lee 2008c: 1868, Kim and Lee 2014: 40.
*Castianeira flavimaculata*; Namkung 2001: 454 (우♂ misidentified), 2003: 450 (우♂ misidentified).
*Castianeira paikdoensis* Kim 1997a: 2.

## Family Trachelidae Simon, 1897 괭이거미과

Genus *Cetonana* Strand, 1929 괴물거미속

***Cetonana orientalis* (Schenkel, 1936)** 보경괴물거미 우♂
---------- China, Korea.
*Ceto orientalis* Schenkel 1936: 174, Paik 1979d: 143, 1991d: 264, Seo 2012b: 139, Kim and Lee 2014: 42.
*Trachelas joopili* Kim and Lee 2008c: 1876 (new synonym), Kim and Lee 2014: 54.

Genus *Paratrachelas* Kovblyuk and Nadolny, 2009 한국괭이거미속

***Paratrachelas acuminus* (Zhu and An, 1988)** 한국괭이거미 우♂
---------- Russia, China, Korea.
*Clubiona acumina* Zhu and An 1988: 72.
*Trachelas acuminus*; Kim and Lee 2008c: 1871, 52, Kim and Lee 2014: 52.
*Trachelas coreanus*; Paik 1991b: 200, Namkung 2001: 456, 2003: 452, Lee *et al*. 2004: 99.

Genus *Trachelas* L. Koch, 1872 괭이거미속

***Trachelas japonicus* Bösenberg and Strand, 1906** 일본괭이거미 우♂

---------- Russia, China, Korea, Japan.

*Trachelas japonicus* Bösenberg and Strand 1906: 294, Namkung and Yoon 1975: 40, Paik 1991b: 201, Namkung 2001: 455, 2003: 451, Kim and Cho 2002: 63, Kim and Lee 2008c: 1872, Kim and Lee 2014: 53.

## Family Trochanteriidae Karsch, 1879 홑거미과

Genus *Plator* Simon, 1880 홑거미속

***Plator nipponicus* (Kishida, 1914)** 홑거미 우♂

---------- China, Korea, Japan.

*Hitoegumoa nipponica* Kishida 1914: 44.

*Plator nipponicus*; Paik 1978e: 409, Namkung 2001: 458, 2003: 461.

## Family Gnaphosidae Pocock, 1898 수리거미과

Genus *Callilepis* Westring, 1874 도끼거미속

***Callilepis schuszteri* (Herman, 1879)** 쌍별도끼거미 우♂

---------- Palearctic.

*Gnaphosa schuszteri* Herman 1879: 199.

*Callilepis schuszteri*; Paik 1978e: 412, Namkung 2001: 460, 2003: 463, Kim and Cho 2002: 75, Jung *et al*. 2005: 166, Kim and Lee 2013: 84.

Genus *Cladothela* Kishida, 1928 갈래꼭지거미속

***Cladothela oculinotata* (Bösenberg and Strand, 1906)** 흑갈갈래꼭지거미 우♂

---------- China, Korea, Japan.

*Drassodes oculinotatus* Bösenberg and Strand 1906: 109, Paik 1978e: 414.

*Cladothela oculinotata*; Paik 1992h: 36, Namkung 2001: 461, 2003: 464, Jung *et al*. 2005: 167, Kim and Lee 2013: 85.

***Cladothela parva* Kamura, 1991** 작은갈래꼭지거미 우♂

---------- China, Korea, Japan.

*Cladothela parva* Kamura 1991: 57, Seo 2008b: 39.

***Cladothela tortiembola* Paik, 1992** 나사갈래꼭지거미 ♂

---------- Korea.

*Cladothela tortiembola* Paik 1992h: 38, Jung *et al*. 2005: 168, Kim and Lee 2013: 86.

***Cladothela unciinsignita* (Bösenberg and Strand, 1906)** 고리갈래꼭지거미 우♂

---------- Korea, Japan.

*Drassodes unci-insignitus* Bösenberg and Strand 1906: 120.

*Cladothela unciinsignita*; Seo 2008b: 42.

Genus *Coreodrassus* Paik, 1984 한국수리거미속

***Coreodrassus lancearius* Simon, 1893** 한국수리거미 우♂

---------- Kazakhstan, China, Korea, Japan.

*Drassodes lancearius* Simon 1893: 362.

*Coreodrassus coreanus* Paik 1984: 50.

*Coreodrassus lancearius*; Namkung 2001: 462, 2003: 465, Jung *et al*. 2005: 169, Kim and Lee 2013: 88.

Genus *Drassodes* Westring, 1851 수리거미속

***Drassodes lapidosus* (Walckenaer, 1802)** 부용수리거미 우♂

---------- Palearctic.

*Aranea lapidosa* Walckenaer 1802: 222.

*Drassodes lapidosus*; Paik 1991f: 47, Namkung 2001: 463, 2003: 466, Jung *et al*. 2005: 170, Kim and Lee 2013: 89.

***Drassodes serratidens* Schenkel, 1963** 톱수리거미 우♂

---------- Russia, China, Korea, Japan.

*Drassodes serratidens* Schenkel 1963: 33, Paik 1979e; 199, 1991f: 49, Namkung 2001: 464, 2003: 467, Lee *et al*. 2004: 99, Jung *et al*. 2005: 170, Kim and Lee 2013: 91.

*Drassodes pseudopubescens*; Paik 1978e: 415.

***Drassodes taehadongensis* Paik, 1995** 태하동수리거미 우

---------- Korea.

*Drassodes taehadongensis* Paik 1995d: 48, Kim and Lee 2013: 92.

Genus *Drassyllus* Chamberlin, 1922 참매거미속

***Drassyllus biglobosus* Paik, 1986** 쌍방울참매거미 우♂

---------- Korea.

*Drassyllus biglobosus* Paik 1986a: 6, Namkung 2001: 465, 2003: 468, Jung *et al*. 2005: 172, Kim and Lee 2013: 94.

***Drassyllus coreanus* Paik, 1986** 고려참매거미 우♂

---------- China, Korea.

*Drassyllus coreanus* Paik 1986a: 4, Paik 1992i: 68, Jung *et al*. 2005: 173, Kim and Lee 2013: 95.

***Drassyllus sanmenensis* Platnick and Song, 1986** 삼문참매거미 우♂

---------- China, Korea, Japan.

*Drassyllus sanmenensis* Platnick and Song 1986: 17, Paik 1992i: 70, Namkung 2001: 467, 2003: 470, Jung *et al*. 2005: 174, Kim and Lee 2013: 96.

***Drassyllus sasakawai* Kamura, 1987** 뫼참매거미 우♂

---------- Korea, Japan.

*Drassyllus sasakawai* Kamura 1987: 82, Namkung 2001: 469, 2003: 472, Kim and Lee 2013: 97.

***Drassyllus shaanxiensis* Platnick and Song, 1986** 중국참매거미 우♂

---------- Russia, China, Korea, Japan.

*Drassyllus shaanxiensis* Platnick and Song 1986: 17, Seo 2004d: 89, Kim, Lee and Kwon 2008: 33, Kim and Lee 2013: 98.

***Drassyllus truncatus* Paik, 1992** 절두참매거미 우♂

---------- Korea.

*Drassyllus truncatus* Paik 1992i: 69, Namkung 2001: 468, 2003: 471, Jung *et al*. 2005: 175, Seo 2008a: 53, Kim and Lee 2013: 99.

***Drassyllus vinealis* (Kulczyński, 1897)** 포도참매거미 우♂

---------- Palearctic.

*Prosthesima vinealis* Chyzer and Kulczyński 1897: 203.

*Drassyllus vinealis*; Paik 1986a: 8, 1991i: 72, Namkung 2001: 466, 2003: 469, Jung *et al*. 2005: 176, Kim and Lee 2013: 100.

*Zelotes pallidipatellis*; Paik 1978e: 424.

***Drassyllus yaginumai* Kamura, 1987** 야기누마참매거미 우♂

---------- Korea, Japan.

*Drassyllus yaginumai* Kamura 1987c: 84, Lee *et al*. 2014: 140.

Genus *Gnaphosa* Latreille, 1804 넓적니거미속

***Gnaphosa hastata* Fox, 1937** 창넓적니거미 우♂

---------- China, Korea.

*Gnaphosa hastata* Fox 1937a: 247, Namkung 2001: 473, 2003: 476, Jung *et al*. 2005: 177, Kim and Lee 2013: 102.

*Gnaphosa koreae*; Paik 1989: 9 (우♂ misidentified).

***Gnaphosa kamurai* Ovtsharenko, Platnick and Song, 1992** 가무라넓적니거미 우♂

---------- Korea, Japan.

*Gnaphosa kamurai* Platnick and Song, 1992: 33, Yoo, Lee and Kim 2015: 66.

***Gnaphosa kansuensis* Schenkel, 1936** 감숙넓적니거미 우♂

---------- Russia, China, Korea.

*Gnaphosa kansuensis* Schenkel 1936: 26, Namkung 2001: 475, 2003: 478, Jung *et al*. 2005: 178, Kim and Lee 2013: 103.

*Gnaphosa alberti*; Paik 1989: 6.

*Gnaphosa kompirensis*; Paik 1989: 4 (우♂, except figures 2-4).

***Gnaphosa kompirensis* Bösenberg and Strand, 1906** 넓적니거미 우♂

---------- Russia, China, Korea, Taiwan, Japan, Vietnam.

*Gnaphosa kompirensis* Bösenberg and Strand 1906: 123, Paik 1978e: 479, 1989: 4, Namkung 2001: 474, 2003: 477, Jung *et al*. 2005: 179, Kim and Lee 2013: 104.

***Gnaphosa licenti* Schenkel, 1953** 리센트넓적니거미 우♂

---------- Kazakhstan, Russia, Mongolia, China, Korea.

*Gnaphosa licenti* Schenkel 1953: 21, Jung *et al*. 2005: 179, Kim and Lee 2013: 106.

*Gnaphosa taegensis* Paik 1989: 11.

***Gnaphosa muscorum* (L. Koch, 1866)** 무포넓적니거미 우♂

---------- Holarctic.

*Pythonissa muscorum* L. Koch 1866: 14.

*Gnaphosa muscorum*; Namkung 2001: 477, 2003: 480, Kim and Lee 2013: 107.

***Gnaphosa potanini* Simon, 1895** 포타닌넓적니거미 우♂

---------- Russia, Mongolia, China, Korea, Japan.

*Gnaphosa potanini* Simon 1895b: 333, Namkung 2001: 476, 2003: 479, Jung *et al*. 2005: 180, Kim and Lee 2013: 108.

*Gnaphosa silvicola*; Kim *et al*. 1988: 147.

***Gnaphosa sinensis* Simon, 1880** 중국넓적니거미 우♂

---------- China, Korea.

*Gnaphosa sinensis* Simon 1880: 121, Jung *et al*. 2005: 180, Kim and Lee 2013: 109.

*Gnaphosa koreae* Strand 1907: 122, Paik and Kim 1989: 40.

Genus *Haplodrassus* Chamberlin, 1922 새매거미속

***Haplodrassus kulczynskii* Lohmander, 1942** 큰수염새매거미 우♂
---------- Palearctic.
*Haplodrassus kulczynskii* Lohmander 1942: 101, Paik and Kang 1988: 63, Namkung 2001: 471, 2003: 474, Jung *et al*. 2005: 181, Kim and Lee 2013: 111.
*Haplodrassus magnipalpus* Paik and Sohn 1984: 106.

***Haplodrassus mayumiae* Kamura, 2007** 황갈새매거미 우♂
---------- Korea, Japan.
*Haplodrassus mayumiae* Kamura, 2007: 98, Lee *et al*. 2015: 52.

***Haplodrassus montanus* Paik and Sohn, 1984** 산새매거미 우♂
---------- Korea.
*Haplodrassus montanus* Paik and Sohn 1984: 107, Namkung 2001: 470, 2003: 473, Jung *et al*. 2005: 182, Kim and Lee 2013: 112.

***Haplodrassus pargongsanensis* Paik, 1992** 팔공새매거미 우
---------- Korea.
*Haplodrassus pargongsanensis* Paik 1992j: 88 (erroneously spelled *H. pargongensis* in legend), Jung *et al*. 2005: 183, Kim and Lee 2013: 114.

***Haplodrassus signifer* (C.L. Koch, 1839)** 표지새매거미 우♂
---------- Holarctic.
*Drassus signifer* C.L. Koch 1839: 31.
*Haplodrassus signifer*; Paik 1978e: 417, 1992j: 89, Kim and Lee 2013: 114.

***Haplodrassus taepaikensis* Paik, 1992** 태백새매거미 우♂
---------- Russia, Korea.
*Haplodrassus taepaikensis* Paik 1992j: 86, Jung *et al*. 2005: 184, Kim and Lee 2013: 116.

Genus *Herpyllus* Hentz, 1832 조롱이거미속

***Herpyllus coreanus* Paik, 1992** 한국조롱이거미 ♂
---------- Korea.
*Herpyllus coreanus* Paik 1992b: 133, Kim and Lee 2013: 117.

Genus *Hitobia* Kamura, 1992 외줄솔개거미속

***Hitobia unifascigera* (Bösenberg and Strand, 1906)** 외줄솔개거미 우♂
---------- China, Korea, Japan.
*Micaria unifascigera* Bösenberg and Strand 1906: 293.
*Hitobia unifascigera*; Namkung 2001: 482, 2003: 485, Kim and Lee 2013: 119.

Genus *Kishidaia* Yaginuma, 1960 한국솔개거미속

***Kishidaia coreana* (Paik, 1992)** 한국솔개거미 우♂
---------- Korea.
*Poecilochroa coreana* Paik 1992a: 118, Namkung 2001: 480, 2003: 483, Kim and Lee 2013: 120.

Genus *Micaria* Westring, 1851 영롱거미속

***Micaria dives* (Lucas, 1846)** 소천영롱거미 우♂
---------- Palearctic.
*Drassus dives* Lucas 1846: 220.
*Micaria dives*; Paik 1992e: 171, Namkung 2001: 478, 2003: 481, Jung *et al*. 2005: 187, Kim and Lee 2013: 121.

***Micaria japonica* Hayashi, 1985** 세줄배띠영롱거미 우♂
---------- Russia, Korea, Japan.
*Micaria japonica* Hayashi 1985: 21, Namkung, Im and Kim 1995: 40, Im, Namkung and Kim 1996: 297, Namkung 2001: 479, 2003: 482, Lee *et al*. 2004: 99, Jung *et al*. 2005: 189, Kim and Lee 2013: 123.

***Micaria pulcherrima* Caporiacco, 1935** 가산영롱거미 우♂
---------- Russia, China, Korea, India, Pakistan.
*Micaria pulcherrima* Caporiacco, 1935: 221, Seo 2002b: 57.

Genus *Odontodrassus* Jézéquel, 1965 이빨매거미속

***Odontodrassus hondoensis* (Saito, 1939)** 중리이빨매거미 우♂
---------- Russia, China, Korea, Japan.
*Iheringia hondoensis* Saito 1939: 35.
*Odontodrassus hondoensis*; Paik 1992d: 164, Namkung 2001: 472, 2003: 475, Jung *et al*. 2005: 190, Kim and Lee 2013: 124.

Genus *Poecilochroa* Westring, 1874 솔개거미속

***Poecilochroa joreungensis* Paik, 1992** 조령솔개거미 우
---------- Korea.
*Poecilochroa joreungensis* Paik 1992a: 121, Jung *et al*. 2005: 191, Kim and Lee 2013: 126.

***Poecilochroa taeguensis* Paik, 1992** 대구솔개거미 우
---------- Korea.
*Poecilochroa taeguensis* Paik 1992a: 123, Jung *et al*. 2005: 192, Kim and Lee 2013: 126.

Genus *Sanitubius* Kamura, 2001 동방조롱이거미속

***Sanitubius anatolicus* (Kamura, 1989)** 동방조롱이거미 우♂
---------- China, Korea, Japan.
*Herpyllus anatolicus* Kamura 1989: 112, Paik 1992b: 135.
*Sanitubius anatolicus*; Kim and Lee 2013: 128.

Genus *Sergiolus* Simon, 1891 흰별솔개거미속

***Sergiolus hosiziro* (Yaginuma, 1960)** 흰별솔개거미 우♂
---------- China, Korea, Japan.
*Poecilochroa hosiziro* Yaginuma 1960: appendix 7, Paik 1991h: 68.
*Sergiolus hosiziro*; Namkung 2001: 481, 2003: 484, Kim and Cho 2002: 76, Jung *et al*. 2005: 193, Kim and Lee 2013: 129.

Genus *Sernokorba* Kamura, 1992 톱니매거미속

***Sernokorba pallidipatellis* (Bösenberg and Strand, 1906)** 석줄톱니매거미 우♂
---------- Russia, China, Korea, Japan.
*Prosthesima pallidipatellis* Bösenberg and Strand 1906: 123.
*Sernokorba pallidipatellis*; Namkung 2001: 483, 2003: 486, Lee *et al*. 2004: 99, Jung *et al*. 2005: 194, Kim and Lee 2013: 130.

Genus *Shiragaia* Paik, 1992 백신거미속

***Shiragaia taeguensis* Paik, 1992** 대구백신거미 우
---------- Korea.
*Shiragaia taeguensis* Paik 1992f: 3, Jung *et al*. 2005: 195, Kim and Lee 2013: 132.

Genus *Trachyzelotes* Lohmander, 1944 텁석부리염라거미속

***Trachyzelotes ansimensis* Seo, 2002** 안심염라거미 우
---------- Korea.
*Trachyzelotes ansimensis* Seo 2002b: 59.

***Trachyzelotes jaxartensis* (Kroneberg, 1875)** 멋장이염라거미 우♂
---------- Holarctic, Senegal, South Africa, Hawaii.
*Melanophora jaxartensis* Kroneberg 1875: 23.
*Trachyzelotes jaxartensis*; Paik 1986d: 33, Namkung 2001: 484, 2003: 487, Jung *et al*. 2005: 196, Kim and Lee 2013: 133.

Genus *Urozelotes* Mello-Leitão, 1938 가시염라거미속

***Urozelotes rusticus* (L. Koch, 1872)** 주황염라거미 우♂
---------- Cosmopolitan.
*Prosthesima rustica* L. Koch 1872b: 309.
*Urozelotes rusticus*; Paik 1986d: 36, Namkung 2001: 485, 2003: 488, Jung *et al*. 2005: 197, Kim and Lee 2013: 135.
*Zelotes rusticus*; Paik 1978e: 425.

Genus *Zelotes* Gistel, 1848 염라거미속

***Zelotes asiaticus* (Bösenberg and Strand, 1906)** 아시아염라거미 우♂
---------- Eastern Asia.
*Prosthesima asiatica* Bösenberg and Strand 1906: 121.
*Zelotes asiaticus*; Paik 1978e: 422, 1986d: 25, 1992c: 148, Paik and Namkung 1979: 88, Namkung 2001: 486, 2003: 489, Jung *et al*. 2005: 199, Kim and Lee 2013: 138.

***Zelotes davidi* Schenkel, 1963** 다비드염라거미 우♂
---------- China, Korea, Japan.
*Zelotes davidi* Schenkel 1963: 51, Paik 1986d: 26, Namkung 2001: 487, 2003: 490, Jung *et al*. 2005: 200, Kim and Lee 2013: 139.

***Zelotes exiguus* (Müller and Schenkel, 1895)** 쌍방울염라거미 우♂
---------- Palearctic.
*Prosthesima exigua* Müller and Schenkel 1895: 770.
*Zelotes exiguus*; Paik 1992c: 149, Namkung 2001: 488, 2003: 491, Jung *et al*. 2005: 201, Seo 2008a: 51, Kim and Lee

2013: 140.

***Zelotes keumjeungsanensis* Paik, 1986** 금정산염라거미 ♂
---------- China, Korea.
*Zelotes keumjeungsanensis* Paik 1986d: 29, Jung *et al*. 2005: 202, Kim and Lee 2013: 141.

***Zelotes kimi* Paik, 1992** 용기염라거미 ♂
---------- Korea.
*Zelotes kimi* Paik 1992c: 146, Kim and Lee 2013: 142.

***Zelotes kimwha* Paik, 1986** 김화염라거미 우♂
---------- Korea, Japan.
*Zelotes kimwha* Paik 1986d: 30, Jung *et al*. 2005: 204, Kim and Lee 2013: 143.
*Zelotes tintinnus* Paik 1986d: 32, Namkung 2001: 490, 2003: 493.

***Zelotes potanini* Schenkel, 1963** 포타닌염라거미 우♂
---------- Russia, Kazakhstan, China, Korea, Japan.
*Zelotes potanini* Schenkel 1963: 55, Paik 1992c: 151, Namkung 2001: 489, 2003: 492, Jung *et al*. 2005: 205, Kim and Lee 2013: 144.

***Zeltotes tortuosus* Kamura, 1987** 검은염라거미 우♂
---------- Korea, Japan.
*Zeltotes tortuosus* Kamura, 1987: 2, Lee *et al*. 2014: 140.

***Zelotes wuchangensis* Schenkel, 1963** 자국염라거미 우♂
---------- China, Korea.
*Zelotes wuchangensis* Schenkel 1963: 57, Paik 1986d: 28, Namkung 2001: 491, 2003: 494, Jung *et al*. 2005: 206, Kim and Lee 2013: 145.

## Family Sparassidae Bertkau, 1872 농발거미과

Genus *Micrommata* Latreille, 1804 이슬거미속

***Micrommata virescens* (Clerck, 1757)** 이슬거미 우♂
---------- Palearctic.
*Araneus virescens* Clerck 1757: 138.
*Micrommata roseum*; Paik 1978e: 399.
*Micrommata virescens*; Paik 1968: 174, Namkung 2001: 500, 2003: 503.

Genus *Sinopoda* Jäger, 1999 별농발거미속

***Sinopoda forcipata* (Karsch, 1881)** 낙엽농발거미 우♂
---------- China, Korea, Japan.
*Sarotes forcipatus* Karsch 1881: 38.
*Sinopoda forcipata*; Kim 2009a: 238.
*Sinopoda jirisanensis* Kim and Chae 2013: 184 (New Synonym).

***Sinopoda koreana* (Paik, 1968)** 한국농발거미 우♂
---------- Korea, Japan.
*Heteropoda koreana* Paik 1968: 168, 1978e: 394.
*Sinopoda cilvus* Kim *et al*. 2014: 24 (New Synonym).

*Sinopoda koreana*; Namkung 2001: 497, 2003: 500.
*Sinopoda yeoseodoensis* Kim and Ye 2015a: 1 (New Synonym).

***Sinopoda stellatops* Jäger and Ono, 2002** 별농발거미 우♂
---------- Korea, Japan.
*Sinopoda stellatops* Jäger and Ono 2002: 119.
*Heteropoda stellata*; Paik 1968: 171 (우 misidentified), 1978e: 396 (우 misidentified).
*Sinopoda aureola* Kim, Lee and Lee 2014: 11 (New Synonym).
*Sinopoda stellata*; Namkung 2001: 498 (우♂ misidentified), 2003: 501 (우♂ misidentified), Yoo and Kim 2002: 27 (♂ misidentified).

## Family Philodromidae Thorell, 1870 새우게거미과

Genus *Apollophanes* O. P.-Cambridge, 1898 아폴로새우게거미속

***Apollophanes macropalpus* (Paik, 1979)** 큰수염아폴로새우게거미 우♂
---------- Russia, Korea.
*Thanatus macropalpus* Paik 1979a: 120, Kim and Jung 2001: 188.

Genus *Philodromus* Mello-Leitão, 1943 새우게거미속

***Philodromus aureolus* (Clerck, 1757)** 황금새우게거미 우♂
---------- Palearctic.
*Araneus aureolus* Clerck 1757: 133.
*Philodromus aureolus*; Paik 1979c: 423, Kim and Jung 2001: 190, Namkung 2001: 503, 2003: 506, Kim and Cho 2002: 171.

***Philodromus auricomus* L. Koch, 1878** 금새우게거미 우♂
---------- Russia, China, Korea, Japan.
*Philodromus auricomus* L. Koch 1878: 763, Paik 1957: 47, Paik 1979c: 425, Kim and Jung 2001: 191, Namkung 2001: 504, 2003: 507, Kim and Cho 2002: 172.

***Philodromus cespitum* (Walckenaer, 1802)** 흰새우게거미 우♂
---------- Holarctic.
*Aranea cespitum* Walckenaer 1802: 203.
*Philodromus cespitum*; Paik 1979c: 426, Paik and Namkung 1979: 73, Kim and Jung 2001: 192, Namkung 2001: 506, 2003: 509, Kim and Cho 2002: 173.
*Philodromus reussi*; Paik 1957: 46.

***Philodromus emarginatus* (Schrank, 1803)** 황새우게거미 우♂
---------- Palearctic.
*Aranea emarginata* Schrank 1803: 230.
*Philodromus emarginatus*; Kim and Jung 2001: 194, Namkung 2001: 507, 2003: 510.
*Philodromus flavidus*; Paik 1979c: 428.

***Philodromus lanchowensis* Schenkel, 1936** 김화새우게거미 우♂
---------- Russia, China, Korea, Japan.
*Philodromus lanchowensis* Schenkel 1936: 280.
*Philodromus kimwhaensis* Paik 1979c: 433, Kim and Jung 2001: 197 (우♂ lapsus in use of younger name).

***Philodromus leucomarginatus* Paik, 1979** 흰테새우게거미 우♂

---------- China, Korea.

*Philodromus leucomarginatus* Paik 1979c: 434, Kim and Jung 2001: 198.

***Philodromus margaritatus* (Clerck, 1757)** 얼룩이새우게거미 우♂

---------- Palearctic.

*Araneus margaritatus* Clerck 1757: 130.

*Philodromus margaritatus*; Namkung 2001: 511, 2003: 514.

***Philodromus poecilus* (Thorell, 1872)** 어리집새우게거미 우♂

---------- Palearctic.

*Artanes poecilus* Thorell 1872: 261.

*Philodromus poecilus*; Paik 1979c: 435 (♂ misidentified), Kim and Jung 2001: 198 (♂ misidentified), Namkung 2001: 509 (우♂ misidentified), 2003: 512 (우♂ misidentified).

***Philodromus pseudoexilis* Paik, 1979** 단지새우게거미 우♂

---------- Korea.

*Philodromus pseudoexilis* Paik 1979c: 437, Kim and Jung 2001: 199.

***Philodromus rufus* Walckenaer, 1826** 북방새우게거미 우♂

---------- Holarctic.

*Philodromus rufus* Walckenaer 1826: 91, Kim and Jung 2001: 200, Namkung 2001: 508, 2003: 511.

***Philodromus spinitarsis* Simon, 1895** 나무결새우게거미 우♂

---------- Russia, China, Korea, Japan.

*Philodromus spinitarsis* Simon 1895a: 1058.

*Philodromus davidi*; Namkung 1964: 43.

*Philodromus fuscomarginatus*; Paik 1979c: 430 (우♂ misidentified), Kim and Jung 2001: 195 (우♂ misidentified) *Philodromus spinitarsis*; Kim and Jung 2001: 201, Namkung 2001: 510, 2003: 513.

***Philodromus subaureolus* Bösenberg and Strand, 1906** 갈새우게거미 우♂

---------- China, Korea, Japan.

*Philodromus subaureolus* Bösenberg and Strand 1906: 270, Paik 1979c: 439, Paik and Namkung 1979: 73, Kim and Jung 2001: 202, Namkung 2001: 505, 2003: 508, Kim and Cho 2002: 173.

Genus *Thanatus* C.L. Koch, 1837 창게거미속

***Thanatus coreanus* Paik, 1979** 한국창게거미 우♂

---------- Russia, Korea, China.

*Thanatus coreanus* Paik 1979a: 118, Kim and Jung 2001: 204, Namkung 2001: 512, 2003: 515.

***Thanatus miniaceus* Simon, 1880** 중국창게거미 우♂

---------- China, Taiwan, Korea, Japan.

*Thanatus miniaceus* Simon 1880: 110, Kim and Jung 2001: 205, Namkung 2001: 513, 2003: 516, Kim and Cho 2002: 175.

***Thanatus nipponicus* Yaginuma, 1969** 일본창게거미 우♂

---------- Russia, China, Korea, Japan.

*Thanatus nipponicus* Yaginuma 1969b: 87, Paik 1979a: 122, Kim and Jung 2001: 206, Namkung 2001: 514, 2003: 517.

***Thanatus vulgaris* Simon, 1870** 술병창게거미 우♂

---------- Holarctic.

*Thanatus vulgaris* Simon, 1870: 328, Paik, 1979a: 123.

Genus *Tibellus* Simon, 1875 가재거미속

***Tibellus oblongus* (Walckenaer, 1802)** 두점가재거미 우♂
---------- Holarctic.
*Aranea oblonga* Walckenaer 1802: 228.
*Tibellus oblongus*; Kim and Jung 2001: 208, Namkung 2001: 516, 2003: 519.

***Tibellus tenellus* (L. Koch, 1876)** 넉점가재거미 우♂
---------- Russia, China, Korea to Australia.
*Thanatus tenellus* L. Koch 1876: 849.
*Tibellus tenellus*; Kim and Jung 2001: 209, Namkung 2001: 515, 2003: 518.

## Family Thomisidae Sundevall, 1833 게거미과

Genus *Bassaniana* Strand, 1928 나무껍질게거미속

***Bassaniana decorata* (Karsch, 1879)** 나무껍질게거미 우♂
---------- Russia, China, Korea, Japan.
*Oxyptila decorata* Karsch 1879: 76, Paik 1974c: 120.
*Bassaniana decorata*; Kim and Gwon 2001: 20, Namkung 2001: 528, 2003: 531, Kim and Lee 2012a: 12.

***Bassaniana ora* Seo, 1992** 테두리게거미 ♂
---------- Korea.
*Bassaniana ora* Seo 1992c: 79, Kim and Gwon 2001: 21, Namkung 2001: 529, 2003: 532, Kim and Lee 2012a: 12.

Genus *Boliscus* Thorell, 1891 깨알게거미속

***Boliscus tuberculatus* (Simon, 1886)** 곰보깨알거미 우♂
---------- China, Korea, Myanmar to Japan.
*Corynethrix tuberculata* Simon 1886a: 146.
*Boliscus tuberculatus*; Namkung 2001: 534, 2003: 537, Kim and Lee 2012a: 14.

Genus *Coriarachne* Thorell, 1870 꼬마게거미속

***Coriarachne fulvipes* (Karsch, 1879)** 꼬마게거미 우♂
---------- Korea, Japan.
*Oxyptila fulvipes* Karsch 1879: 77.
*Coriarachne fulvipes*; Kim and Gwon 2001: 22, Namkung 2001: 535, 2003: 538, Kim and Cho 2002: 144, Kim and Lee 2012a: 16.

Genus *Diaea* Thorell, 1869 각시꽃게거미속

***Diaea subdola* O. P.-Cambridge, 1885** 각시꽃게거미 우♂
---------- Russia, India, Pakistan to Japan.
*Diaea subdola* O. P.-Cambridge 1885a: 62, Kim and Kwon 2001: 23, Namkung 2001: 521, 2003: 524, Kim and Cho 2002: 153, Kim and Lee 2012a: 17.
*Misumenops japonicus*; Paik and Namkung 1979: 71.

Genus *Ebelingia* Lehtinen, 2005 곰보꽃게거미속

***Ebelingia kumadai* (Ono, 1985)** 곰보꽃게거미 ♀♂
---------- Russia, China, Korea, Japan, Okinawa.
*Misumenops kumadai* Ono 1985b: 15, Namkung, Paik and Lee 1988: 27, Kim and Gwon 2001: 30.
*Ebelingia kumadai*; Kim and Lee 2012a: 19.
*Mecaphesa kumadai*; Namkung 2001: 519, 2003: 522.

Genus *Ebrechtella* Dahl, 1907 꽃게거미속

***Ebrechtella juwangensis* (Seo, 2015)** 주왕꽃게거미 ♀♂
---------- Korea.
*Ebrechtella juwangensis* Seo 2015b: 113.
*Ebrechtella concinna*; Seo 2009b: 36 (misidentified).

***Ebrechtella tricuspidata* (Fabricius, 1775)** 꽃게거미 ♀♂
---------- Palearctic.
*Aranea tricuspidata* Fabricius 1775: 433.
*Ebrechtella tricuspidata*; Kim and Lee 2012a: 20.
*Misumenops tricuspidatus*; Paik and Namkung 1979: 72, Kim and Gwon 2001: 30, Namkung 2001: 518, 2003: 521, Kim, Jeong and Lee 2007: 37 (♂ lapsus).

Genus *Heriaeus* Simon, 1875 털게거미속

***Heriaeus melloteei* Simon, 1886** 털게거미 ♀♂
---------- China, Korea, Japan.
*Heriaeus mellottei* Simon, 1886b: 177.
*Heriaeus melloteei*; Kim and Gwon 2001: 25, Namkung 2001: 522, 2003: 525, Kim and Lee 2012a: 22.

Genus *Lysiteles* Simon, 1895 풀게거미속

***Lysiteles coronatus* (Grube, 1861)** 황갈풀게거미 ♀♂
---------- Russia, China, Korea, Japan.
*Thomisus coronatus* Grube 1861: 173.
*Diaea takashimai*; Namkung 1964: 42.
*Lysiteles coronatus*; Kim and Gwon 2001: 26, Namkung 2001: 525, 2003: 528, Kim and Lee 2012a: 24.

***Lysiteles maior* Ono, 1979** 고원풀게거미 ♀♂
---------- Russia, Nepal to Japan.
*Lysiteles maius* Ono, 1979: 103, Namkung 2001: 526, 2003: 529, Kim and Lee 2012a: 26.

Genus *Misumena* Latreille, 1804 민꽃게거미속

***Misumena vatia* (Clerck, 1757)** 민꽃게거미 ♀♂
---------- Holarctic.
*Araneus vatius* Clerck 1757: 128.
*Misumena vatia*; Kim and Gwon 2001: 28, Namkung 2001: 520, 2003: 523, Kim and Lee 2012a: 27.

Genus *Oxytate* L. Koch, 1878 연두게거미속

***Oxytate parallela* (Simon, 1880)** 중국연두게거미 우♂
---------- China, Korea.
*Dieta parallela* Simon 1880: 108.
*Oxyptila parallela*; Kim and Gwon 2001: 32 (lapsus).
*Oxytate parallela*; Paik 1985f: 35, Namkung 2001: 524, 2003: 527, Kim and Lee 2012a: 30.

***Oxytate striatipes* L. Koch, 1878** 줄연두게거미 우♂
---------- Russia, China, Korea, Taiwan, Japan.
*Oxytate striatipes* L. Koch 1878: 764, Paik 1985f: 30, Namkung 2001: 523, 2003: 526, Kim and Cho 2002: 154, Lee *et al*. 2004: 99, Kim and Lee 2012a: 31.
*Oxyptila striatipes*; Kim and Gwon 2001: 33 (우♂ lapsus).

Genus *Ozyptila* Simon, 1864 곤봉게거미속

***Ozyptila atomaria* (Panzer, 1801)** 낙성곤봉게거미 우♂
---------- Palearctic.
*Aranea atomaria* Panzer 1801: 74, Namkung 2001: 533, 2003: 536, Kim and Lee 2012a: 32.

***Ozyptila gasanensis* Paik, 1985** 가산곤봉게거미 우
---------- Korea.
*Ozyptila gasanensis* Paik 1985c: 14, Kim and Gwon 2001: 35, Kim and Lee 2012a: 33.

***Ozyptila geumoensis* Seo and Sohn, 1997** 금오곤봉게거미 우♂
---------- Korea.
*Ozyptila geumoensis* Seo and Sohn 1997b: 41, Kim and Gwon 2001: 37, Kim and Lee 2012a: 35, Seo 2015b: 114.

***Ozyptila nipponica* Ono, 1985** 점곤봉게거미 우♂
---------- China, Korea, Japan.
*Ozyptila nipponica* Ono 1985a: 29.
*Ozyptila nipponica*; Seo 1992c: 81, Kim and Gwon 2001: 35, Namkung 2001: 532, 2003: 535, Kim and Lee 2012a: 35.

***Ozyptila nongae* Paik, 1974** 논개곤봉게거미 우♂
---------- Russia, China, Korea, Japan.
*Ozyptila nongae* Paik 1974c: 123, Kim and Gwon 2001: 36, Namkung 2001: 531, 2003: 534, Kim and Lee 2012a: 36.

***Ozyptila scabricula* (Westring, 1951)** 두꺼비곤봉게거미 우♂
---------- Palearctic.
*Thomisus scabriculus* Westring 1851: 50.
*Ozyptila scabricula*; Yoo and Kim 2002: 70.

***Ozyptila utotchkini* (Marusik, 1990)** 북방곤봉게거미 우♂
---------- Korea, Russia.
*Ozyptila utotchkini* Marusik in Marusik and Chevrizov 1990: 93, Seo 2015b: 116.

Genus *Phrynarachne* Thorell, 1869 사마귀게거미속

***Phrynarachne katoi* Chikuni, 1955** 사마귀게거미 우♂
---------- China, Korea, Japan.
*Phrynarachne katoi* Chikuni 1955: 35, Kim and Gwon 2001: 38, Namkung 2001: 536, 2003: 539, Kim and Lee 2012a: 37.

Genus *Pistius* Simon, 1875 오각게거미속

***Pistius undulatus* Karsch, 1879** 오각게거미 우♂

---------- Russia, Kazakhstan, China, Korea, Japan.

*Pistius undulatus* Karsch 1879: 77, Kim and Gwon 2001: 39, Namkung 2001: 537, 2003: 540, Kim and Lee 2012a: 38.

Genus *Runcinia* Simon, 1875 흰줄게거미속

***Runcinia affinis* Simon, 1897** 흰줄게거미 우♂

---------- Africa, Bangladesh to Japan, Philippines, Java.

*Runcinia affinis* Simon 1897: 292.

*Runcinia albostriata*; Kim and Gwon 2001: 41, Namkung 2001: 540, 2003: 543, Kim and Cho 2002: 155, Kim and Lee 2012a: 40.

Genus *Synema* Simon, 1864 불짜게거미속

***Synema globosum* (Fabricius, 1775)** 불짜게거미 우♂

---------- Palearctic.

*Aranea globosa* Fabricius 1775: 432.

*Synema globosum japonicum*; Paik and Namkung 1979: 74.

*Synema globosum*; Kim and Gwon 2001: 42, Namkung 2001: 527, 2003: 530, Kim and Cho 2002: 157, Kim and Lee 2012a: 42.

Genus *Takachihoa* Ono, 1985 애나무결게거미속

***Takachihoa truciformis* (Bösenberg and Strand, 1906)** 애나무결게거미 우♂

---------- China, Korea, Taiwan, Japan.

*Oxyptila truciformis* Bösenberg and Strand 1906: 259, Paik and Namkung 1979: 72.

*Takachihoa truciformis*; Kim and Gwon 2001: 44, Namkung 2001: 530, 2003: 533, Kim and Lee 2012a: 44.

Genus *Thomisus* Walckenaer, 1805 살받이게거미속

***Thomisus labefactus* Karsch, 1881** 살받이게거미 우♂

---------- China, Korea, Taiwan, Japan.

*Thomisus labefactus* Karsch 1881: 38, Namkung 1964: 43, 2001: 538, 2003: 541, Kim and Gwon 2001: 45, Kim and Lee 2012a: 45.

***Thomisus onustus* Walckenaer, 1805** 흰살받이게거미 우♂

---------- Palearctic.

*Thomisus onustus* Walckenaer 1805: 32, Namkung 2001: 539, 2003: 542, Kim and Lee 2012a: 47.

Genus *Tmarus* Simon, 1875 범게거미속

***Tmarus horvathi* Kulczyński, 1895** 한라범게거미 우♂

---------- Palearctic.

*Tmarus horvathi* Kulczyński 1895a: 25, Namkung 2003: 546, Kim and Lee 2012a: 49.

*Tmarus hanrasanensis* Paik 1973b: 82, Kim and Gwon 2001: 47, Namkung 2001: 543.

***Tmarus koreanus* Paik, 1973** 한국범게거미 ♀♂
---------- China, Korea.
*Tmarus koreanus* Paik 1973b: 80, Kim and Gwon 2001: 48, Namkung 2001: 542, 2003: 545, Kim and Lee 2012a: 49.

***Tmarus orientalis* Schenkel, 1963** 동방범게거미 ♀♂
---------- China, Korea.
*Tmarus orientalis* Schenkel 1963: 183, Namkung 2001: 545, 2003: 548, Kim and Lee 2012a: 51.

***Tmarus piger* (Walckenaer, 1802)** 참범게거미 ♀♂
---------- Palearctic.
*Aranea pigra* Walckenaer 1802: 86.
*Tmarus piger*; Paik 1973b: 79, Kim and Kwon 2001: 49, Namkung 2001: 541, 2003: 544, Kim and Lee 2012a: 52.

***Tmarus rimosus* Paik, 1973** 언청이범게거미 ♀♂
---------- Russia, China, Korea, Japan.
*Tmarus rimosus* Paik 1973b: 83, Kim and Gwon 2001: 50, Namkung 2001: 544, 2003: 547, Kim and Cho 2002: 158, Kim and Lee 2012a: 53.

Genus *Xysticus* C.L. Koch, 1835 참게거미속

***Xysticus atrimaculatus* Bösenberg and Strand, 1906** 점게거미 ♀♂
---------- China, Korea, Japan.
*Xysticus lateralis atrimaculatus* Bösenberg and Strand 1906: 264, Namkung 1964: 44.
*Xysticus atrimaculatus*; Paik 1975: 174, Paik and Namkung 1979: 75, Kim and Lee 2012a: 54.

***Xysticus concretus* Utochkin, 1968** 쌍지게거미 ♀♂
---------- Russia, China, Korea, Japan.
*Xysticus concretus* Utochkin 1968: 30, Namkung 2001: 551, 2003: 554, Kim and Lee 2007c: 106, Kim and Lee 2012a: 55.
*Xysticus atrimaculatus*; Namkung 2003: 559 (♀ misidentified).
*Xysticus bifurcus* Paik 1973a: 105 (♀ misidentified).
*Xysticus dichotomus* Paik 1973a: 111, Kim and Gwon 2001: 53.

***Xysticus conflatus* Songm Tang and Zhu, 1995** 달성게거미 ♀♂
---------- China, Korea.
*Xysticus conflatus* Song, Tang and Zhu in Tang, Song and Zhu 1995: 18, Seo 2002c: 61.

***Xysticus cribratus* Simon, 1885** 집게관게거미 ♀♂
---------- Mediterranean to China, Sudan.
*Xysticus cribratus* Simon 1885: 15, Namkung 2001: 555, 2003: 558, Kim and Lee 2012a: 56.

***Xysticus croceus* Fox, 1937** 풀게거미 ♀♂
---------- India, Nepal, Bhutan, China, Korea, Taiwan, Japan.
*Xysticus croceus* Fox 1937b: 19, Paik 1975: 4, Paik and Namkung 1979: 75, Kim and Gwon 2001: 52, Namkung 2001: 547, 2003: 550, Yoo and Kim 2002: 27, Kim and Lee 2012a: 56.

***Xysticus ephippiatus* Simon, 1880** 대륙게거미 ♀♂
---------- Russia, Central Asia, Mongolia, China, Korea, Japan.
*Xysticus ephippiatus* Simon 1880: 107, Namkung, Paik and Yoon 1972: 94, Paik 1975: 177, Paik and Namkung 1979: 76, Kim and Gwon 2001: 53, Namkung 2001: 546, 2003: 549, Kim and Cho 2002: 160, Yoo and Kim 2002: 27, Lee *et al*. 2004: 99, Kim, Jeong and Lee 2007: 37, Kim and Lee 2012a: 57.

***Xysticus hedini* Schenkel, 1936** 쌍창게거미 우♂

---------- Russia, Mongolia, China, Korea, Japan.

*Xysticus hedini* Schenkel 1936: 273, Namkung 2001: 552, 2003: 555, Kim and Lee 2012a: 59.

*Xysticus bifidus* Paik 1973a: 109, Kim and Gwon 2001: 55, Yoo and Kim 2002: 27.

***Xysticus insulicola* Bösenberg and Strand, 1906** 콩팥게거미 우♂

---------- China, Korea, Japan.

*Xysticus insulicola* Bösenberg and Strand 1906: 260, Kim and Gwon 2001: 56, Namkung 2001: 548, 2003: 551, Kim and Lee 2012a: 59.

*Xysticus bifurcus* Paik 1973a: 105 (우 = *Xysticus concretus*).

***Xysticus kurilensis* Strand, 1907** 북방게거미 우♂

---------- Russia, China, Korea, Japan.

*Xysticus kurilensis* Strand 1907: 209, Namkung 2001: 550, 2003: 553, Kim and Lee 2012a: 60.

***Xysticus lepnevae* Utochkin, 1968** 오대산게거미 우♂

---------- Russia, Korea, Sakhalin.

*Xysticus lepnevae* Utochkin 1968: 36, Kim and Lee 2007c: 109, Kim and Lee 2012a: 61.

***Xysticus pseudobliteus* (Simon, 1880)** 등신게거미 우♂

---------- Russia, Kazakhstan, Mongolia, China, Korea.

*Oxyptila pseudoblitea* Simon 1880: 109.

*Ozyptila coreana* Paik 1974c: 121.

*Xysticus pseudobliteus*; Kim and Gwon 2001: 57, Namkung 2001: 553, 2003: 556, Kim and Lee 2012a: 61.

***Xysticus saganus* Bösenberg and Strand, 1906** 멍게거미 우♂

---------- Russia, China, Korea, Japan.

*Xysticus saganus* Bösenberg and Strand 1906: 97, Paik 1975: 181, Paik and Namkung 1979: 76, Kim and Gwon 2001: 58, Namkung 2001: 549, 2003: 552, Kim and Cho 2002: 169, Kim and Lee 2012a: 62.

***Xysticus sicus* Fox, 1937** 중국게거미 우♂

---------- Russia, China, Korea.

*Xysticus sicus* Fox 1937b: 21, Namkung 2001: 554, 2003: 557, Kim and Lee 2012a: 66.

## Family Salticidae Blackwall, 1841 깡충거미과

Genus *Asianellus* Logunov and Heciak, 1996 산길깡충거미속

***Asianellus festivus* (C.L. Koch, 1834)** 산길깡충거미 우♂

---------- Palearctic.

*Euophrys festiva* C.L. Koch 1834: 123.

*Asianellus festivus*; Kim 1999c: 71, Namkung 2001: 557, 2003: 561, Cho and Kim 2002: 88, Kim and Cho 2002: 92, Kim and Lee 2014: 58.

*Phlegra festiva*; Paik 1985g: 47.

Genus *Bristowia* Reimoser, 1934 금오깡충거미속

***Bristowia heterospinosa* Reimoser, 1934** 꼬마금오깡충거미 우♂

---------- India, China, Korea, Vietnam, Japan, Krakatau.

*Bristowia heterospinosa* Reimoser 1934: 17, Seo 1986: 24, Namkung 2001: 586, 2003: 590, Cho and Kim 2002: 91, Lee *et al*. 2004: 99, Kim and Lee 2014: 60.

Genus *Carrhotus* Thorell, 1891 털보깡충거미속

***Carrhotus xanthogramma* (Latreille, 1819)** 털보깡충거미 우♂
---------- Palearctic.
*Salticus xanthogramma* Latreille 1819: 247.
*Carrhotus xanthogramma*; Seo 1999a: 107, Namkung 2001: 558, 2003: 562, Cho and Kim 2002: 92, Kim and Cho 2002: 94, Kim and Lee 2014: 61.

Genus *Euophrys* C.L. Koch, 1834 번개깡충거미속

***Euophrys kataokai* Ikeda, 1996** 검정이마번개깡충거미 우♂
---------- Russia, Korea, China, Japan.
*Euophrys kataokai* Ikeda 1996: 33, Namkung 2001: 587, 2003: 591, Kim and Lee 2014: 63.
*Euophrys frontalis*; Kim 1985: 18, Seo 2000b: 39, Kim, Kim and Cho 2003: 91.

Genus *Evarcha* Simon, 1902 흰눈썹깡충거미속

***Evarcha albaria* (L. Koch, 1878)** 흰눈썹깡충거미 우♂
---------- Russia, China, Korea, Japan.
*Hasarius albarius* L. Koch 1878: 780.
*Evarcha albaria*; Paik and Namkung 1979: 79, Namkung 2001: 559, 2003: 563, Cho and Kim 2002: 94, Kim and Cho 2002: 95, Lee *et al*. 2004: 99, Kim and Lee 2014: 65.

***Evarcha coreana* Seo, 1988** 한국흰눈썹깡충거미 우♂
---------- China, Korea.
*Evarcha coreana* Seo 1988b: 91, Namkung 2001: 560, 2003: 564, Cho and Kim 2002: 95, Kim and Lee 2014: 66.

***Evarcha fasciata* Seo, 1992** 줄흰눈썹깡충거미 우♂
---------- China, Korea, Japan.
*Evarcha fasciata* Seo 1992a: 160, Namkung 2001: 561, 2003: 565, Cho and Kim 2002: 95, Kim and Cho 2002: 96, Kim and Lee 2014: 67.

***Evarcha proszynskii* Marusik and Logunov, 1998** 흰뺨깡충거미 우♂
---------- Russia to Japan, USA, Canada.
*Evarcha proszynskii* Marusik and Logunov 1998: 101, Namkung 2001: 562, 2003: 566, Kim and Lee 2014: 68.

Genus *Hakka* Berry and Prószyński, 2001 해안깡충거미속

***Hakka himeshimensis* (Dönitz and Strand, 1906)** 해안깡충거미 우♂
---------- China, Korea, Japan, Hawaii, USA (introduced).
*Menemerus himeshimensis* Dönitz and Strand 1906: 395.
*Hakka himeshimensis*; Kim and Cho 2002: 105, Namkung 2003: 601, Kim and Lee 2014: 70.
*Hekka himeshimensis*; Kim, Jeong and Lee 2007: 38 (우 lapsus).
*Pseudicius himeshimensis*; Seo 2000b: 41, Namkung 2001: 597, Cho and Kim 2002: 126.

Genus *Harmochirus* Simon, 1885 왕발깡충거미속

***Harmochirus brachiatus* (Thorell, 1877)** 왕발깡충거미 우♂
---------- China, Korea, Japan.
*Ballus brachiatus* Thorell, 1877: 626.

*Harmochirus insulanus*; Namkung 2001: 581, 2003: 585, Kim and Lee 2014: 71.

Genus *Hasarius* Simon, 1871 초승달깡충거미속

***Hasarius adansoni* (Audouin, 1826)** 초승달깡충거미 우♂

---------- Cosmopolitan.

*Attus adansonii* Audouin 1826: 404.

*Hasarius adansoni*; Kim and Kim 1996a: 16, Namkung 2001: 583, 2003: 589, Cho and Kim 2002: 98, Kim and Lee 2014: 73.

Genus *Helicius* Zabka, 1981 골풀무깡충거미속

***Helicius chikunii* (Logunov and Marusik, 1999)** 안면골풀무깡충거미 우♂

---------- Russia, Korea, Japan.

*Pseudicius chikunii* Logunov and Marusik 1999: 25.

*Helicius chikuni*; Jang, Choe and Kim 2007: 100 (lapsus), Kim and Lee 2014: 75.

***Helicius cylindratus* (Karsch, 1879)** 갈색골풀무깡충거미 우♂

---------- Korea, Japan.

*Maevia cylindrata* Karsch 1879: 84.

*Helicius cylindratus*; Namkung 2001: 599, 2003: 603, Kim and Lee 2014: 76.

***Helicius yaginumai* Bohdanowicz and Prószynski, 1987** 골풀무깡충거미 우♂

---------- Korea, Japan.

*Helicius yaginumai* Bohdanowicz and Prószynski 1987: 242, Namkung 2001: 600, 2003: 604, Cho and Kim 2002: 99, Lee *et al*. 2004: 99, Kim and Lee 2014: 77.

*Helicius* sp. Paik 1987: 4.

Genus *Heliophanus* C.L. Koch, 1833 햇님깡충거미속

***Heliophanus lineiventris* Simon, 1868** 줄무늬햇님깡충거미 우♂

---------- Palearctic.

*Heliophanus lineiventris* Simon 1868: 688, Paik 1987: 6, Seo 1999b: 59, Namkung 2001: 595, 2003: 599, Kim and Lee 2014: 78.

***Heliophanus ussuricus* Kulczyński, 1895** 우수리햇님깡충거미 우♂

---------- Russia, Mongolia, China, Korea, Japan.

*Heliophanus ussuricus* Kulczyński 1895b: 51, Paik 1985g: 46, 1987: 8, Namkung 2001: 596, 2003: 600, Cho and Kim 2002: 101, Kim and Cho 2002: 106, Kim and Lee 2014: 80.

Genus *Laufeia* Simon, 1889 엑스깡충거미속

***Laufeia aenea* Simon, 1889** 엑스깡충거미 우♂

---------- China, Korea, Japan.

*Laufeia aenea* Simon 1889: 249, Paik 1979e; 197, Seo 1999b: 60, Namkung 2001: 578, 2003: 582, Cho and Kim 2002: 102, Kim and Cho 2002: 107, Kim and Lee 2014: 81.

Genus *Marpissa* C.L. Koch, 1846 왕깡충거미속

***Marpissa milleri* (Peckham and Peckham, 1894)** 왕깡충거미 ♀♂
---------- Russia, China, Korea, Japan.
*Marptusa millerii* Peckham and Peckham 1894: 91, Namkung 2001: 570, 2003: 574, Cho and Kim 2002: 103, Kim and Cho 2002: 108, Kim and Lee 2014: 83.
*Marpissa dybowskii*; Seo 1998: 55.
*Marspissa koreanica* Schenkel 1963: 420.

***Marpissa pomatia* (Walckenaer, 1802)** 댕기깡충거미 ♀♂
---------- Palearctic.
*Aranea pomatia* Walckenaer 1802: 244.
*Marpissa pomatia*; Cho and Kim 2002: 104, Kim and Lee 2014: 84.

***Marpissa pulla* (Karsch, 1879)** 사층깡충거미 ♀♂
---------- Russia, China, Korea, Taiwan, Japan.
*Marptusa pulla* Karsch 1879: 87.
*Marpissa pulla*; Seo 1998: 59, Namkung 2001: 571, 2003: 575, Cho and Kim 2002: 104, Kim and Lee 2014: 85.
*Menemerus pullus*; Namkung 1964: 44.

Genus *Mendoza* Peckham and Peckham, 1894 살깃깡충거미속

***Mendoza canestrinii* (Ninni, 1868)** 수검은깡충거미 ♀♂
---------- North Africa, Palearctic.
*Marpissa canestrinii* Ninni in Canestrini and Pavesi, 1868: 866.
*Hyctia magister*; Paik 1957: 45.
*Marpissa magister*; Paik and Namkung 1979: 81, Seo 1998: 58.
*Mendoza canestrinii*; Namkung 2001: 572, 2003: 576, Cho and Kim 2002: 105, Kim and Cho 2002: 110, Kim and Lee 2014: 87.

***Mendoza elongata* (Karsch, 1879)** 살깃깡충거미 ♀♂
---------- Russia, China, Korea, Japan.
*Icius elongatus* Karsch 1879: 83.
*Marpissa elongata*; Paik and Namkung 1979: 80, Seo 1998: 57.
*Mendoza elongata*; Namkung 2001: 106, Cho and Kim 2002: 106, Kim and Cho 2002: 110, Kim and Lee 2014: 89.

***Mendoza pulchra* (Prószyński, 1981)** 어리수검은깡충거미 ♀♂
---------- Russia, China, Korea, Japan.
*Marpissa pulchra* Prószyński in Wesolowska 1981: 66, Seo 1998: 58.
*Mendoza pulchra*; Namkung 2001: 574, 2003: 578, Cho and Kim 2002: 107, Kim and Cho 2002: 111, Kim and Lee 2014: 90.

Genus *Menemerus* Simon, 1868 수염깡충거미속

***Menemerus fulvus* (L. Koch, 1878)** 흰수염깡충거미 ♀♂
---------- India to Japan.
*Hasarius fulvus* L. Koch 1878: 782.
*Menemerus fulvus*; Namkung 2001: 575, 2003: 579, Cho and Kim 2002: 108, Kim and Cho 2002: 108, Kim and Lee 2014: 91.

Genus *Myrmarachne* MacLeay, 1839 개미거미속

***Myrmarachne formicaria* (De Geer, 1778)** 산개미거미 우♂

---------- Palearctic, USA.

*Aranea formicaria* De Geer 1778: 293.

*Myrmarachne formicaria*; Paik and Namkung 1979: 82, Seo 2001a: 37, Namkung 2001: 606, 2003: 610, Cho and Kim 2002: 109, Kim and Cho 2002: 112, Kim and Kim 2003: 148, Kim and Lee 2014: 93.

***Myrmarachne inermichelis* Bösenberg and Strand, 1906** 각시개미거미 우♂

---------- Russia, Korea, Taiwan, Japan.

*Myrmarachne inermichelis* Bösenberg and Strand 1906: 329, Seo 2001a: 38, Namkung 2001: 607, 2003: 611, Kim and Lee 2014: 95.

*Myrmarachne innermichelis*; Cho and Kim 2002: 110.

***Myrmarachne japonica* (Karsch, 1879)** 불개미거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Salticus japonicus* Karsch 1879: 82.

*Myrmarachne japonica*; Seo 2001a: 40, Namkung 2001: 604, 2003: 608, Cho and Kim 2002: 111, Kim, Ki and Park 2008: 186, Kim and Lee 2014: 96.

***Myrmarachne kuwagata* Yaginuma, 1967** 엄니개미거미 우♂

---------- China, Korea, Japan.

*Myrmarachne kuwagata* Yaginuma 1967: 100, Seo 1992b: 181, Namkung 2001: 605, 2003: 609, Cho and Kim 2002: 111, Kim and Lee 2014: 97.

Genus *Neon* Simon, 1876 네온깡충거미속

***Neon minutus* Zabka, 1985** 부리네온깡충거미 우♂

---------- Korea, Vietnam, Taiwan, Japan.

*Neon minutus* Zabka 1985: 420, Namkung 2003: 584, Kim and Lee 2014: 98.

*Neon rostratus* Seo 1995b: 324, Namkung 2001: 580.

***Neon reticulatus* (Blackwall, 1853)** 네온깡충거미 우♂

---------- Holarctic.

*Salticus reticulatus* Blackwall 1853: 14.

*Neon reticulatus*; Namkung 2001: 579, 2003: 583, Cho and Kim 2002: 113, Kim and Lee 2014: 99.

Genus *Pancorius* Simon, 1902 큰흰눈썹깡충거미속

***Pancorius crassipes* (Karsch, 1881)** 큰흰눈썹깡충거미 우♂

---------- Palearctic.

*Plexippus crassipes* Karsch 1881: 38.

*Evarcha crassipes*; Seo 1992b: 180, Namkung 2001: 563, Cho and Kim 2002: 95.

*Pancorius crassipes*; Namkung 2003: 567, Kim and Lee 2014: 101.

Genus *Philaeus* Thorell, 1869 피라에깡충거미속

***Philaeus chrysops* (Poda, 1761)** 대륙깡충거미 우♂

---------- Palearctic.

*Aranea chrysops* Poda 1761: 123.

*Philaeus chrysops*; Seo and Sohn 1998a: 51, Namkung 2001: 608, 2003: 612, Kim and Lee 2014: 102.

Genus *Phintella* Strand, 1906 핀텔깡충거미속

***Phintella abnormis* (Bösenberg and Strand, 1906)** 갈색눈깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Jotus abnormis* Bösenberg and Strand 1906: 336, Namkung, Paik and Yoon 1972: 95.

*Phintella abnormis*; Seo 1995a: 185, Namkung 2001: 609, 2003: 613, Cho and Kim 2002: 115, Kim and Cho 2002: 121, Kim and Lee 2014: 105.

***Phintella arenicolor* (Grube, 1861)** 눈깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Attus arenicolor* Grube 1861: 26.

*Icius difficilis*; Paik and Namkung 1979: 80.

*Jotus difficilis*; Paik 1962: 77.

*Phintella arenicolor*; Namkung 2001: 610, 2003: 614, Cho and Kim 2002: 116, Kim and Cho 2002: 121, Kim and Lee 2014: 106.

*Phintella melloteei*; Seo 1995a: 189.

***Phintella bifurcilinea* (Bösenberg and Strand, 1906)** 황줄깡충거미 우♂

---------- China, Korea, Vietnam, Japan.

*Phintella typica* Bösenberg and Strand 1906: 331.

*Phintella bifurcilinea*; Seo 1995a: 186, Namkung 2001: 615, 2003: 619, Cho and Kim 2002: 117, Kim and Cho 2002: 122, Kim and Lee 2014: 107.

*Telamonia bifurcilinea*; Paik 1978e: 443.

***Phintella cavaleriei* (Schenkel, 1963)** 멋쟁이눈깡충거미 우♂

---------- China, Korea.

*Dexippus cavaleriei* Schenkel 1963: 454.

*Phintella cavaleriei*; Seo 1995a: 187, Namkung 2001: 614, 2003: 618, Cho and Kim 2002: 117, Lee *et al*. 2004: 99, Kim and Lee 2014: 109.

***Phintella linea* (Karsch, 1879)** 안경깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Euophrys linea* Karsch 1879: 90.

*Phintella linea*; Seo 1995a: 188, Namkung 2001: 611, 2003: 615, Cho and Kim 2002: 118, Kim and Cho 2002: 123, Kim and Lee 2014: 110.

***Phintella parva* (Wesolowska, 1981)** 묘향깡충거미 우♂

---------- Russia, China, Korea.

*Icius parvus* Wesolowska 1981: 60.

*Phintella parva*; Seo 1995a: 190, Namkung 2001: 613, 2003: 617, Cho and Kim 2002: 119, Kim and Cho 2002: 123, Kim and Lee 2014: 111.

***Phintella popovi* (Prószyński, 1979)** 살짝눈깡충거미 우♂

---------- Russia, China, Korea.

*Icius popovi* Prószyński 1979: 311.

*Phintella popovi*; Seo 1995a: 190, Namkung 2001: 612, 2003: 616, Cho and Kim 2002: 120, Kim and Lee 2014: 112.

***Phintella versicolor* (C.L. Koch, 1846)** 암흰깡충거미 우♂

---------- China, Korea, Taiwan, Japan, Malaysia, Sumatra, Hawaii.

*Plexippus versicolor* C.L. Koch 1846: 103.

*Phintella versicolor*; Namkung 2001: 616, 2003: 620, Cho and Kim 2002: 120, Kim and Lee 2014: 113.

Genus *Phlegra* Simon, 1876 배띠깡충거미속

***Phlegra fasciata* (Hahn, 1826)** 배띠깡충거미 우♂

---------- Palearctic.

*Attus fasciatus* Hahn 1826: 1.

*Phlegra fasciata*; Seo 1985a: 15, Seo 1999b: 60, Namkung 2001: 564, 2003: 568, Cho and Kim 2002: 121, Kim and Lee 2014: 115.

Genus *Plexippoides* Prószyński, 1984 어리두줄깡충거미속

***Plexippoides annulipedis* (Saito, 1939)** 큰줄무늬깡충거미 우♂

---------- China, Korea, Japan.

*Plexippus annulipedis* Saito 1939: 40.

*Plexippoides annulipedis*; Namkung 2001: 566, 2003: 570, Cho and Kim 2002: 14, Kim and Lee 2014: 117.

***Plexippoides doenitzi* (Karsch, 1879)** 되니쓰깡충거미 우♂

---------- China, Korea, Japan.

*Hasarius doenitzi* Karsch 1879: 86.

*Plexippoides doenitzi*; Namkung 2001: 565, 2003: 569, Cho and Kim 2002: 122, Kim and Cho 2002: 124, Kim and Lee 2014: 118.

***Plexippoides regius* Wesolowska, 1981** 왕어리두줄깡충거미 우♂

---------- Russia, China, Korea.

*Plexippoides regius* Wesolowska 1981: 73, Paik 1985g: 49, Namkung 2001: 567, 2003: 571, Cho and Kim 2002: 123, Kim and Cho 2002: 125, Kim and Lee 2014: 119.

*Plexippoides joopili* Kim and Yoo 1997b: 71.

Genus *Plexippus* C.L. Koch, 1846 두줄깡충거미속

***Plexippus incognitus* Dönitz and Strand, 1906** 흰줄깡충거미 우♂

---------- China, Korea, Taiwan, Japan.

*Plexippus incognitus* Dönitz and Strand 1906: 399, Namkung, Paik and Yoon 1972: 95.

***Plexippus paykulli* (Audouin, 1826)** 두줄깡충거미 우♂

---------- Cosmopolitan.

*Attus paykullii* Audouin 1826: 409.

*Plexippus paykulli*; Seo 2000a: 333, Namkung 2001: 568, 2003: 572, Yoo and Kim 2002: 26, Cho and Kim 2002: 124, Kim and Lee 2014: 120.

***Plexippus petersi* (Karsch, 1878)** 황색줄무늬깡충거미 우♂

---------- Africa to Japan, Philippines, Hawaii.

*Euophrys petersii* Karsch, 1878a: 332.

*Plexippus petersi*; Jang, Choe and Kim, 2007: 101.

***Plexippus setipes* Karsch, 1879** 세줄깡충거미 우♂

---------- Turkmenistan, China, Korea, Vietnam, Japan.

*Plexippus setipes* Karsch 1879: 89, Seo 2000a: 35, Namkung 2001: 569, 2003: 573, Cho and Kim 2002: 125, Kim and Cho 2002: 125, Yoo and Kim 2002: 26, Kim and Lee 2014: 122.

Genus *Pseudeuophrys* Dahl, 1912 어리번개깡충거미속

***Pseudeuophrys iwatensis* Bohdanowicz and Prószyński, 1987** 검은머리번개깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Euophrys iwatensis* Bohdanowicz and Prószyński 1987: 151.

*Euophrys erratica*; Seo 1985a: 13, Paik 1987: 12 (우♂ misidentified).

*Pseudeuophrys erratica*; Namkung 2001: 588 (우♂ misidentified), 2003: 592 (우♂ misidentified), Cho and Kim 2002: 127 (우♂ misidentified), Kim and Cho 2002: 127 (♂ misidentified).

*Pseudeuophrys iwatensis*; Kim, Kim and Cho 2003: 93, Kim and Lee 2014: 124.

Genus *Pseudicius* Simon, 1885 여우깡충거미속

***Pseudicius vulpes* (Grube, 1861)** 여우깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Attus vulpes* Grube 1861: 23.

*Euophrys undulato-vittata*; Namkung 1964: 44.

*Pseudicius vulpes*; Seo and Sohn 1998a: 52, Namkung 2001: 598, 2003: 602, Cho and Kim 2002: 126, Kim and Cho 2002: 126, Kim and Lee 2014: 125.

Genus *Rhene* Thorell, 1869 까치깡충거미속

***Rhene albigera* (C.L. Koch, 1846)** 흰띠까치깡충거미 우♂

---------- India to Japan, Sumatra.

*Rhanis albigera* C.L. Koch 1846: 87.

*Rhene albigera*; Namkung 2001: 577, 2003: 581, Kim and Lee 2014: 127.

***Rhene atrata* (Karsch, 1881)** 까치깡충거미 우♂

---------- Russia, China, Korea, Taiwan, Japan.

*Homalattus atratus* Karsch 1881: 39.

*Rhene atrata*; Namkung 1964: 45, 2001: 576, 2003: 580, Cho and Kim 2002: 128, Kim and Cho 2002: 128, Kim and Lee 2014: 128.

Genus *Sibianor* Logunov, 2001 비아노깡충거미속

***Sibianor aurocinctus* (Ohlert, 1865)** 비아노깡충거미 우♂

---------- Palearctic.

*Heliophanus aurocinctus* Ohlert 1865: 11.

*Bianor aurocinctus*; Seo and Sohn 1998a: 49, Namkung 2001: 585, Cho and Kim 2002: 90.

*Sibianor aurocinctus*; Namkung 2003: 587, Kim and Lee 2014: 130.

***Sibianor pullus* (Bösenberg and Strand, 1906)** 반고리깡충거미 우♂

---------- Russia, China, Korea, Japan.

*Bianor pullus* Bösenberg and Strand 1906: 354.

*Harmochirus pullus*; Paik 1987: 9, Seo 1999a: 109, Namkung 2001: 582, Cho and Kim 2002: 128.

*Sibianor pullus*; Kim and Cho 2002: 128, Namkung 2003: 586, Kim and Lee 2014: 131.

Genus *Siler* Simon, 1889 띠깡충거미속

***Siler cupreus* Simon, 1889** 청띠깡충거미 우♂

---------- China, Korea, Taiwan, Japan.

*Siler cupreus* Simon 1889: 250, Seo 2001b: 43, Namkung 2001: 584, 2003: 588, Cho and Kim 2002: 130, Kim and Cho 2002: 137, Kim and Lee 2014: 132.
*Marpissa vittata*; Paik 1957: 45.

Genus *Sitticus* Simon, 1901 마른깡충거미속

***Sitticus albolineatus* (Kulczyński, 1895)** 흰줄무늬깡충거미 우♂
---------- Russia, China, Korea.
*Attus albolineatus* Kulczyński 1895b: 77.
*Sitticus albolineatus*; Paik 1985g: 44, Namkung 2001: 591, 2003: 595, Cho and Kim 2002: 130, Kim and Cho 2002: 138, Kim and Lee 2014: 134.

***Sitticus avocator* (O. P.-Cambridge, 1885)** 홀아비깡충거미 우♂
---------- Turkey to Japan.
*Attus avocator* O. P.-Cambridge 1885a: 106.
*Sitticus avocator*; Kim 1997b: 205, Namkung 2001: 592, 2003: 596, Cho and Kim 2002: 131, Kim and Cho 2002: 139, Kim and Lee 2014: 135.

***Sitticus fasciger* (Simon, 1880)** 고리무늬마른깡충거미 우♂
---------- Russia, China, Korea, Japan, USA.
*Attus fasciger* Simon 1880: 99.
*Sitticus fasciger*; Seo 1985a: 16, Namkung 2001: 593, 2003: 597, Cho and Kim 2002: 132, Kim and Cho 2002: 139, Kim and Lee 2014: 137.

***Sitticus penicillatus* (Simon, 1875)** 다섯점마른깡충거미 우♂
---------- Palearctic.
*Attus penicillatus* Simon 1875: 92.
*Sitticus penicillatus*; Seo 1992b: 181, Namkung 2001: 594, 2003: 598, Cho and Kim 2002: 133, Kim and Lee 2014: 138.

Genus *Synagelides* Strand, 1906 어리개미거미속

***Synagelides agoriformis* Strand, 1906** 어리개미거미 우♂
---------- Russia, China, Korea, Japan.
*Synagelides agoriformis* Strand 1906: 330, Namkung and Yoon 1980: 19, Kim and Kim 2000: 184, Seo 2001b: 45, Namkung 2001: 603, 2003: 607, Cho and Kim 2002: 134, Kim and Cho 2002: 140, Kim and Kim 2003: 148, Lee *et al*. 2004: 99, Kim and Lee 2014: 140.

***Synagelides zhilcovae* Prószyński, 1979** 월정어리개미거미 우
---------- Russia, China, Korea.
*Synagelides zhilcovae* Prószyński 1979: 319, Kim and Kim 2000: 186, Kim and Lee 2014: 141.

Genus *Talavera* Peckham and Peckham, 1909 세줄번개깡충거미속

***Talavera ikedai* Logunov and Kronestedt, 2003** 세줄번개깡충거미 우♂
---------- Korea, Japan.
*Talavera ikedai* Logunov and Kronestedt 2003: 1126, Kim and Lee 2014: 142.
*Euophrys trivittata*; Paik 1986c: 20 (우♂ misidentified).
*Talavera trivittata*; Namkung 2001: 589 (우♂ misidentified), 2003: 593 (우♂ misidentified), Cho and Kim 2002: 135 (우♂ misidentified), Kim, Kim and Cho 2003: 96 (♂ misidentified).

Genus *Tasa* Wesolowska, 1981 갈구리깡충거미속

***Tasa nipponica* Bohdanowicz and Prószyński, 1987** 갈구리깡충거미 ♂

---------- China, Korea, Japan.

*Tasa nipponica* Bohdanowicz and Prószyński 1987: 143, Seo 1992b: 183, Namkung 2001: 590, 2003: 594, Cho and Kim 2002: 136, Kim and Lee 2014: 143.

Genus *Telamonia* Thorell, 1887 검은날개무늬깡충거미속

***Telamonia vlijmi* Prószyński, 1984** 검은날개무늬깡충거미 우♂

---------- China, Korea, Japan.

*Telamonia vlijmi* Prószyński 1984: 423, Kim 1986: 8, Namkung 2001: 602, 2003: 606, Cho and Kim 2002: 137, Kim and Cho 2002: 141, Lee *et al*. 2004: 99, Kim and Lee 2014: 144.

Genus *Yaginumaella* Prószyński, 1979 야기누마깡충거미속

***Yaginumaella medvedevi* Prószyński, 1979** 야기누마깡충거미 우♂

---------- Russia, China, Korea.

*Yaginumaella medvedevi* Prószyński 1979: 320, Seo 2001b: 46, Namkung 2001: 601, 2003: 605, Cho and Kim 2002: 138, Kim and Lee 2014: 146.

## References


Audouin, V. 1826. Explication sommaire des planches d'arachnides de l'Egypte et de la Syrie publiées ... in "Description de l'Egypte...". Histoire Naturelle 1(4):1-339 (arachnids, pp. 99-186).

Blackwall, J. 1833. Characters of some undescribed genera and species of Araneidae. Lond. Edinb. Phil. Mag. J. Sci. (3) 3:104-112, 187-197, 344-352, 436-443.

Blackwall, J. 1834. Characters of some undescribed species of Araneidae. London and Edinburgh Philosophical Magazine and Journal of Science (3)5:50-53.

Blackwall, J. 1841. The difference in the number of eyes with which spiders are provided proposed as the basis of their distribution into tribes; with descriptions of newly discovered species and the characters of a new family and three new genera of spiders. Trans. Linn. Soc. Lond. 18:601-670.

Blackwall, J. 1853. Descriptions of some newly discovered species of Araneida. Ann. Mag. Nat. Hist. (2) 11:14-25.

Blackwall, J. 1854. Descriptions of some newly discovered species of Araneida. Ann. Mag. Nat. Hist. (2) 13:173-180.

Blackwall, J. 1859. Descriptions of newly discovered spiders captured by James Yate Johnson Esq., in the island of Madeira. Ann. Mag. Nat. Hist. (3) 4:255-267.

Blackwall, J. 1861. Descriptions of several recently discovered spiders. Ann. Mag. Nat. Hist. (3) 8:441-446.

Bohdanowicz, A. and J. Prószyński. 1987. Systematic studies on East Palaearctic Salticidae (Araneae), IV. Salticidae of Japan. Annls. Zool. Warsz. 41:43-151.

Bösenberg, W. and E. Strand. 1906. Japanische Spinnen. Abh. Senck. Naturf. Ges. 30:93-422.

Brignoli, P.M. 1983. A catalogue of the Araneae described between 1940 and 1981. Manchester Univ. Press, 755 pp.

Cambridge, O.P-. 1861. Descriptions of ten new species of spiders lately discovered in England. Ann. Mag. Nat. Hist. (3) 7:428-441.

Cambridge, O.P-. 1862. Description of ten new species of British spiders. Zoologist 20:7951-7968.

Cambridge, O.P-. 1872. General list of the spiders of Palestine and Syria, with descriptions of numerous new species, and characters of two new genera. Proc. Zool. Soc. Lond. 1871:212-354.

Cambridge, O.P-. 1879. On some new and rare spiders from New Zealand, with characters of four new genera. Proc. Zool. Soc. Lond. 1879:681-703.

Cambridge, O.P-. 1880. On some new and little known spiders of the genus *Argyrodes*. Proc. Zool. Soc. Lond. 1880:320-344.

Cambridge, O.P-. 1885a. Araneida. In Scientific results of the second Yarkand mission. Calcutta, pp. 1-115.

Cambridge, O.P-. 1885b. On new and rare British spiders, with some remarks on the formation of new species. Proc. Dorset Nat. Hist. Field Club 6:1-17.

Canestrini, G. 1868. Nuove aracnidi italiani. Annuar. Soc. Nat. Modena. 3:190-206.

Canestrini, G. and P. Pavesi. 1868. Araneidi italiani. Atti Soc. Ital. Sci. Nat. 11:738-872.

Caporiacco, L. di. 1935. Aracnidi dell'Himalaia e del Karakoram, raccolti dalla Missione italiana al Karakoram (1929-VII). Mem. Soc. Ent. Ital. 13:161-263.

Chae, J.H. and J.H. Sohn. 2013. A new species in the new genus (Araneae: Sparassidae) from Korea. Korean Arachnol. 29:195-204.

Chamberlin, R.V. 1924. Descriptions of new American and Chinese spiders, with notes on other Chinese species. Proc. U.S. Nat. Mus. 63(13):1-38.

Chen, J. 1997. A Systematic Study on Chinese Wolf Spiders (Arachnidae: Araneae: Lycosidae). Ph.D. Thesis Chinese Academy of Sciences, Beijing, China 247pp.

Chikuni, Y. 1955. Five interesting spiders from Japan highlands. Acta Arachnol. 14:29-40.

Cho, J.H. and J.P. Kim. 2002. A revisional study of family Salticidae Blackwall, 1841 (Arachnida, Araneae) from Korea. Korean Arachnol. 18:85-169.

Chyzer, C. and W. Kulczyński 1897. Araneae hungariae. Budapest, 2:151-366.

Clerck, C. 1757. Svenska spindlar, uti sina hufvud-slågter indelte samt under några och sextio särskildte arter beskrefne och med illuminerade figurer uplyste. Stockholmiae, 154 pp.

De Geer, C. 1778. Mémoires pour servir à l'histoire des insectes. Stockholm, 7(3-4):176-324.

Doi, H. 1935. List of insects and other animals from Wando. Rep. Sci. Mus. 35:1-12.

Doi, H. 1940. Supplemental distribution of *Eresus niger*. Sihuso 1:4-5.

Doleschall, L. 1857. Bijdrage tot de Kenntis der Arachniden van den Indischen Archipel. Nat. Tijdschr. Neder.-Ind. 13:339-434.

Dufour, L. 1820. Descriptions de cinq arachnides nouvelles. Ann. Gén. Sci. Phys. 5:198-209.

Dugès, A. 1836. Observations sur les aranéides. Ann. Sci. Nat. Zool. (2) 6:159-219.

Emerton, J.H. 1884. New England spiders of the family Epeiridae. Trans. Conn. Acad. Arts Sci. 6:295-342.

Entomological Society of Korea. 1974. List of Unrecorded Species. Korean J. Entomol. 4:100.

Eskov, K.Y. 1984. New and little known genera and species of spiders (Aranei, Linyphiidae) from the Far East. Zool. Zh. 63:1337-1344.

Eskov, K.Y. and Y.M. Marusik. 1994. New data on the taxonomy and faunistics of North Asian linyphiid spiders (Aranei Linyphiidae). Arthropoda Selecta 2(4):41-79.

Fabricius, J.C. 1775. Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis, synony-

mis, locis descriptionibus observationibus. Flensburg and Lipsiae, 832 pp. (Araneae, pp. 431-441).

Fabricius, J.C. 1793. Entomologiae systematica emendata et aucta, secundum classes, ordines, genera, species adjectis synonimis, locis, observationibus, descriptionibus. Hafniae, 2:407-428.

Fickert, C. 1876. Verzeichniss der schlesisechen Spinnen. Zeitschr. f. Ent. Breslau (N.F.) 5:46-76.

Fox, I. 1936. Chinese spiders of the families Agelenidae, Pisauridae and Sparassidae. Jour. Wash. Acad. Sci. 26: 121-128.

Fox, I. 1937a. A new gnaphosid spider from Yuennan. Lingan Sci. Jour. 16:247-248.

Fox, I. 1937b. Notes on Chinese spiders of the families Salticidae and Thomisidae. Jour. Wash. Acad. Sci. 27:12-23.

Fuesslin, J.C. 1775. Verzeichnis der ihm bekannten schweizerischen Insekten, mit einer ausgemahlten Kupfertafel: nebst der Ankündigung eines neuen Inseckten Werkes. Zurich and Winterthur, 62 pp. (Araneae, pp. 60-61).

Gaston, K.J. 1996. Biodiversity: A Biology of Numbers and Difference. Blackwall, Oxford. 396pp.

Gertsch, W.J. 1937. New American spiders. Amer. Mus. Novit. 936:1-7.

Gong, J.X. 1983. Neue und wenig bekannte Clubionidae aus China (Arachnida: Araneae). Verh. Naturw. Ver. Hamb. 26:61-68.

Grube, A. 1861. E. Beschreibung neuer, von den Herren L. v. Schrenck, Maack, C. v. Ditmar u. a. im Amurlande und in Ostsibirien gesammelter Araneiden. Bull. Acad. Imp. Sci. S.-Pétersb. 4:161-180 [separate, pp. 1-29].

Hahn, C. 1826. W. Monographie der Spinnen. Nürnberg, Heft 4, pp. 1-2, 4 pls.

Hayashi, T. 1985. A new species of the spider genus *Micaria* (Araneae: Gnaphosidae) from Japan. Proc. Jap. Soc. Syst. Zool. 31:20-25.

Hayashi, T. 1986a. A new Japanese spider of the genus *Agroeca* (Araneae: Clubionidae). Proc. Jap. Soc. Syst. Zool. 33:23-28.

Hayashi, T. 1986b. Descriptions of two new species of the genus *Clubiona* (Araneae: Clubionidae) from Japan. Proc. Jap. Soc. Syst. Zool. 34:32-38.

Helsdingen, P.J. van. 1969. A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae), I. Zool. Verh. Leiden 105:1-303.

Hentz, N. 1847. M. Descriptions and figures of the araneides of the United States. Boston J. Nat. Hist. 5:443-478.

Herman, O. 1879. Magyarország pók-faunája. Budapest 3: 1-394.

Howell, J.O. and R.L. Pienkowski. 1971. Spider populations in alfalfa, with notes on spider prey and effect of harvest. J. Econ. Entomol. 64:163-168.

Hu, Y.J. and D.X. Song. 1982. Notes on some Chinese species of the family Clubionidae. J. Hunan Teachers Coll. (Nat. Sci. Ed.) 1982(2):55-62.

Huber, B.A. 2005. High species diversity, male-female coevolution, and metaphyly in southeast Asian pholcid spiders: the case of *Belisana* Thorell 1898 (Araneae, Pholcidae). Zoologica 155:1-126.

Ikeda, H. 1996. Japanese salticid spiders of the genera *Euophrys* C.L. Koch and *Talavera* Peckham et Peckham (Araneae: Salticidae). Acta Arachnol. 45:25-41.

Im, M.S. 1996. The Spiders of Korea. Seoul, Ji-gu Publ. Co., 14-215pp.

Im, M.S. 1997. The Native Spiders of Korea. Seoul, Ji-gu Publ. Co., 16-35pp.

Im, M.S., J. Namkung and S.T. Kim. 1996. Description of the male of *Micaria japonica* Hayashi, 1985 (Araneae: Gnaphosidae). Acad. Jour. Konkuk Univ. 40:297-299.

Jackson, A.R. 1913. On some new and obscure British spiders. Trans. Nottingh. Nat. Soc. 60:20-49.

Jäger, P. and H. Ono. 2002. Sparassidae from Japan. II. First Pseudopoda species and new Sinopoda species (Araneae: Sparassidae). Acta Arachnol. 51:109-124.

Jang, S.J., J.C. Choe and J.P. Kim. 2007. Two newly recorded jumping spiders from Korea. Korean Arachnol. 23: 99-105.

Jo, T.H. 1981. On the spiders from Geomun Island, Korea. Korean J. Zool. 24:77-85.

Jo, T.H. and K.Y. Paik. 1984. Three new species of genus *Pardosa* from Korea (Araneae: Lycosidae). Korean J. Zool. 27:189-197.

Jung, B.G., J.P. Kim, R.J. Song, J.W. Jung and Y.C. Park. 2005. A revision of family Gnaphosidae Pocock, 1898 from Korea. Korean Arachnol. 21:163-233.

Kambe, T. 1932. On the natural enemies of cotton pests. Commemorative memoir in celebration of the 25th anniversary of Suweon agriculture and forest high school foundation. Suweon 251-255pp.

Kambe, T. 1933. List of spiders in Mokpo. Memoir of Joseon natural history 15:44-45.

Kamita, T. 1936. *Argiope amoena* from Joseon. Acta Arachnol. 1(4):135-136.

Kamura, T. 1987. Three species of the genus *Drassyllus* (Araneae: Gnaphosidae) from Japan. Acta Arachnol. 35: 77-88.

Kamura, T. 1989. A new species of the genus *Herpyllus* (Araneae: Gnaphosidae) from Japan. In Nishikawa, Y. and H. Ono (eds.), Arachnological Papers Presented to Takeo Yaginuma on the Occasion of his Retirement. Osaka Arachnologists' Group, Osaka, pp. 111-115.

Kamura, T. 1991. A revision of the genus *Cladothela* (Araneae: Gnaphosidae) from Japan. Acta Arachnol. 40:47-60.

Kamura, T. 2007. Spiders of the genus *Haplodrassus* (Araneae: Gnaphosidae) from Japan. Acta Arachnol. 55:95-103.

Kaneyama, M. 1941. Copulation and oviposition of *Pholcus opilionoides*. Acta Arachnol. 6(4):136-138.

Karsch, F. 1879. Baustoffe zu einer Spinnenfauna von Japan. Verh. Naturh. Ver. Preuss. Rheinl. Westfal. 36:57-105.

Karsch, F. 1881. Diagnoses Arachnoidarum Japoniae. Berl. Ent. Zeitschr. 25:35-40.

Keyserling, E. 1886. Die Arachniden Australiens. Nürnberg, 2:87-152.

Kim, B.B., J.P. Kim and Y.C. Park. 2008. Taxonomy of Korean Liocranidae (Arachnida: Araneae). Korean Arachnol. 24:7-30.

Kim, B.W. 2007. Description of *Ambanus jaegeri* sp. n. and of the male of *A. euini* (Paik) from Korea (Arachnida: Araneae: Amaurobiidae). Rev. Suisse Zool. 114:703-719.

Kim, B.W. 2009a. A Review of the Genus *Sinopoda* (Arachnida: Araneae: Sparassidae) in Korea. Korean J. Environ. Biol. 27(3): 237-243.

Kim, B.W. 2009b. Two new species of the genus *Alloclubionoides* (Araneae: Amaurobiidae) in Korea. J. Nat. Hist. 43:2925-2935.

Kim, B.W. and J.P. Kim. 2000. A revision of the genus *Synagelides* Strand, 1906 (Araneae, Salticidae) in Korea. Korean J. Syst. Zool. 16:183-190.

Kim, B.W. and J.P. Kim. 2001. Two unrecorded species of the genus *Theridion* (Araneae: Theridiidae) in Korea. Korean Arachnol. 17:153-159.

Kim, B.W. and J.P. Kim. 2007. Taxonomic study of the spider subfamily Argyrodinae (Arachnida: Araneae: Theridiidae) in Korea. Korean J. Syst. Zool. 23:213-228.

Kim, B.W. and J.P. Kim. 2008. A new species of the genus *Cybaeus* (Arachnida: Araneae: Cybaeidae) from Korea. Acta Arachnol. 57:9-14.

Kim, B.W. and J.P. Kim. 2010. A Check List of Korean Spiders (Revised in 2010). Korean Arachnol. 26:121-165.

Kim, B.W. and J.P. Kim. 2012. Redescription of *Alloclubionoides paikwunensis* (Kim and Jung, 1993) and a new spider species *Alloclubionoides solea* sp. nov. from Korea (Araneae: Agelenidae). J. Nat. Hist. 46:2387-2400.

Kim, B.W., J.P. Kim and J.H. Cho. 2003. A revision of the genera *Euophrys*, *Pseudeuophrys*, and *Talavera* (Araneae: Salticiadae [sic]) from Korea. Korean Arachnol. 19:89-102.

Kim, B.W., J.W. Kwon and J.P. Kim. 2003. New record of the dictynid spider (Araneae: Dictynidae) from Korea. Korean Arachnol. 19:7-12.

Kim, B.W. and W. Lee. 2004. A new species of *Pholcus* (Araneae: Pholcidae) from Gosu Cave, Korea. Korean J. Syst. Zool. 20:79-85.

Kim, B.W. and W. Lee. 2006a. A review of the spider genus *Asiacoelotes* (Arachnida: Araneae: Amaurobiidae) in Korea. Integrative Biosci. 10:49-64.

Kim, B.W. and W. Lee. 2006b. Two poorly known species of the spider genus *Ambanus* (Arachnida: Araneae: Amaurobiidae) in Korea. J. Nat. Hist. 40:1425-1442.

Kim, B.W. and W. Lee. 2007a. Spiders of the genus *Draconarius* (Araneae, Amaurobiidae) from Korea. J. Arachnol. 35:113-128.

Kim, B.W. and W. Lee. 2007b. A taxonomic study of the miturgid genus *Cheiracanthium* C.L. Koch, 1839 (Arachnida: Araneae: Miturgidae) from Korea. Korean J. Environ. Biol. 25:239-248.

Kim, B.W. and W. Lee. 2007c. Two poorly known species of the spider genus *Xysticus* (Arachnida: Araneae: Thomisidae) in Korea. Integrative Biosci. 11:105-115.

Kim, B.W. and W. Lee. 2008a. Description of the male of *Alloclubionoides ovatus* (Arachnida: Araneae: Amaurobiidae) from Korea. Korean J. Syst. Zool. 24:143-145.

Kim, B.W. and W. Lee. 2008b. The true female of *Alloclubionoides kimi* (Araneae: Amaurobiidae) from Korea. Zootaxa 1788:66-68.

Kim, B.W. and W. Lee. 2008c. Notes on four corinnid species from Korea, with the description of *Trachelas joopili* new species (Arachnida: Araneae: Corinnidae). J. Nat. Hist. 42:1867-1884.

Kim, B.W., W. Lee and J.G. Kwon. 2008. Note on *Drassyllus shaanxiensis* of ground gnaphosid spiders (Arachnida: Araneae: Gnaphosidae) in Korea. Korean J. Syst. Zool. 24:33-38.

Kim, B.W., W. Lee and T.S. Kwon. 2007. A new species of the genus *Ambanus* (Arachnida: Araneae: Amaurobiidae) from Korea. Proc. Biol. Soc. Washington 120:327-336.

Kim, J.H. and J.P. Kim. 2003. The comparative study of salticid spiders and ants inferred from morphology. Korean Arachnol. 19:133-154.

Kim, J.M. and J.P. Kim. 2002. A revisional study of family Araneidae Dahl, 1912 (Arachnida, Araneae) from Korea. Korean Arachnol. 18:171-266.

Kim, J.P. and S.H. Yoo. 2009 One new species of genus *Pholcus* (Araneae: Pholcidae) from Korea. Korean Arachnol. 25:41-46.

Kim, J.P. 1985a. Two unrecorded spiders from Korea (Araneae, Metathelae). Korean Arachnol. 1(1):17-22.

Kim, J.P. 1985b. A new species of genus *Atypus* (Araneae: Atypidae) from Korea. Korean Arachnol. 1(2):1-6.

Kim, J.P. 1986. One unrecorded species of salticid spider from Korea. Korean Arachnol. 2(2):7-10.

Kim, J.P. 1990. A malformation of *Leucauge magnifica* Yaginuma. Korean Arachnol. 6:149-150.

Kim, J.P. 1991. A check list of Korean spiders. Kor. Arachnol. 6(2):275-291.

Kim, J.P. 1995a. The spider fauna of Chindo Island, Korea. Korean Arachnol. 11(1):73-82.

Kim, J.P. 1995b. A new species of genus *Helicius* (Araneae: Salticidae) from Korea. Korean Arachnol. 11(2):1-5.

Kim, J.P. 1995c. Study of Arneology. The Arachnological Institute of Korea, Seoul. 218pp.

Kim, J.P. 1996a. A new species of genus *Rhene* (Araneae: Salticidae) from Korea. Korean Arachnol. 12(1):1-7.

Kim, J.P. 1996b. A new species of the genus *Agelena* (Araneae: Agelenidae) from Korea. Korean Arachnol. 12(2):

1-5.
Kim, J.P. 1996c. Study of spider silk. The Arachnological Institute of Korea, Seoul. 211pp.
Kim, J.P. 1997a. A new species of the genus *Castianeira* (Araneae: Corinnidae) from Korea. Korean Arachnol. 13 (1):1-5.
Kim, J.P. 1997b. The spider fauna of Kogum-do, Korea. Korean J. Syst. Zool. 13:199-210.
Kim, J.P. 1997c. Order Araneae. in List of Animals in Korea. The Korean society of Zoological Systematics. 168-185 pp.
Kim, J.P. 1998a. Taxonomic study of *N. adianta* and *N. doenitzi* in the genus *Neoscona* from Korea. Korean Arachnol. 14(1):1-5.
Kim, J.P. 1998b. One unrecorded species of the genus *Coelotes* (Araneae: Agelenidae) from Korea. Korean Arachnol. 14(1):6-8.
Kim, J.P, 1998c. Taxonomic revision of the genus *Araniella* (Araneae: Araneidae) from Korea. Korean Arachnol. 14 (2):1-7.
Kim, J.P. 1998d. A new species of genus *Tegenaria* Latreille, 1804 (Araneae: Agelenidae) from Korea. Korean J. Soil Zool. 3(1):17-18.
Kim, J.P. 1998e. One Unrecorded Spider of the Genus *Coleosoma* O. P.-Cambridge, 1882 (Araneae: Theridiidae) from Korea. Korean J. Environ. Biol. 16(3):241-244.
Kim, J.P. 1998f. A list of Korean spiders (revised in 1998). Korean Arachnol. 14(1):9-54.
Kim, J.P. 1999a. Taxonomic study of *P. lyrifera* and *P. isago* on the genus *Pardosa* (Araneae: Lycosidae) from Korea. Korean Arachnol. 15(1):1-6.
Kim, J.P. 1999b. A Newly Recorded Species of the Genus *Araniella* Chamberin et Ivie, 1942. (Araneae: Araneidae) from Korea. Korean J. Environ. Biol. 17(1):17-19.
Kim, J.P. 1999c. The Spider Fauna of DMZ of Chulwon Areas in Kangwon-do, Korea. Kor. J. Soil Bio. 4(2):69-73.
Kim, J.P. 2000. A List of Korean spiders. Kor. J. Soil Zool. 5 (2):139-163.
Kim, J.P. 2003. A List of Korean spiders. Kor. Arachnol. 19 (2):227-287.
Kim, J.P. 2008. Biology of spiders. Bioscience, Seoul. 255 pp.
Kim, J.P. and J.H. Chae. 2012a. A new species of the genus *Dolomedes* Latreille, 1804 (Araneae: Pisauridae) from Korea. Korean Arachnol. 28:1-8.
Kim, J.P. and J.H. Chae. 2012b. A new species of the genus *Pardosa* C.L. Koch, 1847 (Araneae: Lycosidae) from Korea. Korean Arachnol. 28:61-70.
Kim, J.P. and J.H. Chae. 2013. A new species of the genus *Sinopoda* Jäger, 1999 (Araneae: Sparassidae) from Korea. Korean Arachnol. 29:183-194.
Kim, J.P. and J.H. Cho. 2002. Spider: Natural Enemy and Resources. Korea Research Institute of Bioscience and Biotechnology (KRIBB), 424 pp.
Kim, J.P. and H.J. Choi. 2001. A revisional study of the spider family Liocranidae (Simon, 1897) from Korea. Korean Arachnol. 17:79-110.
Kim, J.P. and S.P. Gwon. 2001. A revisional study of the spider family Thomisidae Sundevall, 1833 (Arachnida: Araneae) from Korea. Korean Arachnol. 17:13-78.
Kim, J.P. and C.H. Jung. 1993. A new species of the genus *Coelotes* (Araneae: Agelenidae) from Korea. Korean Arachnol. 9:1-6.
Kim, J.P. and J.Y. Jung. 2001. A revisional study of the spider family Philodromidae O. P.-Cambridge, 1871 (Arachnida: Araneae) from Korea. Korean Arachnol. 17:185-222.
Kim, J.P. and B.W. Kim. 1996a. One unrecorded genus *Hasarius* and species (Araneae: Salticidae) from Korea. Korean Arachnol. 12(1):15-20.
Kim, J.P. and B.W. Kim. 1996b. A new species of the genus *Achaearanea* (Araneae: Theridiidae) from Korea. Korean Arachnol. 12(2):27-31.
Kim, J.P. and B.W. Kim 1996c. Korean spiders of the genus *Atypus* Latreille, 1804 (Araneae: Atypidae). Korean Arachnol. 12(2):55-66.
Kim, J.P. and B.W. Kim. 1997. One unrecorded species of the genus *Dipoena* Thorell, 1869 (Araneae: Theridiidae) from Korea. Korean Arachnol. 13(1):19-23.
Kim, J.P. and B.W. Kim. 2000. A revision of the subfamily Linyphiinae Blackwall, 1859 (Araneae, Linyphiidae) in Korea. Korean Arachnol. 16(2):1-40.
Kim, J.P. and N.Y. Kim. 2012. A new species of the genus *Thanatus* C.L. Koch, 1837 (Araneae: Thomisidae) from Korea. Korean Arachnol. 28:71-76.
Kim, J.P. and S.D. Kim. 1996. One unrecorded species (Araneidae, *Cyclosa*) from Korea. Korean Arachnol. 12(1): 45-48.
Kim, J.P. and D.J. Lee. 1998. Distribution and taxonomic review of Urocteidae (Arachnida: Araneae) from Korea. Korean Arachnol. 14(2):51-65.
Kim, J.P. and M.S. Lee. 1999. A revisional study of the Korean spiders, family Uloboridae (Thorell, 1869) (Arachnida: Araneae). Korean Arachnol. 15(2):1-30.
Kim, J.P. and J. Namkung. 1992. On the identity of Korean spider, *Uroctea lesserti* Schenkel 1937, is the species *Uroctea limata* (nec. C.L. Koch). Korean Arachnol. 8: 101-107.
Kim, J.P. and J.H. Park 2009. One new species of genus *Coelotes* (Araneae: Agelenidae) from Korea. Korean Arachnol. 25:47-52.
Kim, J.P. and Y.C. Park. 2009. One new species of genus *Pholcus* (Araneae: Pholcidae) from Korea. Korean Arachnol. 25:99-103.
Kim, J.P. and M.K. Seung. 2015. A new species of the Genus *Tibellus* Simon, 1875 (Araneae: Philodromidae) from Korea. Korean Arachnol. 31(1):25-28.
Kim, J.P. and S.Y. Shin. 2009. One newly recorded Theridiidae (Arachnida: Araneae) from Korea. Korean Arachnol.

25:65-67.

Kim, J.P. and H.K. Tak. 2001. A revisional study of the spiders family Agelenidae C.L. Koch, 1837 (Arachnida: Araneae) from Korea. Korean Arachnol. 17:111-139.

Kim, J.P. and S.H. Ye. 2013a. A new species of the genus *Alloclubionoides* Paik, 1992 (Araneae: Agelenidae) from Korea. Korean Arachnol. 29:1-16.

Kim, J.P. and S.H. Ye. 2013b. A new record species of the genus *Alloclubionoides kayasanensis* (Paik 1972) [=*Ambanus kayasanensis* (Paik 1972)=*Coelotes kayasanensis*] from Korea. Korean Arachnol. 29:33-40.

Kim, J.P. and S.H. Ye. 2013c. A new species of the genus *Callobius* Paik, 1966 [sic] (Araneae: Amaurobiidae) from Korea. Korean Arachnol. 29:163-173.

Kim, J.P. and S.H. Ye. 2014a. A new species of the genus *Alloclubionoides* Paik, 1992 (Araneae: Agelenidae) from Korea. Open J. Ani. Sci. 4:134-138.

Kim, J.P. and S.H. Ye. 2014b. A new species of the genus *Pholcus* Walckenaer, 1805 (Araneae: Pholcidae) from Korea. Korean Arachnol. 30(1):51-59.

Kim, J.P. and S.H. Ye. 2014c. A new species of the genus *Nesticus* Thorell, 1869 (Araneae : Nesticidae) from Korea. Korean Arachno. 30(2):147-154.

Kim, J.P. and S.H. Ye. 2015a. A new species of the genus *Sinopoda* Jager, 1999 (Araneae: Sparassidae) from Korea. Korean Arachnol. 31(1):1-9.

Kim, J.P. and S.H. Ye. 2015b. One new record species of the genus *Clubiona* Latreille, 1804 (Araneae: Clubionidae) from Korea. Korean Arachnol. 31(1):19-23.

Kim, J.P. and S.H. Ye. 2015c. One new record of the genus *Callobius woljeongensis* Kim and Ye, 2013 (Araneae: Amaurobiidae) from Korea. Korean Arachnol. 31(1):43-46.

Kim, J.P. and J.S. Yoo. 1996. One unrecorded species of the genus *Cyclosa* Menge, 1866 (Araneae: Araneidae) from Korea. Korean Arachnol. 12(1):29-32.

Kim, J.P. and J.S. Yoo. 1997a. Korean spiders of the genus *Pardosa* C.L. Koch, 1848 (Araneae: Lycosidae). Korean Arachnol. 13(1):31-45.

Kim, J.P. and J.S. Yoo. 1997b. A new species of the genus *Plexippoides* (Araneae: Salticidae) from Korea. Kor. J. environm. Biol. 15:71-74.

Kim, J.P. and J.S. Yoo. 2007. One new recorded genus and species from Korea (Araneae: Araneidae). Korean Arachnol. 23:91-97.

Kim, J.P. and S.H. Yoo. 2008. One new species of genus *Pholcus* (Araneae: Pholcidae) from Korea. Korean Arachnol. 24:1-6.

Kim, J.P., J.H. Chae and D.H. Kim. 2013. A new species of the genus *Sinopoda* Jäger, 1999 (Araneae: Sparassidae) from Korea. Korean Arachnol. 29:23-32.

Kim, J.P., J.C. Jeong and Y.B. Lee. 2007. Spider fauna of a Korean Island, Dokdo. Korean Arachnol. 23:35-40.

Kim, J.P., J.W. Jeong, Y.C. Park and J.S. Yoo. 2005. A List of Korean spiders. Kor. Arachnol. 21(1):75-154.

Kim, J.P., Y.H. JI and Y.B. Lee. 1999. A revisional study of the Korean spiders, family Atypidae (Thorell, 1870) (Arachnida: Araneae). Korean Arachnol. 15(2):115-136.

Kim, J.P., L.J. Ki and Y.C. Park 2008. The spider fauna of Cheonggyecheon from Korea. Korean Arachnol. 24:169-187.

Kim, J.P., S.D. Kim and Y.B. Lee. 1999. A revisional study of the Korean spiders, family Tetragnathidae Menge, 1866 (Arachnida: Araneae). Korean Arachnol. 15(2):41-100.

Kim, J.P., J.G. Lee and J.H. Lee. 2014a. A new species of the genus *Sinopoda* Jäger, 1999 (Araneae: Sparassidae) from Korea. Korean Arachnol. 30(1):11-32.

Kim, J.P., J.G. Lee and J.H. Lee. 2014b. First record of a species in a newly recorded genus (Araneae: Titanoecidae) from Korea. Korean Arachnol. 30(1):71-82.

Kim, J.P., J.G. Lee and J.H. Lee. 2014c. Description of the female of *Ceratinella brevis* (Wider, 1834) (Araneae: Linyphiidae) from Korea. Korean Arachnol. 30(2):155-164.

Kim, J.P., J. Namkung and J.R. Jun. 1987. A new record species of the genus *Alopecosa* Simon, 1898 (Araneae: Lycosidae) from Korea. Korean Arachnol. 3:29-33.

Kim, J.P., J. Namkung, O.S. Kim and J.R. Jun. 1988. Spiders of Mt. Kyeryongsan, Chungchongnam-do, Korea. Korean Arachnol. 4:137-151.

Kim, J.P., J.H. Shin and Y.C. Park. 2008. The spider fauna of Heuksan-do and Hong-do. Korean Arachnol. 24:55-76.

Kim, J.P., M.K. Sung and J.H. Chae. 2012. A new species of the genus *Cybaeus* L. Koch, 1868 (Araneae: Cybaeidae) from Korea. Korean Arachnol. 28:77-87.

Kim, J.P., S.H. Ye, J.H. Chae, M.K. Sung, J.J. Lee and J.E. Park. 2013. Two new record species of the genus *Arctosa* C.L. Koch, 1847 (Araneae: Lycosidae) from Korea. Korean Arachnol. 29:17-22.

Kim, J.P., S.H. Ye and J.H. Jang. 2013. A new species of the genus *Neriene* Blackwall, 1833 (Araneae: Linyphiidae) from Korea. Korean Arachnol. 29:151-161.

Kim, J.P., S.H. Ye and J.Y. Kim. 2015. A new record species of the genus *Hygrolicosa* Dahl, 1908 (Araneae: Lycosidae) from Korea. Korean Arachnol. 31(1):29-34.

Kim, J.P., S.H. Ye, T.W. Kim and D.H. Kim. 2015. One new record species of the genus *Neospintharus* Exline, 1950 (Araneae: Theridiidae) from Korea. Korean Arachnol. 31 (1):19-23.

Kim, J.P., S.H. Ye, J.G. Lee and J.H. Lee. 2015. A Check List of Korean Spiders (Revised in 2015). Korean Arachnol. 31(1):53-101.

Kim, J.P., S.H. Ye and J.J. Lee. 2014. A new species of the genus *Plebs* Joseph and Framenau, 2012 (Araneae: Araneidae) from Korea. Korean Arachnol. 30(1):1-10.

Kim, J.P., S.H. Ye and H.S. Yoo. 2014. A new species of the genus *Cybaeus* L. Koch, 1868 (Araneae: Cybaeidae)

from Korea. Korean Arachnol. 30(2):135-145.
Kim, J.P., Y.S. Yoo and Y.B. Lee. 1999. A newly recorded species of the genus *Nesticella* (Aranea, Nesticidae) in Korea. Korean J. Syst. Zool. 15:183-187.
Kim, K.M., J.P. Kim and Y.B. Lee. 2008. Taxonomy of Korean Tetragnathidae (Arachnida: Araneae). Korean Arachnol. 24:31-53.
Kim, S.T., M.P. Jung, H.S. Kim and J.H. Lee. 2004. Two new species of litter-inhabiting spiders of the genus *Leptoneta* from Korea (Araneae: Leptonetidae). Canadian Entomologist 136:639-644.
Kim, S.T., H.S. Kim, M.P. Jung and J.H. Lee. 2006. Two new purse-web spiders of the genus *Atypus* (Araneae, Atypidae) from Korea. J. Arachnol. 34:170-175.
Kim, S.T., J.H. Lee and J. Namkung. 2004. Two new ground-inhabiting *Leptoneta* spiders (Aeraneae [sic]: Leptonetidae) from Korea. J. Asia-Pacific Entomol. 7:257-262.
Kim, S.T. and S.Y. Lee. 2012a. Arthropoda: Arachnida: Araneae: Thomisidae. Thomisid spiders. Invertebrate Fauna of Korea 21(9):1-88.
Kim, S.T. and S.Y. Lee. 2012b. Arthropoda: Arachnida: Araneae: Araneidae. Araneid spiders. Invertebrate Fauna of Korea 21(16):1-146.
Kim, S.T. and S.Y. Lee. 2013. Arthropoda: Arachnida: Araneae: Mimetidae, Uloboridae, Theridiosomatidae, Tetragnathidae, Nephilidae, Pisauridae, Gnaphosidae. Invertebrate Fauna of Korea 21(23):1-183.
Kim, S.T. and S.Y. Lee. 2014. Arthropoda: Arachnida: Araneae: Clubionidae, Corinnidae, Salticidae, Segestriidae. Invertebrate Fauna of Korea 21(31):1-186.
Kim, S.T., S.Y. Lee, J. Namkung, J.H. Lee and J.S. Yoo. 2013. Description of the female of *Clubiona zachalovi* Mikhailov, 1991 (Araneae: Clubionidae) from Korea. Korean. J. Appl. Entomol. 52(3):239-241.
Kim, S.T., J. Namkung, J.H. Lee and H.H. Park. 2004. One Newly Recorded Spider of the Genus *Pacifiphantes* from Korea (Araneae: Linyphiidae). Kor. J. Appl. Entomol. 43 (3):181-183.
Kim, S.T., J.S. Yoo, S.Y. Lee, J.H. Lee, Y.G. Choi and J.W. Lim. 2014. Description of One New and One Unrecorded Spiders (Arachnida: Araneae) from Korea. J. For. Environ. Sci. 30(4):378-382.
Kishida, K. 1909. [Japanese lycosid spiders (1)]. Hakubutsu-no-tomo 74:99-101.
Kishida, K. 1914. Japanese spiders (9). Kagaku-sekai 8:44-47.
Kishida, K. 1927. Araneae. In Figraro de Japonaj Bestoj. Tokyo, Hokuryukan Co., 958-971pp.
Kishida, K. 1933. Life of spiders. Arusu, Tokyo 82pp.
Kishida, K. 1936a. A synopsis of the Japanese spiders of the genus *Argiope* in broad sense. Acta Arachnol. 1:14-27.
Kishida, K. 1936b. A synopsis of the Japanese spiders of the genus *Dolomedes*. Acta Arachnol. 1:114-127.
Kishida, K. 1936c. Spiders of Joseon. Acta Arachnol. 1(4): 156.
Kishida, K. 1937. Review of the Japanese spider of genus *Gateracantha*. Acta Arachnol. 2(4):138-149.
Kishida, T. and S. Saito. 1955. Pictorial encyclopedia of Japanese animals. Tokyo, Hokuryukan Co., 977-1000pp.
Koch, C.L. 1834. Arachniden. In Herrich-Schäffer, G. A. W., Deutschlands Insekten. Heft 122-127.
Koch, C.L. 1835. Arachniden. In Herrich-Schäffer, G. A. W., Deutschlands Insekten. Heft 128-133.
Koch, C.L. 1836. Die Arachniden. Nürnberg, Dritter Band, pp. 1-104.
Koch, C.L. 1837. Die Arachniden. Nürnberg, Dritter Band, pp. 105-119, Vierter Band, pp. 1-108.
Koch, C.L. 1838. Die Arachniden. Nürnberg, Vierter Band, pp. 109-144, Funfter Band, pp. 1-124.
Koch, C.L. 1839. Die Arachniden. Nürnberg, Funfter Band, pp. 125-158, Sechster Band, pp. 1-156, Siebenter Band, pp. 1-106.
Koch, C.L. 1841. Die Arachniden. Nürnberg, Achter Band, pp. 41-131, Neunter Band, pp. 1-56.
Koch, C.L. 1843. Die Arachniden. Nürnberg, Zehnter Band, pp. 37-142.
Koch, C.L. 1844. Die Arachniden. Nürnberg, Eilfter Band, pp. 1-174.
Koch, C.L. 1846. Die Arachniden. Nürnberg, Dreizehnter Band, pp. 1-234, Vierzehnter Band, pp. 1-88.
Koch, L. 1866. Die Arachniden-Familie der Drassiden. Nürnberg, Hefte 1-6, pp. 1-304.
Koch, L. 1867. Die Arachniden-Familie der Drassiden. Nürnberg, Hefte 7, pp. 305-352.
Koch, L. 1870. Beiträge zur Kenntniss der Arachnidenfauna Galiziens. Jahrb. k. k. Gelerh. Ges. Krakau 41: 1-56.
Koch, L. 1872a. Die Arachniden Australiens. Nürnberg, 1: 105-368.
Koch, L. 1872b. Beitrag zur Kenntniss der Arachnidenfauna Tirols. Zweite Abhandlung. Zeitschr. Ferdinand. Tirol Voral. (3) 17:239-328.
Koch, L. 1875. Aegyptische und abyssinische Arachniden gesammelt von Herrn C. Jickeli. Nürnberg, pp. 1-96.
Koch, L. 1876. Die Arachniden Australiens. Nürnberg, 1: 741-888.
Koch, L. 1878. Japanesische Arachniden und Myriapoden. Verh. Zool.-bot. Ges. Wien 27:735-798.
Koch, L. 1879. Arachniden aus Sibirien und Novaja Semlja, eingesammelt von der schwedischen Expedition im Jahre 1875. Kongl. Svenska. Vet.-Acad. Handl. 16(5):1-136.
Koch, L. 1881. Beschreibungen neuer von Herrn Dr Zimmermann bei Niesky in der oberlausitz endeckter Arachniden. Abh. Naturf. Ges. Görlitz 17: 41-71.
Komatsu, T. 1940. On five species of spiders found in the Ryûgadô Cave, Tosa province. Acta Arachnol. 5:186-195.
Komatsu, T. 1967. Two new Japanese spiders (Gamasomorpha, Oonopidae and Leptoneta, Leptonetidae). Acta Arachnol. 20:46-49.

Korean Ministry of Education. 1967. Report of academic survey in Mt. Seolaksan. Korean Misnistry of Education, Seoul. 280pp.

Kraus, O. 1967. Zur Spinnenfauna Deutschlands, II. Mysmena jobi n. sp, eine Symphytognathide in Mitteleuropa (Arachnida: Araneae: Symphytognathidae). Senckenberg. Biol. 48:387-399.

Kroneberg, A. 1875. Araneae. In Fedtschenko, A.P. (ed.), Puteshestvie v Tourkestan. Reisen in Turkestan. Zoologischer Theil. Nachr. Ges. Moskau 19:1-58.

Kulczyński, W. 1895a. Araneae a Dre G. Horvath in Bessarabia, Chersoneso Taurico, Transcaucasia et Armenia Russica collectae. Termes. Füzet. 18:3-38.

Kulczyński, W. 1895b. Attidae musei zoologic Varsoviensis in Siberia orientali collecti. Rozpr. spraw. wydz. mat. przyrod. Akad. umiej. Cracov 32:45-98.

Kulczyński, W. 1911. Fragmenta Arachnologica. XVI, XVII. Bull. Acad. Cracovie 1911:12-75.

Kumada, K. 1990. A new species of the genus *Argyrodes* from Japan (Araneae, Theridiidae). Acta Arachnologica, Tokyo 39:1-5.

Latreille, P.A. 1802. Histoire naturelle, générale et particulière des Crustacés et des Insectes. Paris 7:48-59.

Latreille, P.A. 1804. Histoire naturelle générale et particulière des Crustacés et des Insectes. Paris 7:144-305.

Latreille, P.A. 1806. Genera crustaceorum et insectorum. Paris, tome 1, 302 pp. (Araneae, pp 82-127).

Latreille, P.A. 1819. Articles sur les araignées. N. Dict. hist. Nat. Paris. Ed. II, Paris, 22.

Lee, J.Y. and J.P. Kim. 2003. A taxonomic study of family Pholcidae C.L. Koch, 1851 (Arachnida: Araneae) from Korea. Korean Arachnol. 19:103-132.

Lee, S.Y., S.T. Kim, J.H. Lee, J.S. Yoo, J.K. Jung and J.W. Lim. 2014. Two gnaphosid spiders (Araneae: Gnaphosidae) new to Korean spider fauna. Open J. Ani. Sci. 4: 139-143.

Lee, S.Y., J.H. Lee, J.K. Jung and S.T. Kim. 2015. Description of *Haplodrassus mayumiae* Kamura, 2007 and *Mangora crescopicta* Yin *et al*., 1990 (Arachnida: Araneae) new to Korean spider fauna. Korean J. Appl. Entomol. 54(1):51-54.

Lee, S.Y., J.H. Lee and S.T. Kim. 2012. *Araneus rotundicornis* Yaginuma (1972) (Araneae: Araneidae) new to Korean spider fauna. J. Asia-Pacific Entomol. 15:311-312.

Lee, S.Y., J.H. Lee, J.S. Yoo and S.T. Kim. 2015. A new species of the genus *Atypus* Latreille, 1804 (Araneae: Atypidae) from Korea. Zootaxa 3915(1):139-142.

Lee, S.Y., J.S. Yoo and S.T. Kim. 2015. Ultra rare *Paraplectana sakaguchii* Uyemura, 1938 (Araneae: Araneidae) new to Korean spider fauna. J. Spec. Res. 4(1):57-59.

Lee, Y.B., J.S. Yoo, D.J. Lee and J.P. Kim. 2004. Ground dwelling spiders. Korean Arachnol. 20:97-115.

Lee, Y.K., S.M. Kang and J.P. Kim. 2009. A revision of the subfamily Linyphiinae Blackwall, 1859 in Korea. Korean Arachnol. 25:113-175.

Lessert, R. de. 1905. Arachniden Graubündens. Rev. Suisse Zool. 13:621-661.

Levi, H.W. 1980. Two new spiders of the genera *Theridion* and *Achaearanea* from North America. Trans. Am. microsc. Soc. 99:334-337.

Levi, H.W. 1983. The orb-weaver genera *Argiope*, *Gea*, and *Neogea* from the western Pacific region (Araneae: Araneidae, Argiopinae). Bull. Mus. Comp. Zool. Harv. 150: 247-338.

Linnaeus, C. 1758. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species cum characteribus differentiis, synonymis, locis. Editio decima, reformata. Holmiae, 821 pp (Araneae, pp. 619-624).

Linnaeus, C. 1767. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus differentiis, synonymis, locis. Editio duodecima, reformata. Holmiae 1(2):533-1327 (Araneae, pp. 1030-1037).

Logunov, D.V. and T. Kronestedt. 2003. A review of the genus *Talavera* Peckham and Peckham, 1909 (Arareae, Salticidae). J. Nat. Hist. 37:1091-1154.

Logunov, D.V. and Y.M. Marusik. 1999. New species and new records of the jumping spiders from the Russian Far East (Araneae, Salticidae). Acta Arachnol. 48:23-29.

Logunov, D.V. and W. Wesolowska. 1992. The jumping spiders (Araneae, Salticidae) of Khabarovsk Province (Russian Far East). Ann. Zool. Fenn. 29:113-146.

Logunov, D.V., H. Ikeda and H. Ono. 1997. Jumping spiders of the genera *Harmochirus*, *Bianor* and *Stertinius* (Araneae, Salticidae) from Japan. Bull. Natn. Sci. Mus. Tokyo (A) 23:1-16.

Lohmander, H. 1942. Südschwedische Spinnen. I. Gnaphosidae. Göteborg Vetensk. Samh. Handl. (6)2B4:1-164.

Lucas, H. 1846. Histoire naturelle des animaux articules. In Exploration scientifique de l'Algerie pendant les annees 1840, 1841, 1842 publiee par ordre du Gouvernement et avec le concours d'une commission academique. Paris, Sciences physiques, Zoologie 1:89-271.

Mao, J.Y. and D.X. Song. 1985. Two new species of wolf spiders from China (Araneae: Lycosidae). Acta Zootaxon. Sin. 10:263-267.

Marusik, Y.M. and S. Koponen. 1992. A review of *Meta* (Araneae, Tetragnathidae), with description of two new species. J. Arachnol. 20:137-143.

Marusik, Y.M. and D.V. Logunov. 1998. Taxonomic notes on the *Evarcha falcata* species complex (Aranei Salticidae). Arthropoda Selecta 6(3/4):95-104.

Mello-Leitão, C.F. de. 1917. Notas arachnologicas. 5, Especies novas ou pouco conhecidas do Brasil. Broteria 15: 74-102.

Menge, A. 1869. Preussische Spinnen. III. Abtheilung. Schrift. Naturf. Ges. Danzig (N.F.) 2:219-264.

Mikhailov, K.G. 1990. The spider genus *Clubiona* Latreille

1804 in the Soviet Far East, 1 (Arachnida, Aranei, Clubionidae). Korean Arachnol. 5:139-175.

Mikhailov, K.G. 1991. The spider genus *Clubiona* Latreille 1804 in the Soviet Far East, 2 (Arachnida, Aranei, Clubionidae). Korean Arachnol. 6:207-235.

Mikhailov, K.G. 1992. The spider genus *Clubiona* Latreille, 1804 (Arachnida Aranei Clubionidae) in the USSR fauna: a critical review with taxonomical remarks. Arthropoda Selecta 1(3):3-34.

Mikhailov, K.G. 1995. New or rare Oriental sac spiders of the genus *Clubiona* Latreille 1804 (Aranei Clubionidae). Arthropoda Selecta 3(3-4):99-110.

Mori, T. 1930. Animal and plant of Mt. Songni. Education of Joseon 63:31-49.

Müller, F. and E. Schenkel. 1895. Verzeichnis der Spinnen von Basel und Umgebegend. Verh. Naturf. Ges. Basel 10: 691-824.

Murada, B. 1936. Joseon and Manchurian Animals. Meguro-shoen, Tokyo.

Namkung, J. 1964. Spiders from Chungjoo, Korea. Atypus 33-34:31-50.

Namkung, J. 1976. A Supplemental List of Korean Spiders. Kor. J. Pl. Prot. 15(2):83-87.

Namkung, J. 1985. Addition to spider fauna of Isl. Ulreng-do (Dagelet), Korea. Korean Arachnol. 1(2):57-62.

Namkung, J. 1986a. A new species of the genus *Atypus* Latreille, 1804 (Araneae: Atypidae) from Korea. Acta Arachnol. 35:29-33.

Namkung, J. 1986b. Two unrecorded species of linyphiid spiders from Korea. Korean Arachnol. 2(2):11-18.

Namkung, J. 1987. Two new cave spiders of the genus *Leptoneta* (Araneae: Leptonetidae) from Korea. Korean Arachnol. 3:83-90.

Namkung, J. 1989. A new species of the genus *Agroeca* (Araneae: Clubionidae) from Korea. Korean Arachnol. 5: 23-27.

Namkung, J. 1991. A new species of the lava cave-dwelling leptonetid spider from Cheju-do, Korea (Araneae: Leptonetidae). Korean Arachnol. 7:29-33.

Namkung, J. 1992. A unrecorded spider of the genus *Agroeca* (Araneae: Liocranidae) from Korea. Korean Arachnol. 8:95-100.

Namkung, J. 2001. The spiders of Korea. Kyo-Hak Publishing Co., Seoul, 648 pp.

Namkung, J. 2003. The Spiders of Korea, 2nd. ed. Kyo-Hak Publ. Co., Seoul, 648 pp.

Namkung, J. and J.P. Kim. 1985. On the unreported species of *Cyrtarachne bufo* (Boes. et Str., 1906) (Arachnida, Araneae) from Korea. Korean Arachnol. 1(1):23-25.

Namkung, J. and J.P. Kim. 1987. A new species of genus *Clubiona* (Araneae: Clubionidae) from Korea. Korean Arachnol. 3:23-28.

Namkung, J. and J.P. Kim. 1990. A new species of the genus *Pholcus* (Araneae: Pholcidae) from Korea. Korean Arachnol. 5:131-137.

Namkung, J. and S.T. Kim. 1999. Two orb weavers of the genus *Neoscona* (Araneae: Araneidae) from Korea. Korean J. applied Ent. 38:213-216.

Namkung, J. and K.S. Lee. 1987. A new record spider of the genus *Mysmenella* Brignoli, 1980 (Araneae: Mysmenidae) from Korea. Korean Arachnol. 3:45-49.

Namkung, J. and K.I. Yoon. 1975. The spider fauna of Mt. Gamak, Paju-gun, Kyeonggi-do. Korean J. Pl. Prot. 14: 37-42.

Namkung, J. and K.I. Yoon. 1980. The spider fauna of Mt. Seol-ak, Kangweon-do, Korea. Korean J. Ent. 10:19-28.

Namkung, J., M.S. Im and S.T. Kim. 1994. Two newly recorded spiders of the genera *Araneus* Clerck and *Argiope* Audouin (Araneae: Araneidae) from Korea. Korean Arachnol. 10:67-73.

Namkung, J., M.S. Im and S.T. Kim. 1995. One unrecorded spider of the genus *Micaria* Westring, 1851 (Araneae: Gnaphosidae) from Korea. Korean Arachnol. 11(1):39-42.

Namkung, J., M.S. Im and S.T. Kim. 1996. A rare species of the spider, *Steatoda phalerata* (Panzer, 1801) from Korea (Araneae: Theridiidae). Acta Arachnol. 45:15-18.

Namkung, J., S.T. Kim and J.H. Lee. 2000. Revision of the Fauna of Korean Spiders (Arachnida: Araneae). Insecta Koreana 17(4):303-343.

Namkung, J., S.T. Kim and H.Y. Lim. 1996. On a water spider, *Argyroneta aquatica* (Clerck, 1758) from Korea (Araneae: Argyronetidae). Korean Arachnol. 12(1):111-117.

Namkung, J., N.K. Paik and M.C. Lee. 1988. Spiders from the southern region of DMZ in Kangwon-do, Korea. Korean Arachnol. 4:15-34.

Namkung, J., N.K. Paik and K.I. Yoon. 1981. The spider fauna of Isl. Ulreng-do (Dagelet), Korea. Korean J. Pl. Prot. 20:51-58.

Namkung, J., W.H. Paik and J.K. Yoon. 1971. Spiders from Kwangju, Cholla Namdo. Korean J. Pl. Prot. 10:49-53.

Namkung, J., W.H. Paik and K.I. Yoon. 1972. The spider fauna of Mt. Jiri, Cholla-namdo, Korea. Korean J. Pl. Prot. 11:91-99.

Namkung, J., J.S. Yoo, S.Y. Lee, J.H. Lee, W.K. Paek and S.T. Kim. 2009. Bibliographic Check list of Korean Spiders (Arachnida: Araneae) ver. 2010. Korean Nature 2:191-285.

Nishikawa, Y. 1977. Three new spiders of the genus *Coelotes* (Araneae: Agelenidae) from Minoo, Osaka, Japan. Acta Arachnol. 27 (Spec. No.):33-44.

Nyffeler, M. and G. Benz. 1987. Spiders in natural pest control: a review. J. Appl. Entomol. 103:321-339.

Ohlert, E. 1865. Arachnologische Studien. Off. Prüf. Schül. höh. Königsberg Programm 1865:1-12.

Oi, R. 1957. On some spiders (including a new species) from Buttuji. Acta Arachnol. 14:45-50.

Oi, R. 1960a. Linyphiid spiders of Japan. J. Inst. Polytech. Osaka Cy Univ. 11(D):137-244.

Oi, R. 1960b. Seaside spiders from the environs of Seto Marine Biological Laboratory of Kyoto University. Acta Arachn. Tokyo 17:3-8.

Oi, R. 1964. A supplementary note on linyphiid spiders of Japan. J. Biol. Osaka Cty Univ. (D) 15:23-30.

Okamoto, T. 1945. Spider use of Joseon people. Acta Arachnol. 9(3/4):111-112.

Okuma, C. and Y. Chikuni. 1978. A new species of the genus *Tetragnatha* (Araneae: Tetragnathidae) from Nagano Pref., Japan. Acta Arachnol. 28:1-7.

Oliger, T.I. 1985. New species and a new genus of the spider family Micryphantidae (Aranei) from Primorye Territory. Ent. Obozr. 64:645-648.

Ono, H. 1979. Thomisidae aus dem Nepal-Himalaya. II. Das Genus *Lysiteles* Simon 1895 (Arachnida: Araneae). Senckenberg. Biol. 60: 91-108.

Ono, H. 1985a. Revision einiger Arten der Familie Thomisidae (Arachnida, Araneae) aus Japan. Bull. Natn. Sci. Mus. Tokyo (A) 11:19-39.

Ono, H. 1985b. Eine Neue Art der Gattung *Misumenops* F.O. Pickard-Cambridge, 1900, aus Japan (Araneae: Thomisidae). Proc. Jap. Soc. Syst. Zool. 31:14-19.

Ono, H. 1986. A new spider of the group of *Clubiona corticalis* (Araneae, Clubionidae) found in Japan. In Entomological Papers Presented to Yoshihiko Kurosawa on the Occasion of his Retirement. Tokyo, pp. 19-25.

Ono, H. 1993. Spiders of the genus *Clubiona* (Araneae, Clubionidae) from eastern Hokkaido, Japan. Mem. Natn. Sci. Mus. Tokyo 26:89-94.

Ono, H. 2009. The Spiders of Japan with keys to the families and genera and illustrations of the species. Tokai Univ. Press, Kanagawa, xvi+739 pp.

Ono, H., K. Kumada, M. Sadamoto and E. Shinkai. 1991. Spiders from the northernmost areas of Hokkaido, Japan. Memoirs of the National Science Museum Tokyo 24:81-103.

Ovtsharenko, V.I., N.I. Platnick and D.X. Song. 1992. A review of the North Asian ground spiders of the genus *Gnaphosa* (Araneae, Gnaphosidae). Bulletin of the American Museum of Natural History 212:1-88.

Paik, K.Y. 1937. A List of Atypidae from Korea. J. Nat. Hist. Joseon 33:43-44.

Paik, K.Y. 1954. Urocteidae of Korea. J. Biol. Kyungpook 1: 2-7.

Paik, K.Y. 1957. On fifteen unrecorded spiders from Korea. Korean J. Biol. 2(1):43-47.

Paik, K.Y. 1958. A new spider of the genus *Neoantistea*. Thes. Coll. Kyungpook Univ. 3:283-292.

Paik, K.Y. 1962. Spiders of Mt. So-Paik, Korea. Atypus 26-27:74-78.

Paik, K.Y. 1965a. Taxonomical studies of linyphiid spiders from Korea. Educ. J. Teach. Coll. Kyungpook Univ. 3: 58-76.

Paik, K.Y. 1965b. Korean Agelenidae of the genus *Agelena*. Korean J. Zool. 8:55-66.

Paik, K.Y. 1965c. Five new species of linyphiid spiders from Korea. Thes. Coll. Kyungpook Univ. 9:23-32.

Paik, K.Y. 1966a. Korean Amaurobiidae of genera *Amaurobius* and *Titanoeca*. Thes. Coll. Kyungpook Univ. 10:53-61.

Paik, K.Y. 1966b. Korean spiders of genus *Cybaeus* (Araneae, Argyronetidae). Korean J. Zool. 9:31-38.

Paik, K.Y. 1967a. The Mimetidae (Araneae) of Korea. Thes. Coll. Kyungpook Univ. 11:185-196.

Paik, K.Y. 1967b. The Spider Fauna of Korea. Edu. J. Kyungpook Natn. Univ. 7/8:55-73.

Paik, K.Y. 1968. The Heteropodidae (Araneae) of Korea. Thes. Coll. Kyungpook Univ. 12:167-185.

Paik, K.Y. 1969a. The Pisauridae of Korea. Educ. J. Teach. Coll. Kyungpook Univ. 10:28-66.

Paik, K.Y. 1969b. The Oxyopidae (Araneae) of Korea. Thes. Coll. Comm. 60th Birth. Dr In Sock Yang: 105-127.

Paik, K.Y. 1970a. Korean spiders of genus *Cicurina* (Araneae, Agelenidae). Thes. Coll. Kyungpook Univ. 14:97-106.

Paik, K.Y. 1970b. Spiders from Geojae-do Isl., Kyungnam, Korea. Thes. Coll. Grad. Sch. Educ. Kyungpook Univ. 1: 83-93.

Paik, K.Y. 1971a. Korean spiders of genus *Coras* (Araneae, Agelenidae). Korean J. Zool. 14:7-18.

Paik, K.Y. 1971b. Korean spiders of genus *Tegenaria* (Araneae, Agelenidae). Korean J. Zool. 14:19-26.

Paik, K.Y. 1971c. Supplemental description of *Coelotes songminjae*. Educ. J. Teach. Coll. Kyungpook Natn. Univ. 13:171-175.

Paik, K.Y. 1971d. Cave-dwelling spiders from southern part of Korea. II. Spiders of Simbog-gul cave and Sungyoogul cave. Thes. Coll. Comm. 60th Birth. Prof. Yung Ho Choi: 299-313.

Paik, K.Y. 1971e. Araneina. in Nomia Animalium Koreanorum. Kor. Zool. Soc. 85-95pp.

Paik, K.Y. 1972. One new spider of genus *Coelotes*. Theses Coll. Grad. Sch. Educ. Kyungpook Univ. 3:49-52.

Paik, K.Y. 1973a. Three new species of genus *Xysticus* (Araneae, Thomisidae). Res. Rev. Kyungpook Natn. Univ. 17: 105-116.

Paik, K.Y. 1973b. Korean spiders of genus *Tmarus* (Araneae, Thomisidae). Thes. Coll. Grad. Sch. Educ. Kyungpook Natn. Univ. 4:79-89.

Paik, K.Y. 1974a. A new spider of the genus *Arcuphantes* (Araneae: Linyphiidae) found in Korea. Acta Arachnol. 26: 18-21.

Paik, K.Y. 1974b. Three new spiders of genus *Coelotes* (Araneae: Agelenidae). Res. Rev. Kyungpook Natn. Univ. 18: 169-180.

Paik, K.Y. 1974c. Korean spiders of genus *Oxyptila* (Araneae, Thomisidae). Educ. J. Teach. Coll. Kyungpook Univ. 16:

119-131.
Paik, K.Y. 1974d. On the female of *Conoculus simboggulensis* Paik, 1971. Korean J. Zool. 17:139-140.
Paik, K.Y. 1975. Korean spiders of genus *Xysticus* (Araneae: Thomisidae). Educ. J. Kyungpook Univ. 17:173-186.
Paik, K.Y. 1976a. Five new spiders of genus *Coelotes* (Araneae: Agelenidae). Educ. J. Teach. Coll. Kyungpook Univ. 18:77-88.
Paik, K.Y. 1976b. Report on the scientific survey of Bulyeonga Valley, 4. Rep. Korean Assoc. Conserv. Nature 10: 82-90.
Paik, K.Y. 1978a. The Pholcidae (Araneae) of Korea. Educ. J. Kyungpook Univ. 20:113-135.
Paik, K.Y. 1978b. Seven new species of Korean spiders. Res. Rev. Kyungpook Natn. Univ. 25/26:45-61.
Paik, K.Y. 1978c. Description of the male of *Strandella pargongensis* (Paik, 1965). Res. Rev. Kyungpook Natn. Univ. 25/26:213-215.
Paik, K.Y. 1978d. On the two spiders of Oonopidae and Loxoscelidae. Res. Rev. Kyungpook Natn. Univ. 25/26: 571-576.
Paik, K.Y. 1978e. Araneae. Illustrated Flora and Fauna of Korea 21:1-548pp.
Paik, K.Y. 1979a. Four species of the genus *Thanatus* (Araneae: Thomisidae) from Korea. J. Grad. School Educ. Kyungpook Natn. Univ. 11:117-131.
Paik, K.Y. 1979b. Korean spiders of family Dictynidae. Res. Rev. Kyungpook Natn. Univ. 27:419-431.
Paik, K.Y. 1979c. Korean spiders of the genus *Philodromus* (Araneae: Thomisidae). Res. Rev. Kyungpook Natn. Univ. 28: 421-452.
Paik, K.Y. 1979d. The spider fauna of Bogeong-sa District, Korea. Educ. J. Kyungpook Univ. 21: 137-147.
Paik, K.Y. 1979e. Spider Fauna of Mt. Pargong Taegu, Korea. Thes. Coll. Commem. Sixtieth birthday of Prof. JH Lee. pp. 161-217.
Paik, K.Y. 1980. The spider fauna of Dae Heuksan-do Isl., So Heuksan-do Isl. and Hong-do Isl., Jeunlanam-do, Korea. Kyungpook educ. Forum Kyungpook Natn. Univ. 22:153-173.
Paik, K.Y. 1983a. Three new species of the family Erigonidae (Araneae) from Korea. J. Inst. Nat. Sci. 2:29-35.
Paik, K.Y. 1983b. Description of a new species of the genus *Arcuphantes* (Araneae: Linyphiidae). J. Inst. Nat. Sci. 2: 81-84.
Paik, K.Y. 1984. A new genus and species of gnaphosid spider from Korea. Acta Arachnol. 32:49-53.
Paik, K.Y. 1985a. Description of the male of *Lepthyphantes nasus* Paik, 1965 (Araneae: Linyphiidae). Acta Arachnol. 33:1-3.
Paik, K.Y. 1985b. Three new species of clubionid spiders from Korea. Korean Arachnol. 1(1):1-11.
Paik, K.Y. 1985c. A new species of genus *Oxyptila* (Araneae: Thomisidae) from Korea. Korean Arachnol. 1(1):13-16.
Paik, K.Y. 1985d. A new species of the genus *Lepthyphantes* Menge, 1866 (Araneae: Linyphiidae, Erigonae) from Korea. Korean Arachnol. 1(2):7-12.
Paik, K.Y. 1985e. One unreported species of the genus *Hahnia* C.L. Koch, 1841 (Araneae: Hahniidae) from Korea. Korean Arachnol. 1(2):23-27.
Paik, K.Y. 1985f. Korean spiders of the genus *Oxytate* L. Koch, 1878 (Thomisidae: Araneae). Korean Arachnol. 1 (2):29-42.
Paik, K.Y. 1985g. Studies on the Korean salticid (Araneae) I. A number of new record species from Korea and South Korea. Korean Arachnol. 1(2):43-56.
Paik, K.Y. 1985h. One new and two unrecorded species of linyphiid (s.l.) spiders from Korea. J. Inst. Nat. Sci. 4:57-66.
Paik, K.Y. 1985i. The fifth new species of the genus *Arcuphantes* (Araneae: Linyphiidae) from Korea. J. Inst. Nat. Sci. 4:87-90.
Paik, K.Y. 1985j. A new spider of the genus *Leptoneta* (Araneae: Leptonetidae) from Korea. J. Inst. Nat. Sci. 4:113-117.
Paik, K.Y. 1986a. Korean spiders of the genus *Drassyllus* (Araneae; Gnaphosidae). Korean Arachnol. 2(1): 3-13.
Paik, K.Y. 1986b. A new record spider of the genus *Achaearanea* (Araneae: Theridiidae) from Korea. Korean Arachnol. 2(2):3-6.
Paik, K.Y. 1986c. Studies on the Korean salticid (Araneae) II. A new record species, *Euophrys trivittata*, from Korea, with a description of the male. Korean Arachnol. 2 (2):19-22.
Paik, K.Y. 1986d. Korean spiders of the genera *Zelotes*, *Trachyzelotes* and *Urozelotes* (Araneae: Gnaphosidae). Korean Arachnol. 2(2):23-46.
Paik, K.Y. 1987. Studies on the Korean salticid (Araneae) III. Some new record species from Korea or South Korea and supplementary describe for two species. Korean Arachnol. 3:3-21.
Paik, K.Y. 1988a. Korean spiders of the genus *Alopecosa* (Araneae: Lycosidae). Korean Arachnol. 4:85-111.
Paik, K.Y. 1988b. Korean spiders of the genus *Lycosa* (Araneae: Lycosidae). Korean Arachnol. 4:113-126.
Paik, K.Y. 1989. Korean spiders of the genus *Gnaphosa* (Araneae: Gnaphosidae). Korean Arachnol. 5:1-22.
Paik, K.Y. 1990a. Korean spiders of the genus *Clubiona* (Araneae: Clubionidae) I. Description of eight new species and five unrecorded species from Korea. Korean Arachnol. 5:85-129.
Paik, K.Y. 1990b. Korean spiders of the genus *Cheiracanthium* (Araneae: Clubionidae). Korean Arachnol. 6:1-30.
Paik, K.Y. 1990c. Korean spiders of the genus *Clubiona* (Araneae: Clubionidae) II. On the clubionid spiders reported from Korea before the report I. Korean Arachnol. 6:63-89.
Paik, K.Y. 1990d. Korean spider of the genus *Itatsina* (Ara-

neae: Clubionidae) from Korea. Korean Arachnol. 6: 107-114.
Paik, K.Y. 1991a. Korean spiders of the genus *Phrurolithus* (Araneae: Clubionidae). Korean Arachnol. 6:171-196.
Paik, K.Y. 1991b. Korean spiders of the genus *Trachelas* (Araneae: Clubionidae). Korean Arachnol. 6:197-206.
Paik, K.Y. 1991c. Korean spiders of the genus *Castianeira* (Araneae: Clubionidae). Korean Arachnol. 6:255-261.
Paik, K.Y. 1991d. Korean spiders of the genus *Ceto* (Araneae: Clubionidae). Korean Arachnol. 6:263-267.
Paik, K.Y. 1991e. Four new species of the linyphiid spiders from Korea (Araneae: Linyphiidae). Korean Arachnol. 7: 1-17.
Paik, K.Y. 1991f. Korean spiders of the genus *Drassodes* (Araneae: Gnaphosidae). Korean Arachnol. 7:43-59.
Paik, K.Y. 1991g. A new species of the genus *Pirata* (Araneae: Lycosidae) from Korea. Korean Arachnol. 7:61-65.
Paik, K.Y. 1991h. Korean spider of the genus *Poecilochroa* (Araneae: Gnaphosidae). Korean Arachnol. 7:67-72.
Paik, K.Y. 1992a. Three new species of the genus *Poecilochroa* (Araneae: Gnaphosidae) from Korea. Korean Arachnol. 7:117-130.
Paik, K.Y. 1992b. Korean spider of the genus *Herpyllus* (Araneae: Gnaphosidae). Korean Arachnol. 7:131-140.
Paik, K.Y. 1992c. The second reports of the genus *Zelotes* (Araneae: Gnaphosidae) from Korea. Korean Arachnol. 7:145-158.
Paik, K.Y. 1992d. Korean spider of the genus *Odontodrassus* (Araneae: Gnaphosidae). Korean Arachnol. 7:163-167.
Paik, K.Y. 1992e. A new record spider of the genus *Micaria* (Araneae: Gnaphosidae) from Korea. Korean Arachnol. 7:169-177.
Paik, K.Y. 1992f. A new genus *Shiragaia* (Araneae, Gnaphosidae; Drassodinae) from Korea. Korean Arachnol. 8: 1-6.
Paik, K.Y. 1992g. A new genus of the family Clubionidae (Arachnida, Araneae) from Korea. Korean Arachnol. 8: 7-12.
Paik, K.Y. 1992h. Korean spiders of the genus *Cladothela* Kishida, 1928 (Araneae; Gnaphosidae). Korean Arachnol. 8: 33-45.
Paik, K.Y. 1992i. Korean spiders of the genus *Drassyllus* (Araneae: Gnaphosidae) II. Korean Arachnol. 8:67-78.
Paik, K.Y. 1992j. Korean spiders of the genus *Haplodrassus* (Araneae: Gnaphosidae) II. Korean Arachnol. 8:85-93.
Paik, K.Y. 1994a. Korean spiders of the genus *Trochosa* C.L. Koch, 1848 (Araneae: Lycosidae). Korean Arachnol. 10: 7-22.
Paik, K.Y. 1994b. A new species of the genus *Lycosa* (Araneae: Lycosidae) from Korea. Korean Arachnol. 10:23-30.
Paik, K.Y. 1994c. Korean spiders of the genus *Arctosa* C.L. Koch, 1848 (Araneae: Lycosidae). Korean Arachnol. 10: 36-65.
Paik, K.Y. 1994d. Korean spider of the genus *Xerolycosa* Dahl, 1908 (Araneae: Lycosidae). Korean Arachnol. 10: 75-81.
Paik, K.Y. 1995a. Korean spiders of the genus *Steatoda* (Araneae: Theridiidae). I. Korean Arachnol. 11(1):1-14.
Paik, K.Y. 1995b. Two new species of the genus *Coscinida* Simon, 1894 (Araneae; Theridiidae) from Korea. Korean Arachnol. 11(1):15-22.
Paik, K.Y. 1995c. Korean spiders of the genus *Dipoena* (Araneae: Theridiidae). I. Korean Arachnol. 11(1):29-37.
Paik, K.Y. 1995d. Spiders from the island Ulleung-do, Korea II.-with description of one new species and one unrecorded species from Korea. Korean Arachnol. 11(1):43-54.
Paik, K.Y. 1996a. A new species of the genus *Theridion* Walckenaer, 1805 (Araneae: Theridiidae) from Korea. Korean Arachnol. 12(1):9-14.
Paik, K.Y. 1996b. Korean spiders of the genus *Spermophora* Hentz, 1841 (Araneae: Pholcidae). Korean Arachnol. 12 (1):21-27.
Paik, K.Y. 1996c. Korean spider of the genus *Anelosimus* Simon, 1891 (Araneae: Theridiidae). Korean Arachnol. 12 (1):33-44.
Paik, K.Y. 1996d. Two new species and a new record spider of the genus *Theridion* (Araneae: Theridiidae) from Korea. Korean Arachnol. 12(2):7-15.
Paik, K.Y. 1996e. Korean spider of the genus *Dipoena* (Araneae: Theridiidae) II. Description of two new species. Korean Arachnol. 12(2):41-46.
Paik, K.Y. 1996f. A newly record species of the genus *Nesticus* Thorell, 1869 (Araneae: Nesticidae) from Korea. Korean Arachnol. 12(2):71-75.
Paik, K.Y. and J.M. Kang. 1987. One new record species of the genus *Litisedes* (Araneae; Agelenidae) from Korea. Korean Arachnol. 3:91-96.
Paik, K.Y. and J.M. Kang. 1988. Spiders from the island Ullungdo, Korea. Korean Arachnol. 4:47-70.
Paik, K.Y. and J.P. Kim. 1985. A list of Korean spiders. Kor. Arachnol. 1(1):51-82.
Paik, K.Y. and J.P. Kim. 1989. A redescription of *Gnaphosa koreae* Strand, 1907 (Araneae: Gnaphosidae) based on the holotype. Korean Arachnol. 5:39-42.
Paik, K.Y. and J.P. Kim. 1994. A list of Korean spiders. Kor. Arachnol. 10(1/2):107-156.
Paik, K.Y. and K.J. Kim. 1956. A list of spiders from Korea. Kor. J. Biol. 1(1):59-84.
Paik, K.Y. and J. Namkung. 1967. Korean spiders of genus *Cybaeus* (Araneae, Argyronetidae) 2. Korean J. Zool. 10: 21-26.
Paik, K.Y. and B.K. Seo. 1982. A new spider of the genus *Leptoneta* (Araneae: Leptonetidae) from Korea. Acta Arachnol. 30:65-70.
Paik, K.Y. and B.K. Seo. 1984. Two new species of Korean spiders (Araneae: Leptonetidae and Linyphiidae). J. Inst.

Nat. Sci. 3:97-103.
Paik, K.Y. and S.R. Sohn. 1984. The Korean spiders of the genus *Haplodrassus* Chamberlin, 1922 (Araneae: Gnaphosidae). J. Inst. Nat. Sci. 3:105-112.
Paik, K.Y. and H. Tanaka. 1986. A new species of genus *Arctosa* (Araneae: Lycosidae) from Korea. Korean Arachnol. 2(1):15-22.
Paik, K.Y., T. Yaginuma and J. Namkung. 1969. Results of the speleological survey in South Korea 1966 XIX. Cave-dwelling spiders from the southern part of Korea. Bull. Natn. Sci. Mus. Tokyo 12:795-844.
Paik, W.H. and J. Namkung. 1979. Studies on the rice paddy spiders from Korea. Seoul National Univ., 101 pp.
Panzer, G.E.W. 1801. Fauna insectorum germaniae initia. Deutschlands Insekten. Regensburg, hft. 74 (fol. 19, 20), 78 (fol. 21), 83 (fol. 21).
Peckham, G.W. and E.G. Peckham. 1894. Spiders of the *Marptusa* group. Occ. Pap. Nat. Hist. Soc. Wiscons. 2: 85-156.
Platnick, N.I. 2014. The world spider catalog, version 15.0. American Museum of Natural History, online at http://research.amnh.org/entomology/spiders/catalog/index.html.
Platnick, N.I. and D.X. Song. 1986. A review of the zelotine spiders (Araneae, Gnaphosidae) of China. Am. Mus. Novit. 2848:1-22.
Poda, N. 1761. Insecta Musei Graecensis, quae in ordines, genera et species juxta systema naturae Caroli Linnaei. Graecii, 127 pp (Araneae, pp. 122-123).
Prószyński, J. 1968. Systematic revision of the genus *Yllenus* Simon, 1868 (Araneida, Salticidae). Annls. Zool. Warsz. 26:409-494.
Prószyński, J. 1979. Systematic studies on East Palearctic Salticidae III. Remarks on Salticidae of the USSR. Annls. Zool. Warsz. 34:299-369.
Prószyński, J. 1984. Atlas rysunków diagnostycznych mniej znanych Salticidae (Araneae). Wyzsza Szkola Rolniczo-Pedagogiczna, Siedlcach 2:1-177.
Prószyński, J. 1987. Atlas rysunkow diagnostycznych mniej znanych Salticidae 2. Zeszyty Naukowe Wyzszej Szkoly Rolniczo-Pedagogicznej, Siedlcach, 172pp.
Reimoser, E. 1934. The spiders of Krakatau. Proc. Zool. Soc. Lond. 1934(1):13-18.
Roberts, M.J. 1983. Spiders of the families Theridiidae, Tetragnathidae and Araneidae (Arachnida: Araneae) from Aldabra atoll. Zool. J. Linn. Soc. 77:217-291.
Rossi, F.W. 1846. Neue Arten von Arachniden des k. k. Museums, beschrieben und mit Bemerkungen über verwandte Formen begleitet. Naturw. Abh. Wien 1:11-19.
Saito, H. 1983. Description of a new soil dwelling linyphiine spider of the genus *Syedra* (Araneae: Linyphiidae) from Japan. Edaphologia 29:13-16.
Saito, H. 1988. A new spider of the genus *Cresmatoneta* (Araneae: Linyphiidae) from Japan. Proc. Jap. Soc. Syst. Zool. 37:24-26.
Saito, H. and H. Ono. 2001. New genera and species of the spider family Linyphiidae (Arachnida, Araneae) from Japan. Bull. Natn. Sci. Mus. Tokyo (A) 27:1-59.
Saito, S. 1934a. A supplementary note on spiders from southern Saghalin, with descriptions of three new species. Trans. Sapporo Nat. Hist. Soc. 13:326-340.
Saito, S. 1934b. Spiders from Hokkaido. Jour. Fac. Agric. Hokkaido Imp. Univ. 33:267-362.
Saito, S. 1935. Further notes on spiders from southern Saghalin, with descriptions of three new species. Annot. Zool. Japon. 15:58-61.
Saito, S. 1939. On the spiders from Tohoku (northernmost part of the main island), Japan. Saito Ho-on Kai Mus. Res. Bull. 18(Zool. 6):1-91.
Saito, S. 1941. Classification of Japanese animals 9(2-2). Tokyo, Sanseido publ. co., i-ii+1-14+1-220pp.
Schenkel, E. 1936. Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas, unter Leitung von Dr Sven Hedin und Prof. Sü Ping-chang. Araneae gesammelt vom schwedischen Artz der Exped. Ark. Zool. 29(A1):1-314.
Schenkel, E. 1953. Chinesische Arachnoidea aus dem Museum Hoangho-Peiho in Tientsin. Bolm Mus. Nac. Rio de J. (N.S., Zool.) 119:1-108.
Schenkel, E. 1963. Ostasiatische Spinnen aus dem Muséum d'Histoire naturelle de Paris. Mém. Mus. Natn. Hist. Nat. Paris (A, Zool.) 25:1-481.
Schrank, F. von P. 1781. Enumeratio insectorum austriae indigenorum. Augustae Vindelicorum, 552 pp (Araneae, pp. 526-534).
Schrank, F. von P. 1803. Fauna Boica. Durch dachte Geschichte der in Baiern einheimischen und Zahmen Tiere. Landshut 3(1):229-244.
Scopoli, J.A. 1763. Entomologia carniolica, exhibens insecta carniolae indigena et distributa in ordines, genera, species, varietates. Methodo Linnaeana. Vindobonae, 420 pp (Araneae, pp. 392-404).
Scopoli, J.A. 1772. Observationes zoologicae. In: Annus V, Historico-naturalis. Lipsiae, pp. 70-128 (Araneae, pp. 125-126).
Sebastin, P.A. and K.V. Peter. 2009. Spiders of India. Universities Press. Hyderabad, India. 736pp.
Seo, B.K. 1985a. Three unrecorded species of salticid spider from Korea. Korean Arachnol. 1(2):13-21.
Seo, B.K. 1985b. Descriptions of two species of the genus *Episinus* (Araneae: Theridiidae) from Korea. J. Inst. Nat. Sci. 4:97-101.
Seo, B.K. 1986. One unrecorded species of salticid spider from Korea (II). Korean Arachnol. 2(1):23-26.
Seo, B.K. 1988a. Classification of genus *Phrurolithus* (Araneae: Clubionidae) from Korea. J. Inst. Nat. Sci. 7:79-90.
Seo, B.K. 1988b. A new species of genus *Evarcha* (Araneae: Salticidae) from Korea. J. Inst. Nat. Sci. 7:91-93.

Seo, B.K. 1989. Description of two new species of genus *Leptoneta* (Araneae: Leptonetidae) from Korea. Korean Arachnol. 5:29-37.

Seo, B.K. 1990. Description of a newly recorded species in the Korean linyphiid fauna. Korean Arachnol. 6:101-106.

Seo, B.K. 1991. Description of two new species of family Linyphiidae (Araneae) from Korea. Korean Arachnol. 7: 35-41.

Seo, B.K. 1992a. A new species of genus *Evarcha* (Araneae: Salticidae) from Korea (II). Korean Arachnol. 7:159-162.

Seo, B.K. 1992b. Four newly record species in the Korean salticid fauna (III). Korean Arachnol. 7:179-186.

Seo, B.K. 1992c. Descriptions of two species of the family Thomisidae from Korea. Korean Arachnol. 8:79-84.

Seo, B.K. 1992d. A new species of the genus *Achaearanea* (Araneae: Theridiidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 11(2):169-171.

Seo, B.K. 1992e. Description of two newly recorded species in the Korean linyphiid fauna (II). J. Inst. Nat. Sci. Keimyung Univ. 11(2):173-176.

Seo, B.K. 1995a. Redescription and multivariate analysis of genus *Phintella* (Araneae, Salticidae) from Korea. Korean J. Syst. Zool. 11:183-197.

Seo, B.K. 1995b. A new species of genus *Neon* (Araneae, Salticidae) from Korea. Korean J. Syst. Zool. 11:323-327.

Seo, B.K. 1996a. A new species of the genus *Solenysa* (Araneae: Linyphiidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 15(2):157-160.

Seo, B.K. 1996b. A newly recorded species of the genus *Bathyphantes* (Araneae: Linyphiidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 15(2):161-164.

Seo, B.K. 1998b. Redescription of the spider genus *Marpissa* (Araneae, Salticidae). J. Inst. Nat. Sci. Keimyung Univ. 17(1):55-60.

Seo, B.K. 1999a. Redescription of two species of family Salticidae (Araneae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 18(1):107-110.

Seo, B.K. 1999b. A supplementary description to three species of salticid spider (Araneae, Salticidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 18(2):59-63.

Seo, B.K. 2000a. Two species of genus *Plexippus* (Araneae, Salticidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 19(2):33-37.

Seo, B.K. 2000b. On two species of salticid spider (Araneae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 19(2):39-42.

Seo, B.K. 2001a. Spiders of the genus *Myrmarachne* (Araneae, Salticidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 20(2):37-41.

Seo, B.K. 2001b. Three species of salticid spider (Araneae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 20(2):43-47.

Seo, B.K. 2002a. Description of the male of *Chrysso lativentris* (Araneae, Theridiidae). Korean J. Syst. Zool. 18:49-52.

Seo, B.K. 2002b. Two species of gnaphosid spider (Araneae). J. Inst. Nat. Sci. Keimyung Univ. 21(2):57-60.

Seo, B.K. 2002c. A species of the genus *Xysticus* C.L. Koch, 1835 (Araneae: Thomisidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 21(2):61-63.

Seo, B.K. 2003. The male of *Mimetus japonicus* Uyemura, 1938 (Araneae: Mimetidae). J. Inst. Nat. Sci. Keimyung Univ. 22(2):21-23.

Seo, B.K. 2004a. A new species of *Pholcus* (Araneae: Pholcidae) from Korea. Korean J. Syst. Zool. 20:73-77.

Seo, B.K. 2004b. A new species of *Theridion* Walckenaer (Araneae: Theridiidae) from Korea. Entomol. Res. 34: 79-81.

Seo, B.K. 2004c. *Dipoena wangi* Zhu, 1998 (Araneae: Theridiidae), new to the spider fauna of Korea. J. Inst. Nat. Sci. Keimyung Univ. 23(1):27-29.

Seo, B.K. 2004d. A gnaphosid spider new to Korea (Araneae). J. Inst. Nat. Sci. Keimyung Univ. 23(2):89-91.

Seo, B.K. 2005. Four species of theridiid spider (Araneae) from Korea with a description of new species, *Robertus naejangensis*. Ent. Res. 35:121-126.

Seo, B.K. 2005. On the female of *Lophomma albulum* Paik (Araneae, Linyphiidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 24(2):49-53.

Seo, B.K. 2006. Two new species of *Arcuphantes* (Araneae: Linyphiidae) from Korea. Korean J. Syst. Zool. 22:101-104.

Seo, B.K. 2007a. Description of the females of *Robertus naejangensis* Seo, 2005 and *Thymoites ulleungensis* (Paik, 1991) (Araneae, Theridiidae). J. Inst. Nat. Sci. Keimyung Univ. 25(2):83-86.

Seo, B.K, 2007b. *Tetragnatha shinanoensis* Okuma and Chikuni, 1978, a Tetragnathid Spider New to Korea (Araneae: Tetragnathidae). J. Inst. Nat. Sci. Keimyung Univ. 26 (1):63-66.

Seo, B.K. 2008a. Two species of the family Gnaphosiade (Araneae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 26(2):51-54.

Seo, B.K. 2008b. Two Species of the Genus *Cladothela* from Korea (Araneae: Gnaphosidae). J. Inst. Nat. Sci. Keimyung Univ. 27(1):39-44.

Seo, B.K. 2009a. A New Species and a New Record of the Genus *Clubiona* Latreille, 1804 (Araneae: Clubionidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 27(2):61-66.

Seo, B.K. 2009b. A New Record of the Spider Genus *Ebrechtella* Dahl, 1907 (Araneae: Thomisidae) from. Korea. J. Inst. Nat. Sci. Keimyung Univ. 28(1):35-38.

Seo, B.K. 2010a. New record of the oonopid spider *Opopaea syarakui* (Komatsu, 1967) (Araneae: Oonopidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 28(2):51-54.

Seo, B.K. 2010b. New species and two new records of the

spider family Theridiidae (Araneae) from Korea. Entomol. Res. 40:171-176.

Seo, B.K. 2011a. Description of three liocranid spider species from Korea (Araneae: Liocranidae). Entomol. Res. 41:98-102.

Seo, B.K. 2011b. Description of a new species and four new records of the spider subfamily Erigoninae (Araneae: Linyphiidae) from Korea. Kor. J. Appl. Entomol. 50: 141-149.

Seo, B.K. 2011c. Two Species of the Genus *Oedothorax* from Korea (Araneae: Linyphiidae). Quantitative Bio-Science Keimyung Univ. 30(1):35-39.

Seo, B.K. 2012a. Two Species of Corinnid Spider (Araneae, Corinnidae) from Korea. Quantitative Bio-Science, Keimyung Univ. 31(1):25-30.

Seo, B.K. 2012b. First Description of the Male of *Cetonana orientalis* (Schenkel, 1936) (Araneae: Corinnidae). Quantitative Bio-Science, Keimyung Univ. 31(2):139-143.

Seo, B.K. 2013a. Three Species of the Genus *Walckenaeria* (Araneae: Linyphiidae) New to Korea. Korean J. Appl. Entomol. 52(2):101-108.

Seo, B.K. 2013b. Four new species of the linyphiid spider genus *Arcuphantes* (Araneae: Linyphiidae) from Korea. Entomol. Res. 43:142-150.

Seo, B.K. 2014a. Description of the female of *Alloclubionoides jirisanensis* Kim, 2009 and the male of *Alloclubionoides terdecimus* (Paik, 1978) (Araneae, Agelenidae). Quantitative Bio-Science 33(1):29-34.

Seo, B.K. 2014b. Six new species of the subfamily Coleotinae (Araneae, Agelenidae) from Korea. Entomological Research 44(5):165-175.

Seo, B.K. 2014c. Four new species of the genus *Pholcus* (Araneae: Pholcidae) from Korea. Korean J. Appl. Entomol. 53(4):399-408.

Seo, B.K. 2015a. A New and Two Newly Recorded Species of Theridiidae and Dictynidae (Araneae) from Korea. J. Environ. Biol. 33(2):105-111.

Seo, B.K. 2015b. A New Species of the Spider Genus *Ebrechtella* Dahl and First Record of *Ozyptila utotchkini* Marusik, with the First Description of the Male of *Ozyptila geumoensis* Seo and Sohn. J. Environ. Biol. 33(2): 112-118.

Seo, B.K. 2015c. Four New Species of the Genera *Masirana* and *Longileptoneta* (Araneae, Leptonetidae) from Korea. J. Environ. Biol. 33(3):206-313.

Seo, B.K. and K.Y. Paik. 1981. A new species of the genus *Tetragnatha* (Araneae: Tetragnathidae) from Korea. Korean J. Zool. 24:87-90.

Seo, B.K. and S.R. Sohn. 1984. The spider fauna and three valuable species of Namhae-gun, Gyeongsangnam-do, Korea. J. Inst. Nat. Sci. 3:113-120.

Seo, B.K. and S.R. Sohn. 1997a. A New Species of Genus *Arcuphantes* (Araneae: Linyphiidae) from Korea. J. Inst. Nat. Sci. 16(2):45-47.

Seo, B.K. and S.R. Sohn. 1997b. A new species of genus *Ozyptila* (Araneae: Thomisidae) from Korea. J. Inst. Nat. Sci. Keimyung Univ. 16:41-43.

Seo, B.K. and S.R. Sohn. 1998a. Redescription of three species of family Salticidae (Araneae). J. Inst. Nat. Sci. Keimyung Univ. 17(1):49-54.

Seo, B.K. and S.R. Sohn. 1998b. *Enoplognatha intrepida* (Soerensen, 1898) (Araneae, Theridiidae), new to the spider fauna of Korea. J. Inst. Nat. Sci. Keimyung Univ. 17(2):77-79.

Shin, H.K. 2007. A systematic study of the araneid spiders (Arachnida: Araneae) in Korea (1). Korean Arachnol. 23: 127-171.

Shinkai, E. 2006. Spider of Japan. Tokyo, Bun-ichi Publ. co., 335pp.

Simon, E. 1868. Monographie des espèces européennes de la famille des attides (Attidae Sundewall.-Saltigradae Latreille). Ann. Soc. Ent. Fr. (4) 8:11-72, 529-726.

Simon, E. 1873. Aranéides nouveaux ou peu connus du midi de l'Europe. (2e mémoire). Mém. Soc. roy. sci. Liége (2) 5:187-351. [separately paginated version is 1-174, only that version seen and cited here].

Simon, E. 1875. Description des plusieurs Salticides d'Europe. Ann. Soc. Ent. Fr. (5) 5(Bull.):92-95.

Simon, E. 1880. Etudes arachnologiques. 11e Mémoire. XVII. Arachnides recueilles aux environs de Pékin par M. V. Collin de Plancy. Ann. Soc. Ent. Fr. (5) 10:97-128.

Simon, E. 1885. Etudes sur les Arachnides recuellis en Tunisie en 1883 et 1884 par MM. A. Letourneux, M. Sédillot et Valéry Mayet, membres de la mission de l'Exploration scientifique de la Tunisie. In Exploration scientifique de la Tunisie. Paris, pp. 1-55.

Simon, E. 1886a. Arachnides recuellis par M. A. Pavie (sous chef du service des postes au Cambodge) dans le royaume de Siam, au Cambodge et en Cochinchine. Act. Soc. Linn. Bord. 40:137-166.

Simon, E. 1886b. Descriptions de quelques espèces nouvelles de la famille des Agelenidae. Ann. Soc. Ent. Belg. 30(C.R.):56-61.

Simon, E. 1889. Etudes arachnologiques. 21e Mémoire. XXXIII. Descriptions de quelques espèces receillies au Japon, par A. Mellotée. Ann. Soc. Ent. Fr. (6) 8:248-252.

Simon, E. 1893. Histoire naturelle das araignées. Paris, 1: 257-488.

Simon, E. 1895a. Histoire naturelle des araignées. Paris, 1: 761-1084.

Simon, E. 1895b. Arachnides recueillis par M. G. Potanine en Chinie et en Mongolie (1876-1879). Bull. Acad. Imp. Sci. St.-Petersb. (5) 2:331-345.

Simon, E. 1897. Arachides recueillis par M. M. Maindron à Kurrachee et à Matheran (près Bombay) en 1896. Bull. Mus. Hist. Nat. Paris 1897:289-297.

Simon, E. 1870. Aranéides noveaux ou peu connus du midi de l'Europe. Mém. Soc. Roy. Sci. Liège (2) 3:271-358.

Sohn, S.R. and K.Y. Paik. 1981. On the unreported species of *Pirata meridionalis* and genus *Pirata* (Lycosidae, Araneae) from Korea. Korean J. Zool. 24:19-25.

Song, D.X., Z.Q. Feng and J.W. Shang. 1982. A new species of the genus *Chiracanthium* from China (Araneae: Clubionidae). Zool. Res. Kunming 3(suppl.):73-75.

Song, D.X. and J.P. Kim. 1991. On some species of spiders from Mount West Tianmu, Zhejiang, China (Araneae). Korean Arachnol. 7:19-27.

Song, D.X., M.S. Zhu and S.Q. Li. 1993. Arachnida: Araneae. In Huang, C.M. (ed.), Animals of Longqi Mountain. China Forestry Publishing House, Beijing, pp. 852-890.

Strand, E. 1907. Süd- und ostasiatische Spinnen. Abh. Naturf. Ges. Görlitz 25:107-215.

Strand, E. 1917. Arachnologica varia XIV-XVIII. Arch. Naturg. 82(A2):70-76.

Strand, E. 1918. Zur Kenntnis japanischer Spinnen, I und II. Arch. Naturg. 82(A11):73-113.

Sundevall, J.C. 1823. Specimen academicum genera araneidum Sueciae exhibens. Lundae, 1-22.

Sundevall, J.C. 1830. Svenska spindlarnes beskrifning. Kongl. Svenska Vet.-Akad. Handl. 1829:188-219 (also as separate, pp. 1-32).

Sundevall, J.C. 1831. Svenska Spindlarnes Beskrifning. Fortsättning. Separate, published by P.A. Norstedt and Söner, Stockholm (journal version appeared in 1832, see below).

Tanaka, H. 1974. Japanese wolf spiders of the [genus] *Pirata*, with descriptions of five new species (Araneae: Lycosidae). Acta Arachnol. 26:22-45.

Tanaka, H. 1975. A new species of the genus *Pardosa* from Japan (Araneae: Lycosidae). Bull. Biogeogr. Soc. Japan 31:21-24.

Tanaka, H. 1977. Two new species of the genus *Pardosa* C. Koch from Japan (Araneae: Lycosidae). Acta Arachnol. 27(Spec. No.):51-59.

Tanaka, H. 1985. Descriptions of new species of the Lycosidae (Araneae) from Japan. Acta Arachnol. 33: 51-87.

Tanaka, H. 2000. A new species of the genus *Tricca* (Araneae: Lycosidae) from Japan. Acta Arachnol. 49:155-157.

Tanikawa, A. 1992a. A revision of the Japanese spiders of the genus *Metleucauge* Levi, 1980 (Araneae: Tetragnathidae). Acta Arachnol. 41:161-175.

Tanikawa, A. 1992b. A revisional study of the Japanese spiders of the genus *Cyclosa* (Araneae: Araneidae). Acta Arachnol. 41:11-85.

Tanikawa, A. 1995a. A revision of the Japanese spiders of the genus *Araniella* (Araneae: Araneidae). Acta Arachnol. 44:51-60.

Tanikawa, A. 1995b. Two new species of the spider genus *Diphya* (Araneae: Tetragnathidae) from Japan and Taiwan, with notes on the known species. Acta Arachnol. 44:101-111.

Tanikawa, A. 2001. Twelve new species and one newly recorded species of the spider genus *Araneus* (Araneae: Araneidae) from Japan. Acta Arachnol. 50:63-86.

Tanikawa, A. 2007. An identification guide to the Japanese spiders of the families Araneidae, Nephilidae and Tetragnathidae. Arachnological Society of Japan, 121 pp.

Thorell, T. 1870. Remarks on synonyms of European spiders. Part I. Uppsala, pp. 1-96.

Thorell, T. 1872. Remarks on synonyms of European spiders. Part III. Upsala, pp. 229-374.

Thorell, T. 1875a. Descriptions of several European and North African spiders. Kongl. Svenska. Vet.-Akad. Handl. 13(5):1-203.

Thorell, T. 1875b. Verzeichniss südrussischer Spinnen. Horae Soc. Ent. Ross. 11:39-122.

Thorell, T. 1877. Studi sui Ragni Malesi e Papuani. I. Ragni di Selebes raccolti nel 1874 dal Dott. O. Beccari. Ann. Mus. Civ. Stor. Nat. Genova 10:341-637.

Thorell, T. 1890. Studi sui ragni Malesi e Papuani. IV, 1. Ann. Mus. Civ. Stor. Nat. Genova 28:1-419.

Thorell, T. 1894. Förteckning öfver arachnider från Java och närgrändsande öar, insamlade af Carl Aurivillius; jemte beskrifningar å några sydasiatiska och sydamerikanska spindlar. Bih. Svenska. Vet.-Akad. Handl. 20(4):1-63.

Thorell, T. 1895. Descriptive catalogue of the spiders of Burma. London, pp. 1-406.

Thorell, T. 1897. Viaggio di Leonardo Fea in Birmania e regioni vicine. LXXIII. Secondo saggio sui Ragni birmani. I. Parallelodontes. Tubitelariae. Ann. Mus. Civ. Stor. Nat. Genova (2) 17[=37]:161-267.

Utochkin, A.S. 1968. Pauki roda Xysticus faunii SSSR (Opredelitel'). Ed. Univ. Perm, pp. 1-73.

Uyemura, T. 1938. Two new spiders from Wakayama Prefecture, Japan. Acta Arachnol. 3:90-95.

Walckenaer, C.A. 1802. Faune parisienne. Insectes. ou Histoire abrégée des insectes de environs de Paris. Paris 2: 187-250.

Walckenaer, C.A. 1805. Tableau des aranéides ou caractères essentiels des tribus, genres, familles et races que renferme le genre Aranea de Linné, avec la désignation des espèces comprises dans chacune de ces divisions. Paris, 88 pp.

Walckenaer, C.A. 1826. Aranéides. In Faune française ou histoire naturelle générale et particulière des animaux qui se trouvent en France, constamment ou passagèrement, à la surface du sol, dans les eaux qui le baignent et dans le littoral des mers qui le bornent par Viellot, Desmarrey, Ducrotoy, Audinet, Lepelletier et Walckenaer. Paris, livr. 11-12:1-96.

Walckenaer, C.A. 1842. Histoire naturelle des Insects. Aptères. Paris, 2:1-549.

Wesolowska, W. 1981. Salticidae (Aranei) from North Korea, China and Mongolia. Annls. Zool. Warsz. 36:45-83.

Westring, N. 1851. Förteckning öfver de till närvarande tid Kände, i Sverige förekommande Spindlarter, utgörande

ett antal af 253, deraf 132 äro nya för svenska Faunan. Göteborgs Kongl. Vet. Handl. 2:25-62.

Westring, N. 1861. Araneae svecieae. Göteborgs Kongl. Vet. Handl. 7:1-615.

Wider, F. 1834. Arachniden. In Reuss, A., Zoologische miscellen. Mus. Senck. (Abh.) 1:195-276.

Yaginuma, T. 1952. Two new species (*Phrurolithus* and *Ariamnes*) found in Japan. Arachn. News 21:13-16.

Yaginuma, T. 1956. A new species of *Arachnura* (Araneae: Argiopidae) with an observation on its egg cocoons. Arachn. News 3:1-4.

Yaginuma, T. 1958. Revision of Japanese spiders of family Argiopidae. I. Genus *Meta* and a new species. Acta Arachnol. 15:24-30.

Yaginuma, T. 1959. Three new spiders collected by the scientific expeditions of the Osaka Museum of Natural History (Tetragnatha, Cyclosa and Titanoeca). Bull. Osaka Mus. Nat. Hist. 11:11-14.

Yaginuma, T. 1960. Spiders of Japan in colour. Hoikusha, Osaka, 186 pp.

Yaginuma, T. 1963a. A new zoropsid spider from Japan. Acta Arachnol. 18:1-6.

Yaginuma, T. 1963b. Identification list of Korean spiders (Chungju). Atypus 31:19-22.

Yaginuma, T. 1963c. A new species of genus *Chorizopes* (Araneae: Argiopidae) and its taxonomic position. Bull. Osaka Mus. Nat. Hist. 16:9-14.

Yaginuma, T. 1964. A new spider of genus *Enoplognatha* (Theridiidae) from Japan highlands. Acta Arachnol. 19: 5-9.

Yaginuma, T. 1967. Revision and new addition to fauna of Japanese spiders, with descriptions of seven new species. Lit. Dep. Rev. Otemon Gakuin Univ. Osaka 1:87-107.

Yaginuma, T. 1969a. A new Japanese spider of the genus *Stemmops* (Araneae: Theridiidae). Acta Arachnol. 22:14-16.

Yaginuma, T. 1969b. Spiders from the islands of Tsushima. Mem. Natn. Sci. Mus. Tokyo 2:79-92.

Yaginuma, T. 1970. Two new species of small nesticid spiders of Japan. Bull. Natn. Sci. Mus. Tokyo 13:385-394.

Yaginuma, T. 1972a. Revision of the short-legged nesticid spiders of Japan. Bull. Natn. Sci. Mus. Tokyo 15:619-622.

Yaginuma, T. 1972b. Revision of some Japanese araneid spiders. Acta Arachnol. 24:51-59.

Yamaguchi, T. 1953. Spiders of Kyushu (2). Sci. Bull. Fac. Lib. Arts Educ. Nagasaki Univ. 1:1-11.

Ye, S.H. and J.P. Kim. 2014. A new species of the genus *Alloclubionoides* Paik, 1992 (Araneae: Agelenidae) from Korea. Korean Arachnol. 31(1):33-50.

Yin, C.M., G.O. Tang and L.S. Gong. 2000. Two new species of the family Ctenidae from China (Arachnida: Araneae). Acta Arachnol. Sin. 9:94-97.

Yin, C.M., J.F. Wang, L.P. Xie and X.J. Peng. 1990. New and newly recorded species of the spiders of family Araneidae from China (Arachnida, Araneae). In Spiders in China: One Hundred New and Newly Recorded Species of the Families Araneidae and Agelenidae. Hunan Normal Univ. Press, pp. 1-171.

Yoo, J.C. and J.P. Kim. 2002. Studies on basic pattern and evolution of male palpal organ (Arachnida: Araneae). Korean Arachnol. 18:13-31.

Yoo, J.S. and V.W. Framenau. 2006. Systematics and biogeography of the sheet-web building wolf spider genus *Venonia* (Araneae: Lycosidae). Invertebr. Syst. 20:675-712.

Yoo, J.S. and J.P. Kim. 2002. One new record of thomisid spider in Korea (Araneae, Thomisidae). Korean Arachnol. 18:69-72.

Yoo, J.S., V.W. Framenau and J.P. Kim. 2007. *Arctosa stigmosa* and *A. subamylacea* are two different species (Araneae, Lycosidae). J. Arachnol. 35:171-180.

Yoo, J.S., J.P. Kim and H. Tanaka. 2004. A new species in the genus *Alopecosa* Simon, 1885 from Korea (Araneae: Lycosidae). Zootaxa 397:1-7.

Yoo, J.S., S.Y. Lee and S.T. Kim. 2015. Description of Two Unrecorded Spiders (Arachnida: Araneae) from Korea. J. For. Environ. Sci. 31(1):63-67.

Yoo, J.S., S.Y. Lee, J.H. Lee, J.S. Im and S.T. Kim. 2014. Description of Two Wolf Spiders (Araneae: Lycosidae) from Korea. J. For. Sci. 30(1):30-35.

Yoo, J.S., Y.B. Lee, Y.C. Choi and J.P. Kim. 2004. A redescription of the male of *Eldonia kayaensis* (Araneae, Linyphiidae) from Korea. Korean Arachnol. 20:1-5.

Yoo, J.S., Y.B. Lee, K.Y. Kim and J.P. Kim. 2003. One newly recorded species and genus from Korea (Araneae, Linyphiidae). Korean Arachnol. 19:1-6.

Yoo, J.S., Y.C. Park and J.P. Kim. 2007. Phylogenetic relationships of Korean wolf spider genera (Araneae: Lycosidae) inferred from morpho-anatomical data. Korean Arachnol. 23:1-34.

Yoo, J.S., Y.C. Park, Y.B. Lee and J.P. Kim. 2004. One newly recorded species of *Syedra* (Araneae, Linyphiidae) from Korea. Korean Arachnol. 20:33-38.

Yoshida, H. 1985a. A new species of the genus *Coleosoma* (Araneae: Theridiidae) from Japan. Acta Arachnol. 33: 45-50.

Yoshida, H. 1985b. Three new species of the spider genera *Phoroncidia* and *Pholcomma* (Araneae, Theridiidae) from Japan. Proc. Jap. Soc. Syst. Zool. 31:7-13.

Yoshida, H. 1986. The spider genus *Anelosimus* (Araneae: Theridiidae) in Japan and Taiwan. Acta Arachnol. 34:31-39.

Yoshida, H. 1993. East Asian species of the genus *Chrysso* (Araneae: Theridiidae). Acta Arachnol. 42:27-34.

Zabka, M. 1985. Systematic and zoogeographic study on the family Salticidae (Araneae) from Viet-Nam. Annls. Zool. Warsz. 39:197-485.

Zhu, C.D. and X.G. Mei. 1982. [A new species of spider of the genus *Phrurolithus* (Araneae: Clubionidae) from China]. J. Bethune Med. Univ. 8:49-50.

Zhu, C.D. and Z.G. Wen. 1980. A preliminary report of Micryphantidae (Arachnida: Araneae) from China. J. Bethune Med. Univ. 6:17-24.

Zhu, M.S. 1998. Fauna Sinica: Arachnida: Araneae: Theridiidae. Science Press, Beijing, xi+436 pp.

Zhu, M.S. and R.Y. An. 1988. Two new species of the genus *Clubiona* from China (Araneae: Clubionidae). J. Hebei Normal Univ. (Nat. Sci. Ed.) 1988:72-75.

Zhu, M.S., S.S. Gao and J.D. Guan. 1993. Notes on the four new species of comb-footed spiders of the forest regions Liaoning, China (Araneae: Theridiidae). J. Liaoning Univ. (Nat. Sci. Ed.) 20:89-94.

Zhu, M.S., D.X. Song, Y.Q. Zhang and X.P. Wang. 1994. On some new species and new records of spiders of the family Araneidae from China. J. Hebei Norm. Univ. (Nat. Sci. Ed.) 1994 (Suppl.): 25-52.

*Submitted: September 25, 2015*
*Revised: October 22, 2015*
*Accepted: November 9, 2015*