

HPLC-MS Identification of the Most Abundant Flavonoid Glycosides in the Pods of *Abelmoschus esculentus* – Comments on the Published Data

Olga Stężycka¹, Małgorzata Kasperkowiak², Monika Beszterda-Buszczyk³, and Magdalena Frańska^{1,*}

¹Poznań University of Technology, Institute of Chemistry and Technical Electrochemistry, Berdychowo 4, 60-965 Poznań, Poland

²Centre for Advanced Technologies, Adam Mickiewicz University, Uniwersytetu Poznańskiego 10, 61-614 Poznań, Poland

³Department of Food Biochemistry and Analysis, Poznań University of Life Sciences, Mazowiecka 48, 60-623 Poznań, Poland




Figure S1. Exemplary single ion chromatograms of $[M-H]^-$ ions of identified flavonoid glycosides.

Open Access

*Reprint requests to Magdalena Frańska

<https://orcid.org/0000-0002-4563-2883>

E-mail: magdalena.franska@put.poznan.pl

All the content in Mass Spectrometry Letters (MSL) is Open Access, meaning it is accessible online to everyone, without fee and authors' permission. All MSL content is published and distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0/>). Under this license, authors reserve the copyright for their content; however, they permit anyone to unrestrictedly use, distribute, and reproduce the content in any medium as far as the original authors and source are cited. For any reuse, redistribution, or reproduction of a work, users must clarify the license terms under which the work was produced.




Figure S2. Exemplary single ion chromatograms of $[M+H]^+$ ions of identified flavonoid glycosides.




Figure S3. ESI mass spectra of compound 1-5 obtained in the negative ion mode.

HPLC-MS Identification of the Most Abundant Flavonoid Glycosides in the Pods of *Abelmoschus esculentus*




Figure S4. ESI mass spectra of compound 1-5 obtained in the positive ion mode.




Figure S5. Single ion chromatograms of [M-H]⁻ and [M+H]⁺ ions of identified free aglycones.




Figure S6. Single ion chromatograms of [M-H]- and [M+H]⁺ ions of quercetin-3-O-glucoside and rutin standards.




Figure S7. High resolution mass spectra (accurate m/z of [M+H]⁺ ions) of compounds 1-5.